


MXZ-2F42VF

MXZ-2F42VF2

MXZ-2F42VF3

MXZ-2F42VF4

COMBINATION TABLE



MXZ-2F42VF MXZ-2F42VF2 MXZ-2F42VF3 MXZ-2F42VF4 COOLING

Indoor units combination	Cooling capacity (kW)			Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Total		220	230	240	
15	1.50	-	1.50 - 2.90	0.310 - 0.770	1.48	1.42	1.36	95
18	1.80	-	1.80 - 3.40	0.370 - 0.800	1.77	1.69	1.62	95
20	2.00	-	2.00 - 2.90	0.430 - 0.770	2.06	1.97	1.89	95
22	2.20	-	2.20 - 3.40	0.460 - 0.800	2.20	2.11	2.02	95
25	2.50	-	2.50 1.30 3.60	0.510 - 0.800	2.44	2.33	2.24	95
35	3.50	-	3.50 1.30 5.10	0.780 - 1.710	3.73	3.57	3.42	95
15+15	1.40	1.40	2.80 1.10 4.30	0.607 - 1.286	2.91	2.78	2.66	95
15+18	1.50	1.80	3.30 1.10 4.30	1.037 - 1.539	4.96	4.75	4.55	95
15+20	1.41	1.89	3.30 1.10 4.30	1.275 - 1.944	5.97	5.71	5.48	97
15+22	1.34	1.96	3.30 1.10 4.30	1.037 - 1.539	4.86	4.65	4.45	97
15+25	1.50	2.50	4.00 1.10 4.30	1.127 - 1.472	5.28	5.05	4.84	97
15+35	1.20	2.80	4.00 1.10 4.40	1.127 - 1.512	5.28	5.05	4.84	97
18+18	1.65	1.65	3.30 1.10 4.30	0.710 - 1.142	3.33	3.18	3.05	97
18+20	1.66	1.84	3.50 1.10 4.30	1.103 - 1.537	5.17	4.94	4.74	97
18+22	1.80	2.20	4.00 1.10 4.30	0.914 - 1.142	4.28	4.10	3.93	97
18+25	1.76	2.44	4.20 1.10 4.40	0.940 - 1.182	4.40	4.21	4.04	97
18+35	1.43	2.77	4.20 1.10 4.40	0.943 - 1.182	4.42	4.23	4.05	97
20+20	2.00	2.00	4.00 1.10 4.30	1.185 - 1.282	5.55	5.31	5.09	97
20+25	1.87	2.33	4.20 1.10 4.30	1.389 - 1.537	6.51	6.23	5.97	97
20+35	1.53	2.67	4.20 1.10 4.40	1.389 - 1.577	6.51	6.23	5.97	97
22+22	2.10	2.10	4.20 1.10 4.40	0.943 - 1.182	4.42	4.23	4.05	97
22+25	1.97	2.23	4.20 1.10 4.40	0.943 - 1.182	4.42	4.23	4.05	97
22+35	1.62	2.58	4.20 1.10 4.40	0.943 - 1.182	4.42	4.23	4.05	97
25+25	2.10	2.10	4.20 1.10 4.40	0.943 - 1.182	4.42	4.23	4.05	97
25+35	1.75	2.45	4.20 1.10 4.50	0.943 - 1.212	4.42	4.23	4.05	97

MXZ-2F42VF MXZ-2F42VF2 MXZ-2F42VF3 MXZ-2F42VF4 HEATING

Indoor units combination	Heating capacity (kW)			Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Total		220	230	240	
15	1.70	-	1.70 - 2.60	0.360 - 0.630	1.72	1.65	1.58	95
18	3.30	-	3.30 1.50 - 4.50	0.670 - 1.130	3.21	3.07	2.94	95
20	2.20	-	2.20 1.40 - 2.60	0.500 - 0.630	2.39	2.29	2.19	95
22	3.30	-	3.30 1.50 - 4.50	0.670 - 1.130	3.21	3.07	2.94	95
25	3.60	-	3.60 1.50 - 5.40	0.720 - 1.450	3.44	3.30	3.16	95
35	4.00	-	4.00 1.50 - 5.40	0.830 - 1.450	3.97	3.80	3.64	95
15+15	1.60	1.60	3.20 1.00 - 4.80	0.653 - 1.724	3.12	2.99	2.86	95
15+18	1.36	2.64	4.00 1.00 - 4.80	1.035 - 1.366	4.95	4.74	4.54	95
15+20	1.70	2.20	3.90 1.00 - 4.80	1.288 - 1.724	6.03	5.77	5.53	97
15+22	1.36	2.64	4.00 1.00 - 4.80	1.035 - 1.366	4.85	4.64	4.45	97
15+25	1.44	3.06	4.50 1.00 - 4.80	1.094 - 1.366	5.13	4.90	4.70	97
15+35	1.34	3.16	4.50 1.00 - 4.90	1.094 - 1.390	5.13	4.90	4.70	97
18+18	2.00	2.00	4.00 1.00 - 4.80	0.770 - 0.996	3.61	3.45	3.31	97
18+20	2.40	1.60	4.00 1.00 - 4.80	1.033 - 1.366	4.84	4.63	4.44	97
18+22	2.25	2.25	4.50 1.00 - 4.80	0.858 - 0.996	4.02	3.85	3.69	97
18+25	2.15	2.35	4.50 1.00 - 4.80	0.822 - 0.996	3.85	3.68	3.53	97
18+35	2.03	2.47	4.50 1.00 - 4.90	0.858 - 1.022	4.02	3.85	3.69	97
20+20	2.20	2.20	4.40 1.00 - 4.80	1.031 - 1.724	4.83	4.62	4.43	97
20+25	1.71	2.79	4.50 1.00 - 4.80	1.160 - 1.366	5.44	5.20	4.98	97
20+35	1.60	2.90	4.50 1.00 - 4.90	1.156 - 1.390	5.42	5.18	4.97	97
22+22	2.25	2.25	4.50 1.00 - 4.80	0.858 - 0.996	4.02	3.85	3.69	97
22+25	2.15	2.35	4.50 1.00 - 4.80	0.858 - 0.996	4.02	3.85	3.69	97
22+35	2.03	2.47	4.50 1.00 - 4.90	0.855 - 1.022	4.00	3.83	3.67	97
25+25	2.25	2.25	4.50 1.00 - 4.90	0.858 - 1.026	4.02	3.85	3.69	97
25+35	2.13	2.37	4.50 1.10 - 5.00	0.855 - 1.052	4.00	3.83	3.67	97

Mitsubishi Electric at your service

Mitsubishi Electric Europe B.V. Belgium Living Environment Systems

Main office

Autobaan 2 - 8210 Loppem
T 050 40 48 48 - info@mitsubishi-electric.be

Service centre

Preflexbaan 151 - 1740 Ternat
T 02 582 77 50 - service.as@mee.com

www.mitsubishi-electric.be

