


MXZ-3F68VF

MXZ-3F68VF2

MXZ-3F68VF3

MXZ-3F68VF4

COMBINATION TABLE



MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.50	-	-	1.50	-	2.80	0.460	-	0.700	2.11	2.02	1.94	99
18	1.80	-	-	1.80	-	3.80	0.460	-	0.870	2.11	2.02	1.94	99
20	2.00	-	-	2.00	-	2.80	0.460	-	0.700	2.39	2.28	2.19	99
22	2.20	-	-	2.20	-	3.80	0.460	-	0.870	2.39	2.28	2.19	99
25	2.50	-	-	2.50	-	3.80	0.520	-	0.870	3.72	3.56	3.41	99
35	3.50	-	-	3.50	-	5.20	0.520	-	1.500	3.72	3.56	3.41	99
42	4.20	-	-	4.20	-	5.00	0.520	-	1.585	4.73	4.52	4.34	99
50	5.00	-	-	5.00	-	5.60	0.520	-	1.775	6.20	5.93	5.68	99
60	6.00	-	-	6.00	-	6.60	0.450	-	2.491	7.94	7.60	7.28	99
15+15	1.50	1.50	-	3.00	-	5.40	0.540	-	1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	3.30	-	5.40	0.620	-	1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	3.50	-	5.40	0.700	-	2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	3.70	-	5.40	0.660	-	1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	4.00	-	5.40	0.780	-	1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	5.00	-	6.00	0.620	-	2.150	6.55	6.26	6.00	99
15+42	1.50	4.20	-	5.70	-	6.40	0.620	-	2.500	7.53	7.20	6.90	99
15+50	1.50	5.00	-	6.50	-	6.90	0.630	-	2.860	9.19	8.79	8.43	99
15+60	1.36	5.44	-	6.80	-	7.10	0.640	-	2.980	9.94	9.51	9.11	99
18+18	1.80	1.80	-	3.60	-	5.40	0.540	-	1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	3.80	-	5.40	0.700	-	1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	4.00	-	5.40	0.700	-	1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	4.30	-	5.40	0.580	-	1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	5.30	-	6.20	0.540	-	2.130	6.84	6.54	6.27	99
18+42	1.80	4.20	-	6.00	-	6.60	0.540	-	2.480	7.82	7.48	7.16	99
18+60	1.57	5.23	-	6.80	-	7.10	0.560	-	2.810	9.81	9.38	8.99	99
20+20	2.00	2.00	-	4.00	-	5.40	0.700	-	1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	4.20	-	5.40	0.700	-	1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	4.50	-	5.50	0.620	-	1.865	5.67	5.42	5.19	99
20+35	2.00	3.50	-	5.50	-	6.30	0.620	-	2.400	7.25	6.94	6.65	99
20+42	2.00	4.20	-	6.20	-	6.70	0.620	-	2.740	8.45	8.08	7.74	99
20+50	1.70	4.50	-	6.20	-	6.70	0.620	-	2.740	8.45	8.08	7.74	99
20+60	1.70	5.10	-	6.80	-	7.10	0.640	-	2.980	9.94	9.51	9.11	99
22+22	2.20	2.20	-	4.40	-	5.40	0.540	-	1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	4.70	-	5.70	0.540	-	1.810	5.88	5.63	5.39	99
22+35	2.20	3.50	-	5.70	-	6.40	0.540	-	2.330	7.40	7.08	6.78	99
22+42	2.20	4.20	-	6.40	-	6.90	0.540	-	2.655	8.81	8.43	8.08	99
22+50	2.08	4.72	-	6.80	-	7.10	0.550	-	2.820	9.81	9.38	8.99	99
22+60	1.82	4.98	-	6.80	-	7.10	0.560	-	2.810	9.81	9.38	8.99	99
25+25	2.50	2.50	-	5.00	-	6.00	0.540	-	1.980	6.41	6.13	5.88	99

MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
25+35	2.50	3.50	-	6.00 2.00 - 6.60	1.702 - 2.480	0.540	7.82	7.48	7.16	99
25+42	2.50	4.20	-	6.70 2.00 - 7.00	2.082 - 2.785	0.540	9.56	9.14	8.76	99
25+50	2.27	4.53	-	6.80 2.00 - 7.10	2.136 - 2.820	0.550	9.81	9.38	8.99	99
25+60	2.00	4.80	-	6.80 2.00 - 7.10	2.128 - 2.810	0.560	9.77	9.35	8.96	99
35+35	3.10	3.10	-	6.20 2.00 - 6.70	1.840 - 2.740	0.620	8.45	8.08	7.74	99
35+42	3.09	3.71	-	6.80 2.00 - 7.10	2.136 - 2.830	0.540	9.81	9.38	8.99	99
35+50	2.80	4.00	-	6.80 2.00 - 7.10	2.128 - 2.820	0.550	9.77	9.35	8.96	99
35+60	2.51	4.29	-	6.80 2.10 - 7.10	2.055 - 2.830	0.570	9.44	9.03	8.65	99
42+42	3.40	3.40	-	6.80 2.00 - 7.10	2.136 - 2.830	0.540	9.81	9.38	8.99	99
42+50	3.10	3.70	-	6.80 2.10 - 7.10	2.078 - 2.835	0.560	9.54	9.12	8.74	99
42+60	2.80	4.00	-	6.80 2.10 - 7.10	2.002 - 2.845	0.580	9.19	8.79	8.43	99
50+50	3.40	3.40	-	6.80 2.10 - 7.10	2.019 - 2.860	0.560	9.27	8.87	8.50	99
50+60	3.09	3.71	-	6.80 2.10 - 7.10	1.937 - 2.860	0.600	8.89	8.51	8.15	99
60+60	3.40	3.40	-	6.80 2.10 - 7.10	1.855 - 2.920	0.580	8.52	8.15	7.81	99
15+15+15	1.50	1.50	1.50	4.50 2.90 - 6.80	0.786 - 1.770	0.670	3.61	3.45	3.31	99
15+15+18	1.50	1.50	1.80	4.80 2.90 - 6.80	1.064 - 2.130	0.750	4.89	4.67	4.48	99
15+15+20	1.50	1.50	2.00	5.00 2.90 - 6.60	1.229 - 2.160	0.790	5.64	5.40	5.17	99
15+15+22	1.50	1.50	2.20	5.20 2.90 - 6.80	1.296 - 2.130	0.750	5.95	5.69	5.45	99
15+15+25	1.50	1.50	2.50	5.50 2.90 - 7.00	1.454 - 2.305	0.750	6.68	6.39	6.12	99
15+15+35	1.50	1.50	3.50	6.50 2.90 - 8.10	1.870 - 3.235	0.750	8.59	8.21	7.87	99
15+15+42	1.42	1.42	3.97 *	6.80 2.90 - 8.40	2.169 - 3.280	0.750	9.96	9.53	9.13	99
15+15+50	1.28	1.28	4.25 *	6.80 2.90 - 8.40	2.100 - 3.270	0.750	9.64	9.22	8.84	99
15+15+60	1.13	1.13	4.53	6.80 2.90 - 8.40	1.952 - 3.255	0.750	8.96	8.57	8.21	99
15+18+18	1.50	1.80	1.80	5.10 2.90 - 6.80	1.186 - 1.950	0.710	5.45	5.21	4.99	99
15+18+20	1.50	1.80	2.00	5.30 2.90 - 6.60	1.350 - 1.980	0.750	6.20	5.93	5.68	99
15+18+22	1.50	1.80	2.20	5.50 2.90 - 7.00	1.402 - 2.125	0.710	6.44	6.16	5.90	99
15+18+25	1.50	1.80	2.50	5.80 2.90 - 7.70	1.527 - 2.645	0.710	7.01	6.71	6.43	99
15+18+42	1.36	1.63	3.81 *	6.80 2.90 - 8.40	2.117 - 3.100	0.710	9.72	9.30	8.91	99
15+18+50	1.23	1.47	4.10 *	6.80 2.90 - 8.40	2.012 - 3.085	0.710	9.24	8.84	8.47	99
15+18+60	1.10	1.32	4.39	6.80 2.90 - 8.40	1.863 - 3.075	0.710	8.56	8.18	7.84	99
15+20+20	1.50	2.00	2.00	5.50 2.90 - 6.60	1.499 - 2.185	0.790	6.88	6.58	6.31	99
15+20+22	1.50	2.00	2.20	5.70 2.90 - 7.30	1.534 - 2.500	0.750	7.04	6.74	6.45	99
15+20+25	1.50	2.00	2.50	6.00 2.90 - 7.90	1.659 - 3.020	0.750	7.62	7.28	6.98	99
15+20+35	1.46	1.94	3.40	6.80 2.90 - 8.20	2.184 - 3.140	0.750	10.03	9.59	9.19	99
15+20+42	1.32	1.77	3.71 *	6.80 2.90 - 8.20	2.141 - 3.130	0.750	9.83	9.40	9.01	99
15+20+50	1.20	1.60	4.00 *	6.80 2.90 - 8.20	2.036 - 3.115	0.750	9.35	8.94	8.57	99
15+20+60	1.07	1.43	4.29	6.80 2.90 - 8.20	1.888 - 3.105	0.750	8.67	8.29	7.94	99
15+22+22	1.50	2.20	2.20	5.90 2.90 - 7.90	1.568 - 2.815	0.710	7.20	6.89	6.60	99
15+22+25	1.50	2.20	2.50	6.20 2.90 - 8.10	1.694 - 3.015	0.710	7.78	7.44	7.13	99

MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
15+22+35	1.42	2.08	3.31	6.80 2.90 - 8.40	2.136 - 3.110	0.710	9.81	9.38	8.99	99
15+22+42	1.29	1.89	3.62 *	6.80 2.90 - 8.40	2.069 - 3.100	0.710	9.50	9.09	8.71	99
15+22+50	1.17	1.72	3.91 *	6.80 2.90 - 8.40	1.963 - 3.085	0.710	9.01	8.62	8.26	99
15+22+60	1.05	1.54	4.21	6.80 2.90 - 8.40	1.815 - 3.075	0.710	8.33	7.97	7.64	99
15+25+25	1.50	2.50	2.50	6.50 2.90 - 8.10	1.818 - 3.055	0.710	8.35	7.98	7.65	99
15+25+35	1.36	2.27	3.17	6.80 2.90 - 8.40	2.136 - 3.110	0.710	9.81	9.38	8.99	99
15+25+42	1.24	2.07	3.48 *	6.80 2.90 - 8.40	2.033 - 3.100	0.710	9.33	8.93	8.56	99
15+25+50	1.13	1.89	3.78 *	6.80 2.90 - 8.40	1.928 - 3.085	0.710	8.85	8.47	8.12	99
15+25+60	1.02	1.70	4.08	6.80 2.90 - 8.40	1.780 - 3.070	0.710	8.17	7.82	7.49	99
15+35+35	1.20	2.80	2.80	6.80 2.90 - 8.40	2.017 - 3.105	0.710	9.26	8.86	8.49	99
15+35+42	1.11	2.59	3.10 *	6.80 2.90 - 8.40	1.914 - 3.095	0.710	8.79	8.40	8.05	99
15+35+50	1.02	2.38	3.40 *	6.80 2.90 - 8.40	1.809 - 3.080	0.710	8.31	7.94	7.61	99
15+35+60	0.93	2.16	3.71	6.80 2.90 - 8.40	1.720 - 3.070	0.710	7.90	7.55	7.24	99
15+42+42	1.03	2.88 *	2.88 *	6.80 2.90 - 8.40	1.811 - 3.080	0.710	8.31	7.95	7.62	99
15+42+50	0.95	2.67 *	3.18 *	6.80 2.90 - 8.40	1.730 - 3.070	0.710	7.94	7.60	7.28	99
15+42+60	0.87	2.44 *	3.49	6.80 2.90 - 8.40	1.700 - 3.060	0.710	7.81	7.47	7.16	99
15+50+50	0.89	2.96 *	2.96 *	6.80 2.90 - 8.40	1.720 - 3.060	0.710	7.90	7.55	7.24	99
18+18+18	1.80	1.80	1.80	5.40 2.90 - 6.80	1.308 - 1.770	0.670	6.00	5.74	5.50	99
18+18+20	1.80	1.80	2.00	5.60 2.90 - 7.00	1.439 - 2.145	0.710	6.61	6.32	6.06	99
18+18+22	1.80	1.80	2.20	5.80 2.90 - 7.70	1.474 - 2.465	0.670	6.77	6.48	6.21	99
18+18+25	1.80	1.80	2.50	6.10 2.90 - 8.10	1.600 - 2.825	0.670	7.34	7.02	6.73	99
18+18+35	1.72	1.72	3.35	6.80 2.90 - 8.40	2.084 - 2.930	0.670	9.57	9.15	8.77	99
18+18+42	1.57	1.57	3.66 *	6.80 2.90 - 8.40	2.028 - 2.920	0.670	9.31	8.91	8.54	99
18+18+50	1.42	1.42	3.95 *	6.80 2.90 - 8.40	1.924 - 2.905	0.670	8.83	8.45	8.10	99
18+18+60	1.28	1.28	4.25	6.80 2.90 - 8.40	1.775 - 2.895	0.670	8.15	7.80	7.47	99
18+20+20	1.80	2.00	2.00	5.80 2.90 - 7.30	1.571 - 2.525	0.750	7.21	6.90	6.61	99
18+20+22	1.80	2.00	2.20	6.00 2.90 - 7.90	1.606 - 2.840	0.710	7.38	7.05	6.76	99
18+20+25	1.80	2.00	2.50	6.30 2.90 - 7.90	1.731 - 2.880	0.710	7.95	7.60	7.29	99
18+20+35	1.68	1.86	3.26	6.80 2.90 - 8.20	2.132 - 2.960	0.710	9.79	9.36	8.97	99
18+20+42	1.53	1.70	3.57 *	6.80 2.90 - 8.20	2.053 - 2.950	0.710	9.43	9.02	8.64	99
18+20+50	1.39	1.55	3.86 *	6.80 2.90 - 8.20	1.948 - 2.935	0.710	8.94	8.55	8.20	99
18+20+60	1.25	1.39	4.16	6.80 2.90 - 8.20	1.799 - 2.920	0.710	8.26	7.90	7.57	99
18+22+22	1.80	2.20	2.20	6.20 2.90 - 8.10	1.641 - 2.835	0.670	7.54	7.21	6.91	99
18+22+25	1.80	2.20	2.50	6.50 2.90 - 8.10	1.765 - 2.875	0.670	8.11	7.75	7.43	99
18+22+35	1.63	1.99	3.17	6.80 2.90 - 8.40	2.084 - 2.930	0.670	9.57	9.15	8.77	99
18+22+42	1.49	1.82	3.48 *	6.80 2.90 - 8.40	1.981 - 2.920	0.670	9.09	8.70	8.34	99
18+22+50	1.36	1.66	3.78 *	6.80 2.90 - 8.40	1.876 - 2.905	0.670	8.61	8.24	7.90	99
18+22+60	1.22	1.50	4.08	6.80 2.90 - 8.40	1.728 - 2.890	0.670	7.93	7.59	7.27	99
18+25+25	1.80	2.50	2.50	6.80 2.90 - 8.40	1.780 - 2.930	0.670	8.17	7.82	7.49	99

MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
18+25+35	1.57	2.18	3.05	6.80 2.90 - 8.40	2.048 - 2.930	0.670	9.40	8.99	8.62	99
18+25+42	1.44	2.00	3.36 *	6.80 2.90 - 8.40	1.945 - 2.915	0.670	8.93	8.54	8.19	99
18+25+50	1.32	1.83	3.66 *	6.80 2.90 - 8.40	1.840 - 2.905	0.670	8.45	8.08	7.74	99
18+25+60	1.19	1.65	3.96	6.80 2.90 - 8.40	1.692 - 2.890	0.670	7.77	7.43	7.12	99
18+35+35	1.39	2.70	2.70	6.80 2.90 - 8.40	1.928 - 2.925	0.670	8.85	8.47	8.12	99
18+35+42	1.29	2.51	3.01 *	6.80 2.90 - 8.40	1.826 - 2.915	0.670	8.38	8.02	7.68	99
18+35+50	1.19	2.31	3.30 *	6.80 2.90 - 8.40	1.721 - 2.900	0.670	7.90	7.56	7.24	99
18+35+60	1.08	2.11	3.61	6.80 2.90 - 8.40	1.667 - 2.890	0.670	7.66	7.32	7.02	99
18+42+42	1.20	2.80 *	2.80 *	6.80 2.90 - 8.40	1.723 - 2.900	0.670	7.91	7.57	7.25	99
18+42+50	1.11	2.60 *	3.09 *	6.80 2.90 - 8.40	1.677 - 2.890	0.670	7.70	7.37	7.06	99
18+42+60	1.02	2.38 *	3.40	6.80 2.90 - 8.40	1.648 - 2.880	0.670	7.57	7.24	6.94	99
18+50+50	1.04	2.88 *	2.88 *	6.80 2.90 - 8.40	1.667 - 2.880	0.670	7.66	7.32	7.02	99
20+20+20	2.00	2.00	2.00	6.00 2.90 - 7.50	1.703 - 2.900	0.790	7.82	7.48	7.17	99
20+20+22	2.00	2.00	2.20	6.20 2.90 - 7.70	1.738 - 2.895	0.750	7.98	7.63	7.32	99
20+20+25	2.00	2.00	2.50	6.50 2.90 - 7.70	1.862 - 2.935	0.750	8.55	8.18	7.84	99
20+20+35	1.81	1.81	3.17	6.80 2.90 - 8.00	2.181 - 2.990	0.750	10.01	9.58	9.18	99
20+20+42	1.66	1.66	3.48 *	6.80 2.90 - 8.00	2.078 - 2.980	0.750	9.54	9.12	8.74	99
20+20+50	1.51	1.51	3.78 *	6.80 2.90 - 8.00	1.973 - 2.965	0.750	9.06	8.66	8.30	99
20+20+60	1.36	1.36	4.08	6.80 2.90 - 8.00	1.825 - 2.950	0.750	8.38	8.01	7.68	99
20+22+22	2.00	2.20	2.20	6.40 2.90 - 7.90	1.772 - 2.895	0.710	8.14	7.78	7.46	99
20+22+25	2.00	2.20	2.50	6.70 2.90 - 8.10	1.994 - 2.940	0.710	9.16	8.76	8.39	99
20+22+35	1.77	1.94	3.09	6.80 2.90 - 8.20	2.108 - 2.960	0.710	9.68	9.26	8.87	99
20+22+42	1.62	1.78	3.40 *	6.80 2.90 - 8.20	2.005 - 2.945	0.710	9.21	8.81	8.44	99
20+22+50	1.48	1.63	3.70 *	6.80 2.90 - 8.20	1.900 - 2.935	0.710	8.72	8.35	8.00	99
20+22+60	1.33	1.47	4.00	6.80 2.90 - 8.20	1.752 - 2.920	0.710	8.04	7.69	7.37	99
20+25+25	1.94	2.43	2.43	6.80 2.90 - 8.20	2.132 - 2.960	0.710	9.79	9.36	8.97	99
20+25+35	1.70	2.13	2.98	6.80 2.90 - 8.20	2.073 - 2.960	0.710	9.52	9.10	8.72	99
20+25+42	1.56	1.95	3.28 *	6.80 2.90 - 8.20	1.969 - 2.945	0.710	9.04	8.65	8.29	99
20+25+50	1.43	1.79	3.58 *	6.80 2.90 - 8.20	1.864 - 2.935	0.710	8.56	8.19	7.85	99
20+25+60	1.30	1.62	3.89	6.80 2.90 - 8.20	1.716 - 2.920	0.710	7.88	7.54	7.22	99
20+35+35	1.51	2.64	2.64	6.80 2.90 - 8.20	1.954 - 2.955	0.710	8.97	8.58	8.22	99
20+35+42	1.40	2.45	2.94 *	6.80 2.90 - 8.20	1.850 - 2.945	0.710	8.49	8.12	7.79	99
20+35+50	1.30	2.27	3.24 *	6.80 2.90 - 8.20	1.745 - 2.930	0.710	8.01	7.66	7.34	99
20+35+60	1.18	2.07	3.55	6.80 2.90 - 8.20	1.716 - 2.920	0.710	7.88	7.54	7.22	99
20+42+42	1.31	2.75 *	2.75 *	6.80 2.90 - 8.20	1.747 - 2.930	0.710	8.02	7.67	7.35	99
20+42+50	1.21	2.55 *	3.04 *	6.80 2.90 - 8.20	1.726 - 2.920	0.710	7.92	7.58	7.26	99
20+50+50	1.13	2.83 *	2.83 *	6.80 2.90 - 8.20	1.716 - 2.910	0.710	7.88	7.54	7.22	99
22+22+22	2.20	2.20	2.20	6.60 2.90 - 8.10	1.807 - 2.890	0.670	8.30	7.94	7.61	99
22+22+25	2.17	2.17	2.46	6.80 2.90 - 8.40	2.084 - 2.930	0.670	9.57	9.15	8.77	99

MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
22+22+35	1.89	1.89	3.01	6.80 2.90 - 8.40	2.036 - 2.930	0.670	9.35	8.94	8.57	99
22+22+42	1.74	1.74	3.32 *	6.80 2.90 - 8.40	1.933 - 2.915	0.670	8.88	8.49	8.14	99
22+22+50	1.59	1.59	3.62 *	6.80 2.90 - 8.40	1.827 - 2.905	0.670	8.39	8.03	7.69	99
22+22+60	1.44	1.44	3.92	6.80 2.90 - 8.40	1.679 - 2.890	0.670	7.71	7.37	7.07	99
22+25+25	2.08	2.36	2.36	6.80 2.90 - 8.40	2.084 - 2.930	0.670	9.57	9.15	8.77	99
22+25+35	1.82	2.07	2.90	6.80 2.90 - 8.40	2.000 - 2.930	0.670	9.18	8.78	8.42	99
22+25+42	1.68	1.91	3.21 *	6.80 2.90 - 8.40	1.897 - 2.915	0.670	8.71	8.33	7.99	99
22+25+50	1.54	1.75	3.51 *	6.80 2.90 - 8.40	1.792 - 2.905	0.670	8.23	7.87	7.54	99
22+25+60	1.40	1.59	3.81	6.80 2.90 - 8.40	1.667 - 2.890	0.670	7.66	7.32	7.02	99
22+35+35	1.63	2.59	2.59	6.80 2.90 - 8.40	1.881 - 2.925	0.670	8.64	8.26	7.92	99
22+35+42	1.51	2.40	2.88 *	6.80 2.90 - 8.40	1.778 - 2.910	0.670	8.16	7.81	7.48	99
22+35+50	1.40	2.22	3.18 *	6.80 2.90 - 8.40	1.697 - 2.900	0.670	7.79	7.45	7.14	99
22+35+60	1.28	2.03	3.49	6.80 2.90 - 8.40	1.667 - 2.890	0.670	7.66	7.32	7.02	99
22+42+42	1.41	2.69 *	2.69 *	6.80 2.90 - 8.40	1.687 - 2.900	0.670	7.74	7.41	7.10	99
22+42+50	1.31	2.51 *	2.98 *	6.80 2.90 - 8.40	1.677 - 2.890	0.670	7.70	7.37	7.06	99
25+25+25	2.27	2.27	2.27	6.80 2.90 - 8.40	2.084 - 2.930	0.670	9.57	9.15	8.77	99
25+25+35	2.00	2.00	2.80	6.80 2.90 - 8.40	1.964 - 2.925	0.670	9.02	8.63	8.27	99
25+25+42	1.85	1.85	3.10 *	6.80 2.90 - 8.40	1.861 - 2.915	0.670	8.55	8.17	7.83	99
25+25+50	1.70	1.70	3.40 *	6.80 2.90 - 8.40	1.757 - 2.900	0.670	8.07	7.71	7.39	99
25+25+60	1.55	1.55	3.71	6.80 2.90 - 8.40	1.667 - 2.890	0.670	7.66	7.32	7.02	99
25+35+35	1.79	2.51	2.51	6.80 2.90 - 8.40	1.845 - 2.925	0.670	8.47	8.10	7.76	99
25+35+42	1.67	2.33	2.80 *	6.80 2.90 - 8.40	1.742 - 2.910	0.670	8.00	7.65	7.33	99
25+35+50	1.55	2.16	3.09 *	6.80 2.90 - 8.40	1.697 - 2.900	0.670	7.79	7.45	7.14	99
25+35+60	1.42	1.98	3.40	6.80 2.90 - 8.40	1.667 - 2.890	0.670	7.66	7.32	7.02	99
25+42+42	1.56	2.62 *	2.62 *	6.80 2.90 - 8.40	1.687 - 2.900	0.670	7.74	7.41	7.10	99
25+42+50	1.45	2.44 *	2.91 *	6.80 2.90 - 8.40	1.677 - 2.890	0.670	7.70	7.37	7.06	99
35+35+35	2.27	2.27	2.27	6.80 2.90 - 8.40	1.726 - 2.920	0.670	7.92	7.58	7.26	99
35+35+42	2.13	2.13	2.55 *	6.80 2.90 - 8.40	1.706 - 2.910	0.670	7.83	7.49	7.18	99
35+35+50	1.98	1.98	2.83 *	6.80 2.90 - 8.40	1.697 - 2.900	0.670	7.79	7.45	7.14	99
35+42+42	2.00	2.40 *	2.40 *	6.80 2.90 - 8.40	1.687 - 2.900	0.670	7.74	7.41	7.10	99

* In case of MSZ-AP/AY42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3, 4 units
MSZ-AP42VG	90%
MSZ-AY42VG	90%
MSZ-AP50VG	80%
MSZ-AY50VG	80%
SLZ-M50FA	70%

- ex.) MSZ-LN18VG + MSZ-LN22VG + MSZ-AP42VG
 •MSZ-LN18VG : Rated capacity is 1.49kW.
 •MSZ-LN22VG : Rated capacity is 1.82kW.
 •MSZ-AP42VG : Rated capacity is 3.13kW. (=3.48*0.9)

MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Total			220	230	240				
15	1.70	-	-	1.70	-	2.50	0.502	-	0.780	2.30	2.20	2.11	99
18	3.30	-	-	3.30	2.00	4.50	0.480	-	1.250	3.58	3.43	3.28	99
20	2.20	-	-	2.20	2.00	2.50	0.590	-	0.780	2.89	2.77	2.65	99
22	3.30	-	-	3.30	2.00	4.50	0.480	-	1.250	3.58	3.43	3.28	99
25	3.60	-	-	3.60	2.00	5.30	0.460	-	1.480	3.81	3.65	3.49	99
35	4.00	-	-	4.00	2.00	5.30	0.460	-	1.480	4.41	4.22	4.04	99
42	5.40	-	-	5.40	2.00	5.60	0.460	-	1.564	6.92	6.62	6.35	99
50	5.80	-	-	5.80	2.00	6.80	0.460	-	2.431	7.44	7.11	6.82	99
60	7.90	-	-	7.90	2.00	8.60	0.440	-	3.295	12.76	12.20	11.69	99
15+15	1.70	1.70	-	3.40	1.80	5.00	0.670	-	1.300	3.58	3.43	3.28	99
15+18	1.70	3.30	-	5.00	1.80	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	3.90	1.80	5.80	0.650	-	1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	5.00	1.80	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+25	1.60	3.40	-	5.00	1.80	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+35	1.67	3.93	-	5.60	1.80	7.90	0.540	-	2.190	5.94	5.68	5.44	99
15+42	1.46	4.64	-	6.10	1.80	7.90	0.540	-	2.190	6.51	6.22	5.96	99
15+50	1.28	5.42	-	6.70	1.80	7.90	0.540	-	2.180	7.09	6.78	6.50	99
15+60	1.24	5.76	-	7.00	1.80	7.90	0.540	-	2.150	7.52	7.19	6.89	99
18+18	3.30	3.30	-	6.60	1.80	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+20	3.30	2.20	-	5.50	1.80	6.90	0.520	-	1.855	5.92	5.66	5.43	99
18+22	3.30	3.30	-	6.60	1.80	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+25	3.16	3.44	-	6.60	1.80	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+35	3.30	4.00	-	7.30	1.80	9.00	0.410	-	2.420	7.76	7.42	7.11	99
18+42	3.00	4.90	-	7.90	1.80	9.00	0.410	-	2.420	8.32	7.96	7.63	99
18+60	2.53	6.07	-	8.60	1.80	9.00	0.400	-	2.365	9.15	8.75	8.39	99
20+20	2.20	2.20	-	4.40	1.80	6.60	0.630	-	1.950	5.11	4.89	4.69	99
20+22	2.20	3.30	-	5.50	1.80	6.90	0.520	-	1.855	5.92	5.66	5.43	99
20+25	2.12	3.48	-	5.60	1.80	7.20	0.520	-	1.965	6.06	5.80	5.56	99
20+35	2.20	4.00	-	6.20	1.80	8.70	0.520	-	2.515	7.11	6.80	6.52	99
20+42	2.00	4.90	-	6.90	1.80	8.70	0.520	-	2.515	7.67	7.33	7.03	99
20+50	1.76	5.74	-	7.50	1.80	8.70	0.520	-	2.505	8.23	7.88	7.55	99
20+60	1.63	5.87	-	7.50	1.80	8.70	0.510	-	2.450	8.38	8.02	7.68	99
22+22	3.30	3.30	-	6.60	1.80	7.20	0.410	-	1.760	6.73	6.44	6.17	99
22+25	3.30	3.60	-	6.90	1.80	8.10	0.410	-	2.095	7.15	6.83	6.55	99
22+35	3.30	4.00	-	7.30	1.80	9.00	0.410	-	2.420	8.08	7.73	7.41	99
22+42	3.11	5.09	-	8.20	1.80	9.00	0.410	-	2.420	8.63	8.25	7.91	99
22+50	2.70	5.90	-	8.60	1.80	9.00	0.410	-	2.400	9.08	8.69	8.33	99
22+60	2.53	6.07	-	8.60	1.80	9.00	0.400	-	2.350	9.23	8.83	8.46	99
25+25	3.60	3.60	-	7.20	1.80	9.00	0.410	-	2.430	7.56	7.23	6.93	99

MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
25+35	3.60	4.00	-	7.60 1.80 - 9.00	1.813 0.410 - 2.420	8.32	7.96	7.63	99	
25+42	3.36	5.04	-	8.40 1.80 - 9.00	1.930 0.410 - 2.420	8.86	8.47	8.12	99	
25+50	2.87	5.73	-	8.60 1.80 - 9.00	1.990 0.410 - 2.390	9.14	8.74	8.38	99	
25+60	2.69	5.91	-	8.60 1.80 - 9.00	2.002 0.400 - 2.335	9.19	8.79	8.43	99	
35+35	4.00	4.00	-	8.00 1.80 - 9.00	1.970 0.410 - 2.410	9.04	8.65	8.29	99	
35+42	3.66	4.94	-	8.60 1.80 - 9.00	1.999 0.410 - 2.380	9.18	8.78	8.41	99	
35+50	3.07	5.53	-	8.60 1.80 - 9.00	2.002 0.400 - 2.335	9.19	8.79	8.43	99	
35+60	2.89	5.71	-	8.60 1.90 - 9.00	1.827 0.370 - 2.275	8.39	8.02	7.69	99	
42+42	4.30	4.30	-	8.60 1.80 - 9.00	2.029 0.400 - 2.350	9.31	8.91	8.54	99	
42+50	3.69	4.91	-	8.60 1.90 - 9.00	1.887 0.380 - 2.300	8.66	8.29	7.94	99	
42+60	3.49	5.11	-	8.60 1.90 - 9.00	1.742 0.360 - 2.235	8.00	7.65	7.33	99	
50+50	4.30	4.30	-	8.60 1.90 - 9.00	1.744 0.360 - 2.250	8.01	7.66	7.34	99	
50+60	4.10	4.50	-	8.60 1.90 - 9.00	1.725 0.360 - 2.160	7.92	7.57	7.26	99	
60+60	4.30	4.30	-	8.60 1.90 - 9.00	1.705 0.360 - 2.070	7.83	7.49	7.18	99	
15+15+15	1.70	1.70	1.70	5.10 2.60 - 8.50	1.106 0.890 - 2.425	5.08	4.86	4.66	99	
15+15+18	1.62	1.62	3.15	6.40 2.60 - 9.20	1.489 0.760 - 2.775	6.83	6.54	6.27	99	
15+15+20	1.70	1.70	2.20	5.60 2.60 - 9.00	1.244 0.890 - 2.645	5.71	5.46	5.23	99	
15+15+22	1.62	1.62	3.15	6.40 2.60 - 9.20	1.489 0.760 - 2.775	6.83	6.54	6.27	99	
15+15+25	1.55	1.55	3.29	6.40 2.60 - 9.20	1.489 0.760 - 2.775	6.83	6.54	6.27	99	
15+15+35	1.47	1.47	3.46	6.40 2.60 - 9.20	1.479 0.760 - 2.765	6.79	6.49	6.22	99	
15+15+42	1.24	1.24	3.93	6.40 2.60 - 9.20	1.479 0.760 - 2.765	6.79	6.49	6.22	99	
15+15+50	1.03	1.03	4.35	6.40 2.60 - 9.20	1.469 1.510 - 2.755	6.74	6.45	6.18	99	
15+15+60	0.96	0.96	4.47	6.40 2.60 - 9.20	1.459 3.010 - 2.745	6.70	6.41	6.14	99	
15+18+18	1.54	2.98	2.98	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	
15+18+20	1.63	3.16	2.11	6.90 2.60 - 9.70	1.626 0.760 - 2.995	7.46	7.14	6.84	99	
15+18+22	1.54	2.98	2.98	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	
15+18+25	1.48	2.88	3.14	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	
15+18+42	1.23	2.38	3.89	7.50 2.60 - 9.90	1.861 0.630 - 3.115	8.54	8.17	7.83	99	
15+18+50	1.05	2.03	4.43	7.50 2.60 - 9.90	1.851 1.830 - 3.105	8.50	8.13	7.79	99	
15+18+60	0.99	1.92	4.59	7.50 2.60 - 9.90	1.841 3.330 - 3.095	8.45	8.09	7.75	99	
15+20+20	1.70	2.20	2.20	6.10 2.60 - 9.50	1.381 0.890 - 2.865	6.34	6.06	5.81	99	
15+20+22	1.63	2.11	3.16	6.90 2.60 - 9.70	1.626 0.760 - 2.995	7.46	7.14	6.84	99	
15+20+25	1.56	2.02	3.31	6.90 2.60 - 9.70	1.626 0.760 - 2.995	7.46	7.14	6.84	99	
15+20+35	1.48	1.92	3.49	6.90 2.60 - 9.70	1.616 0.760 - 2.985	7.42	7.10	6.80	99	
15+20+42	1.26	1.63	4.01	6.90 2.60 - 9.70	1.616 1.060 - 2.985	7.42	7.10	6.80	99	
15+20+50	1.06	1.37	4.48	6.90 2.60 - 9.70	1.606 2.260 - 2.975	7.37	7.05	6.76	99	
15+20+60	0.99	1.29	4.62	6.90 2.60 - 9.70	1.596 3.760 - 2.965	7.33	7.01	6.72	99	
15+22+22	1.54	2.98	2.98	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	
15+22+25	1.48	2.88	3.14	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	

MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
15+22+35	1.42	2.75	3.33	7.50 2.60 - 9.90	1.861 0.630 - 3.115	8.54	8.17	7.83	99	
15+22+42	1.23	2.38	3.89	7.50 2.60 - 9.90	1.861 1.230 - 3.115	8.54	8.17	7.83	99	
15+22+50	1.05	2.03	4.43	7.50 2.60 - 9.90	1.851 2.430 - 3.105	8.50	8.13	7.79	99	
15+22+60	0.99	1.92	4.59	7.50 2.60 - 9.90	1.841 3.930 - 3.095	8.45	8.09	7.75	99	
15+25+25	1.43	3.03	3.03	7.50 2.60 - 9.90	1.871 0.630 - 3.125	8.59	8.22	7.87	99	
15+25+35	1.37	2.90	3.23	7.50 2.60 - 9.90	1.861 0.630 - 3.115	8.54	8.17	7.83	99	
15+25+42	1.19	2.52	3.79	7.50 2.60 - 9.90	1.861 1.680 - 3.115	8.54	8.17	7.83	99	
15+25+50	1.02	2.16	4.32	7.50 2.60 - 9.90	1.851 2.880 - 3.105	8.50	8.13	7.79	99	
15+25+60	0.97	2.05	4.49	7.50 2.60 - 9.90	1.841 4.380 - 3.095	8.45	8.09	7.75	99	
15+35+35	1.31	3.09	3.09	7.50 2.60 - 9.90	1.851 2.130 - 3.105	8.50	8.13	7.79	99	
15+35+42	1.15	2.70	3.65	7.50 2.60 - 9.90	1.851 3.180 - 3.105	8.50	8.13	7.79	99	
15+35+50	0.99	2.33	4.19	7.50 2.60 - 9.90	1.841 4.380 - 3.095	8.45	8.09	7.75	99	
15+35+60	0.94	2.21	4.36	7.50 2.60 - 9.90	1.832 4.060 - 3.085	8.41	8.04	7.71	99	
15+42+42	1.02	3.24	3.24	7.50 2.60 - 9.90	1.851 4.230 - 3.105	8.50	8.13	7.79	99	
15+42+50	0.89	2.83	3.78	7.50 2.60 - 9.90	1.841 4.700 - 3.095	8.45	8.09	7.75	99	
15+42+60	0.85	2.70	3.95	7.50 2.60 - 9.90	1.832 2.560 - 3.085	8.41	8.04	7.71	99	
15+50+50	0.79	3.35	3.35	7.50 2.60 - 9.90	1.832 2.990 - 3.085	8.41	8.04	7.71	99	
18+18+18	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+18+20	3.00	3.00	2.00	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+18+22	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+18+25	2.78	2.78	3.04	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+18+35	2.68	2.68	3.25	8.60 2.60 - 10.60	2.243 0.500 - 3.465	10.30	9.85	9.44	99	
18+18+42	2.37	2.37	3.87	8.60 2.60 - 10.60	2.243 0.950 - 3.465	10.30	9.85	9.44	99	
18+18+50	2.06	2.06	4.49	8.60 2.60 - 10.60	2.233 2.150 - 3.455	10.25	9.81	9.40	99	
18+18+60	1.96	1.96	4.69	8.60 2.60 - 10.60	2.224 3.650 - 3.445	10.21	9.77	9.36	99	
18+20+20	3.17	2.11	2.11	7.40 2.60 - 10.20	1.763 0.760 - 3.215	8.09	7.74	7.42	99	
18+20+22	3.00	2.00	3.00	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+20+25	2.90	1.93	3.16	8.00 2.60 - 10.40	2.008 0.630 - 3.345	9.22	8.82	8.45	99	
18+20+35	2.78	1.85	3.37	8.00 2.60 - 10.40	1.998 0.630 - 3.335	9.17	8.78	8.41	99	
18+20+42	2.42	1.61	3.96	8.00 2.60 - 10.40	1.998 1.380 - 3.335	9.17	8.78	8.41	99	
18+20+50	2.08	1.39	4.54	8.00 2.60 - 10.40	1.988 2.580 - 3.325	9.13	8.73	8.37	99	
18+20+60	1.97	1.31	4.72	8.00 2.60 - 10.40	1.979 4.080 - 3.315	9.08	8.69	8.33	99	
18+22+22	2.87	2.87	2.87	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+22+25	2.78	2.78	3.04	8.60 2.60 - 10.60	2.253 0.500 - 3.475	10.34	9.89	9.48	99	
18+22+35	2.68	2.68	3.25	8.60 2.60 - 10.60	2.243 0.500 - 3.465	10.30	9.85	9.44	99	
18+22+42	2.37	2.37	3.87	8.60 2.60 - 10.60	2.243 1.550 - 3.465	10.30	9.85	9.44	99	
18+22+50	2.06	2.06	4.49	8.60 2.60 - 10.60	2.233 2.750 - 3.455	10.25	9.81	9.40	99	
18+22+60	1.96	1.96	4.69	8.60 2.60 - 10.60	2.224 4.250 - 3.445	10.21	9.77	9.36	99	
18+25+25	2.70	2.95	2.95	8.60 2.60 - 10.60	1.823 0.500 - 3.475	8.37	8.01	7.67	99	

MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)					
	Unit A	Unit B	Unit C	Total			220	230	240						
18+25+35	2.60	2.84	3.16	8.60	2.60	-	10.60	2.243	0.950	-	3.465	10.30	9.85	9.44	99
18+25+42	2.31	2.52	3.78	8.60	2.60	-	10.60	2.243	2.000	-	3.465	10.30	9.85	9.44	99
18+25+50	2.01	2.20	4.39	8.60	2.60	-	10.60	2.233	3.200	-	3.455	10.25	9.81	9.40	99
18+25+60	1.92	2.09	4.59	8.60	2.60	-	10.60	2.224	4.700	-	3.445	10.21	9.77	9.36	99
18+35+35	2.51	3.04	3.04	8.60	2.60	-	10.60	2.233	2.450	-	3.455	10.25	9.81	9.40	99
18+35+42	2.23	2.71	3.66	8.60	2.60	-	10.60	2.233	3.500	-	3.455	10.25	9.81	9.40	99
18+35+50	1.96	2.37	4.27	8.60	2.60	-	10.60	2.224	4.700	-	3.445	10.21	9.77	9.36	99
18+35+60	1.87	2.26	4.47	8.60	2.60	-	10.60	2.214	3.290	-	3.435	10.16	9.72	9.32	99
18+42+42	2.01	3.29	3.29	8.60	2.60	-	10.60	2.233	4.550	-	3.455	10.25	9.81	9.40	99
18+42+50	1.78	2.92	3.89	8.60	2.60	-	10.60	2.224	3.930	-	3.445	10.21	9.77	9.36	99
18+42+60	1.71	2.80	4.09	8.60	2.60	-	10.60	2.214	1.790	-	3.435	10.16	9.72	9.32	99
18+50+50	1.60	3.50	3.50	8.60	2.60	-	10.60	2.214	2.210	-	3.435	10.16	9.72	9.32	99
20+20+20	2.20	2.20	2.20	6.60	2.60	-	10.00	1.518	0.890	-	3.085	6.97	6.67	6.39	99
20+20+22	2.11	2.11	3.17	7.40	2.60	-	10.20	1.763	0.760	-	3.215	8.09	7.74	7.42	99
20+20+25	2.04	2.04	3.33	7.40	2.60	-	10.20	1.763	0.760	-	3.215	8.09	7.74	7.42	99
20+20+35	1.94	1.94	3.52	7.40	2.60	-	10.20	1.753	0.760	-	3.205	8.05	7.70	7.38	99
20+20+42	1.66	1.66	4.08	7.40	2.60	-	10.20	1.753	1.810	-	3.205	8.05	7.70	7.38	99
20+20+50	1.40	1.40	4.59	7.40	2.60	-	10.20	1.743	3.010	-	3.195	8.00	7.66	7.34	99
20+20+60	1.32	1.32	4.75	7.40	2.60	-	10.20	1.734	4.510	-	3.185	7.96	7.61	7.30	99
20+22+22	2.00	3.00	3.00	8.00	2.60	-	10.40	2.008	0.630	-	3.345	9.22	8.82	8.45	99
20+22+25	1.93	2.90	3.16	8.00	2.60	-	10.40	2.008	0.630	-	3.345	9.22	8.82	8.45	99
20+22+35	1.85	2.78	3.37	8.00	2.60	-	10.40	1.998	0.930	-	3.335	9.17	8.78	8.41	99
20+22+42	1.61	2.42	3.96	8.00	2.60	-	10.40	1.998	1.980	-	3.335	9.17	8.78	8.41	99
20+22+50	1.39	2.08	4.54	8.00	2.60	-	10.40	1.988	3.180	-	3.325	9.13	8.73	8.37	99
20+22+60	1.31	1.97	4.72	8.00	2.60	-	10.40	1.979	4.680	-	3.315	9.08	8.69	8.33	99
20+25+25	1.87	3.06	3.06	8.00	2.60	-	10.40	2.008	0.630	-	3.345	9.22	8.82	8.45	99
20+25+35	1.80	2.94	3.27	8.00	2.60	-	10.40	1.998	1.380	-	3.335	9.17	8.78	8.41	99
20+25+42	1.57	2.57	3.86	8.00	2.60	-	10.40	1.998	2.430	-	3.335	9.17	8.78	8.41	99
20+25+50	1.35	2.22	4.43	8.00	2.60	-	10.40	1.988	3.630	-	3.325	9.13	8.73	8.37	99
20+25+60	1.28	2.10	4.61	8.00	2.60	-	10.40	1.979	5.130	-	3.315	9.08	8.69	8.33	99
20+35+35	1.73	3.14	3.14	8.00	2.60	-	10.40	1.988	2.880	-	3.325	9.13	8.73	8.37	99
20+35+42	1.52	2.76	3.72	8.00	2.60	-	10.40	1.988	3.930	-	3.325	9.13	8.73	8.37	99
20+35+50	1.31	2.39	4.30	8.00	2.60	-	10.40	1.979	5.130	-	3.315	9.08	8.69	8.33	99
20+35+60	1.25	2.27	4.48	8.00	2.60	-	10.40	1.969	2.990	-	3.305	9.04	8.65	8.29	99
20+42+42	1.35	3.32	3.32	8.00	2.60	-	10.40	1.988	4.980	-	3.325	9.13	8.73	8.37	99
20+42+50	1.19	2.92	3.89	8.00	2.60	-	10.40	1.979	3.630	-	3.315	9.08	8.69	8.33	99
20+50+50	1.06	3.47	3.47	8.00	2.60	-	10.40	1.969	1.920	-	3.305	9.04	8.65	8.29	99
22+22+22	2.87	2.87	2.87	8.60	2.60	-	10.60	2.253	0.500	-	3.475	10.34	9.89	9.48	99
22+22+25	2.78	2.78	3.04	8.60	2.60	-	10.60	2.253	0.500	-	3.475	10.34	9.89	9.48	99

MXZ-3F68VF MXZ-3F68VF2 MXZ-3F68V3 MXZ-3F68VF4 HEATING

Indoor units combination	Heating capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Total			220	230	240	
22+22+35	2.68	2.68	3.25	8.60 - 10.60	2.243 - 3.465	1.100	10.30	9.85	9.44	99
22+22+42	2.37	2.37	3.87	8.60 - 10.60	2.243 - 3.465	2.150	10.30	9.85	9.44	99
22+22+50	2.06	2.06	4.49	8.60 - 10.60	2.233 - 3.455	3.350	10.25	9.81	9.40	99
22+22+60	1.96	1.96	4.69	8.60 - 10.60	2.224 - 3.445	4.850	10.21	9.77	9.36	99
22+25+25	2.70	2.95	2.95	8.60 - 10.60	2.253 - 3.475	0.500	10.34	9.89	9.48	99
22+25+35	2.60	2.84	3.16	8.60 - 10.60	2.243 - 3.465	1.550	10.30	9.85	9.44	99
22+25+42	2.31	2.52	3.78	8.60 - 10.60	2.243 - 3.465	2.600	10.30	9.85	9.44	99
22+25+50	2.01	2.20	4.39	8.60 - 10.60	2.233 - 3.455	3.800	10.25	9.81	9.40	99
22+25+60	1.92	2.09	4.59	8.60 - 10.60	2.224 - 3.445	4.570	10.21	9.77	9.36	99
22+35+35	2.51	3.04	3.04	8.60 - 10.60	2.233 - 3.455	3.050	10.25	9.81	9.40	99
22+35+42	2.23	2.71	3.66	8.60 - 10.60	2.233 - 3.455	4.100	10.25	9.81	9.40	99
22+35+50	1.96	2.37	4.27	8.60 - 10.60	2.224 - 3.445	4.570	10.21	9.77	9.36	99
22+35+60	1.87	2.26	4.47	8.60 - 10.60	2.214 - 3.435	2.430	10.16	9.72	9.32	99
22+42+42	2.01	3.29	3.29	8.60 - 10.60	2.233 - 3.455	4.790	10.25	9.81	9.40	99
22+42+50	1.78	2.92	3.89	8.60 - 10.60	2.224 - 3.445	3.070	10.21	9.77	9.36	99
25+25+25	2.87	2.87	2.87	8.60 - 10.60	2.253 - 3.475	0.500	10.34	9.89	9.48	99
25+25+35	2.76	2.76	3.07	8.60 - 10.60	2.243 - 3.465	2.000	10.30	9.85	9.44	99
25+25+42	2.46	2.46	3.69	8.60 - 10.60	2.243 - 3.465	3.050	10.30	9.85	9.44	99
25+25+50	2.15	2.15	4.30	8.60 - 10.60	2.233 - 3.455	4.250	10.25	9.81	9.40	99
25+25+60	2.05	2.05	4.50	8.60 - 10.60	2.224 - 3.445	3.930	10.21	9.77	9.36	99
25+35+35	2.67	2.97	2.97	8.60 - 10.60	2.233 - 3.455	3.500	10.25	9.81	9.40	99
25+35+42	2.38	2.65	3.57	8.60 - 10.60	2.233 - 3.455	4.550	10.25	9.81	9.40	99
25+35+50	2.09	2.32	4.18	8.60 - 10.60	2.224 - 3.445	3.930	10.21	9.77	9.36	99
25+35+60	2.00	2.22	4.38	8.60 - 10.60	2.214 - 3.435	1.790	10.16	9.72	9.32	99
25+42+42	2.15	3.23	3.23	8.60 - 10.60	2.233 - 3.455	4.140	10.25	9.81	9.40	99
25+42+50	1.91	2.87	3.82	8.60 - 10.60	2.224 - 3.445	2.430	10.21	9.77	9.36	99
35+35+35	2.87	2.87	2.87	8.60 - 10.60	2.224 - 3.445	5.000	10.21	9.77	9.36	99
35+35+42	2.57	2.57	3.47	8.60 - 10.60	2.224 - 3.445	3.500	10.21	9.77	9.36	99
35+35+50	2.26	2.26	4.07	8.60 - 10.60	2.214 - 3.435	1.790	10.16	9.72	9.32	99
35+42+42	2.32	3.14	3.14	8.60 - 10.60	2.224 - 3.445	2.000	10.21	9.77	9.36	99

Mitsubishi Electric at your service

Mitsubishi Electric Europe B.V. Belgium Living Environment Systems

Main office

Autobaan 2 - 8210 Loppem
T 050 40 48 48 - info@mitsubishi-electric.be

Service centre

Preflexbaan 151 - 1740 Ternat
T 02 582 77 50 - service.as@mee.com

www.mitsubishi-electric.be

