


**MXZ-4F72VF**

**MXZ-4F72VF2**

**MXZ-4F72VF3**

**MXZ-4F72VF4**

# COMBINATION TABLE



**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240				
15	1.50	-	-	-	1.50	-	2.80	0.460	-	0.700	2.11	2.02	1.94	99
18	1.80	-	-	-	1.80	-	3.80	0.460	-	0.870	2.11	2.02	1.94	99
20	2.00	-	-	-	2.00	-	2.80	0.460	-	0.700	2.39	2.28	2.19	99
22	2.20	-	-	-	2.20	-	3.80	0.460	-	0.870	2.39	2.28	2.19	99
25	2.50	-	-	-	2.50	-	3.80	0.520	-	0.870	3.72	3.56	3.41	99
35	3.50	-	-	-	3.50	-	5.20	0.520	-	1.500	3.72	3.56	3.41	99
42	4.20	-	-	-	4.20	-	5.00	0.520	-	1.585	4.73	4.52	4.34	99
50	5.00	-	-	-	5.00	-	5.60	0.520	-	1.775	6.20	5.93	5.68	99
60	6.00	-	-	-	6.00	-	6.60	1.90	-	2.491	7.94	7.60	7.28	99
15+15	1.50	1.50	-	-	3.00	-	5.40	2.00	-	1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	-	3.30	-	5.40	2.00	-	1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	-	3.50	-	5.40	2.00	-	2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	-	3.70	-	5.40	2.00	-	1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	-	4.00	-	5.40	2.00	-	1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	-	5.00	-	6.00	2.00	-	2.150	6.55	6.26	6.00	99
15+42	1.50	4.20	-	-	5.70	-	6.40	2.00	-	2.500	7.53	7.20	6.90	99
15+50	1.50	5.00	-	-	6.50	-	6.90	2.00	-	2.860	9.19	8.79	8.43	99
15+60	1.36	5.44	-	-	6.80	-	7.10	2.00	-	2.980	9.94	9.51	9.11	99
18+18	1.80	1.80	-	-	3.60	-	5.40	2.00	-	1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	-	3.80	-	5.40	2.00	-	1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	-	4.00	-	5.40	2.00	-	1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	-	4.30	-	5.40	2.00	-	1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	-	5.30	-	6.20	2.00	-	2.130	6.84	6.54	6.27	99
18+42	1.80	4.20	-	-	6.00	-	6.60	2.00	-	2.480	7.82	7.48	7.16	99
18+50	1.80	5.00	-	-	6.80	-	7.10	2.00	-	2.820	9.81	9.38	8.99	99
18+60	1.57	5.23	-	-	6.80	-	7.10	2.00	-	2.810	9.81	9.38	8.99	99
20+20	2.00	2.00	-	-	4.00	-	5.40	2.00	-	1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	-	4.20	-	5.40	2.00	-	1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	-	4.50	-	5.50	2.00	-	1.865	5.67	5.42	5.19	99
20+35	2.00	3.50	-	-	5.50	-	6.30	2.00	-	2.400	7.25	6.94	6.65	99
20+42	2.00	4.20	-	-	6.20	-	6.70	2.00	-	2.740	8.45	8.08	7.74	99
20+50	1.94	4.86	-	-	6.80	-	7.10	2.00	-	2.990	9.94	9.51	9.11	99
20+60	1.70	5.10	-	-	6.80	-	7.10	2.00	-	2.980	9.94	9.51	9.11	99
22+22	2.20	2.20	-	-	4.40	-	5.40	2.00	-	1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	-	4.70	-	5.70	2.00	-	1.810	5.88	5.63	5.39	99
22+35	2.20	3.50	-	-	5.70	-	6.40	2.00	-	2.330	7.40	7.08	6.78	99
22+42	2.20	4.20	-	-	6.40	-	6.90	2.00	-	2.655	8.81	8.43	8.08	99
22+60	1.82	4.98	-	-	6.80	-	7.10	2.00	-	2.810	9.81	9.38	8.99	99
25+25	2.50	2.50	-	-	5.00	-	6.00	2.00	-	1.980	6.41	6.13	5.88	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
25+35	2.50	3.50	-	-	6.00 2.00 - 6.60	0.540	1.702 - 2.480	7.82	7.48	7.16	99
25+42	2.50	4.20	-	-	6.70 2.00 - 7.00	0.540	2.082 - 2.785	9.56	9.14	8.76	99
25+50	2.27	4.53	-	-	6.80 2.00 - 7.10	0.550	2.136 - 2.820	9.81	9.38	8.99	99
25+60	2.00	4.80	-	-	6.80 2.00 - 7.10	0.560	2.128 - 2.810	9.77	9.35	8.96	99
35+35	3.20	3.20	-	-	6.40 2.00 - 6.90	0.540	1.920 - 2.655	8.81	8.43	8.08	99
35+42	3.09	3.71	-	-	6.80 2.00 - 7.10	0.540	2.136 - 2.830	9.81	9.38	8.99	99
35+50	2.80	4.00	-	-	6.80 2.00 - 7.10	0.550	2.128 - 2.820	9.77	9.35	8.96	99
35+60	2.51	4.29	-	-	6.80 2.10 - 7.10	0.570	2.055 - 2.830	9.44	9.03	8.65	99
42+42	3.40	3.40	-	-	6.80 2.00 - 7.10	0.540	2.136 - 2.830	9.81	9.38	8.99	99
42+50	3.10	3.70	-	-	6.80 2.10 - 7.10	0.560	2.078 - 2.835	9.54	9.12	8.74	99
42+60	2.80	4.00	-	-	6.80 2.10 - 7.10	0.580	2.002 - 2.845	9.19	8.79	8.43	99
50+50	3.40	3.40	-	-	6.80 2.10 - 7.10	0.560	2.019 - 2.860	9.27	8.87	8.50	99
50+60	3.09	3.71	-	-	6.80 2.10 - 7.10	0.600	1.937 - 2.860	8.89	8.51	8.15	99
60+60	3.40	3.40	-	-	6.80 2.10 - 7.10	0.580	1.855 - 2.920	8.52	8.15	7.81	99
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 7.30	0.780	0.941 - 2.310	4.32	4.13	3.96	99
15+15+18	1.50	1.50	1.80	-	4.80 2.90 - 7.60	0.800	1.141 - 2.210	5.24	5.01	4.80	99
15+15+20	1.50	1.50	2.00	-	5.00 2.90 - 7.70	0.810	1.261 - 2.130	5.79	5.54	5.31	99
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.90	0.750	1.304 - 1.970	5.99	5.73	5.49	99
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 8.10	0.750	1.431 - 2.205	6.57	6.28	6.02	99
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	0.750	1.586 - 3.140	7.28	6.97	6.67	99
15+15+50	1.35	1.35 *	4.50 *	-	7.20 2.90 - 8.50	0.730	1.850 - 2.555	8.49	8.12	7.79	99
15+15+60	1.20	1.20	4.80	-	7.20 2.90 - 8.50	0.730	1.756 - 2.535	8.06	7.71	7.39	99
15+18+18	1.50	1.80	1.80	-	5.10 2.90 - 7.80	0.740	1.224 - 1.990	5.62	5.38	5.15	99
15+18+20	1.50	1.80	2.00	-	5.30 2.90 - 8.00	0.740	1.344 - 1.910	6.17	5.90	5.66	99
15+18+22	1.50	1.80	2.20	-	5.50 2.90 - 8.10	0.720	1.392 - 2.165	6.39	6.11	5.86	99
15+18+25	1.50	1.80	2.50	-	5.80 2.90 - 8.10	0.770	1.529 - 3.230	7.02	6.71	6.43	99
15+18+35	1.50	1.80	3.50	-	6.80 2.90 - 8.20	0.700	1.646 - 2.790	7.56	7.23	6.93	99
15+18+42	1.44	1.73 *	4.03 *	-	7.20 2.90 - 8.50	0.700	1.853 - 2.530	8.51	8.14	7.80	99
15+18+50	1.30	1.56 *	4.34 *	-	7.20 2.90 - 8.50	0.700	1.792 - 2.510	8.23	7.87	7.54	99
15+18+60	1.16	1.39	4.65	-	7.20 2.90 - 8.50	0.700	1.698 - 2.490	7.79	7.45	7.14	99
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 8.10	0.780	1.470 - 2.245	6.75	6.45	6.18	99
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 8.10	0.780	1.522 - 2.915	6.99	6.68	6.41	99
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	0.830	1.659 - 3.980	7.62	7.28	6.98	99
15+20+35	1.50	2.00	3.50	-	7.00 2.90 - 8.30	0.740	1.797 - 2.690	8.25	7.89	7.56	99
15+20+42	1.40	1.87 *	3.93 *	-	7.20 2.90 - 8.50	0.730	1.879 - 2.570	8.63	8.25	7.91	99
15+20+50	1.27	1.69 *	4.24 *	-	7.20 2.90 - 8.50	0.730	1.817 - 2.550	8.34	7.98	7.65	99
15+20+60	1.14	1.52	4.55	-	7.20 2.90 - 8.50	0.730	1.724 - 2.530	7.91	7.57	7.25	99
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.10	0.780	1.574 - 3.585	7.23	6.91	6.63	99
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	0.770	1.591 - 3.605	7.30	6.99	6.70	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total				220	230	240	
15+22+42	1.37	2.01 *	3.83 *	-	7.20 2.90 - 8.50	0.700	1.827 -	2.525	8.39	8.02	7.69	99
15+22+50	1.24	1.82 *	4.14 *	-	7.20 2.90 - 8.50	0.700	1.765 -	2.510	8.11	7.75	7.43	99
15+22+60	1.11	1.63	4.45	-	7.20 2.90 - 8.50	0.700	1.671 -	2.490	7.67	7.34	7.03	99
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	0.720	1.547 -	3.100	7.10	6.79	6.51	99
15+25+35	1.44	2.40	3.36	-	7.20 2.90 - 8.50	0.700	1.872 -	2.540	8.60	8.22	7.88	99
15+25+42	1.32	2.20 *	3.69 *	-	7.20 2.90 - 8.50	0.700	1.807 -	2.525	8.30	7.94	7.61	99
15+25+50	1.20	2.00 *	4.00 *	-	7.20 2.90 - 8.50	0.700	1.746 -	2.505	8.02	7.67	7.35	99
15+25+60	1.08	1.80	4.32	-	7.20 2.90 - 8.50	0.700	1.652 -	2.485	7.58	7.25	6.95	99
15+35+35	1.27	2.96	2.96	-	7.20 2.90 - 8.50	0.700	1.807 -	2.530	8.30	7.94	7.61	99
15+35+42	1.17	2.74 *	3.29 *	-	7.20 2.90 - 8.50	0.700	1.743 -	2.515	8.00	7.66	7.34	99
15+35+50	1.08	2.52 *	3.60 *	-	7.20 2.90 - 8.50	0.700	1.681 -	2.495	7.72	7.38	7.07	99
15+35+60	0.98	2.29	3.93	-	7.20 2.90 - 8.50	0.700	1.620 -	2.480	7.44	7.11	6.82	99
15+42+42	1.09	3.05 *	3.05 *	-	7.20 2.90 - 8.50	0.700	1.678 -	2.495	7.70	7.37	7.06	99
15+42+50	1.01	2.83 *	3.36 *	-	7.20 2.90 - 8.50	0.700	1.630 -	2.480	7.48	7.16	6.86	99
15+42+60	0.92	2.58	3.69	-	7.20 2.90 - 8.50	0.700	1.601 -	2.470	7.35	7.03	6.74	99
15+50+50	0.94	3.13 *	3.13 *	-	7.20 2.90 - 8.50	0.700	1.620 -	2.470	7.44	7.11	6.82	99
15+50+60	0.86	2.88	3.46	-	7.20 2.90 - 8.50	0.700	1.591 -	2.460	7.30	6.99	6.70	99
18+18+18	1.80	1.80	1.80	-	5.40 2.90 - 8.10	0.670	1.308 -	1.770	6.00	5.74	5.50	99
18+18+20	1.80	1.80	2.00	-	5.60 2.90 - 8.10	0.730	1.438 -	2.520	6.60	6.31	6.05	99
18+18+22	1.80	1.80	2.20	-	5.80 2.90 - 8.10	0.740	1.490 -	3.190	6.84	6.54	6.27	99
18+18+25	1.80	1.80	2.50	-	6.10 2.90 - 8.10	0.750	1.567 -	3.730	7.19	6.88	6.59	99
18+18+35	1.80	1.80	3.50	-	7.10 2.90 - 8.40	0.680	1.777 -	2.540	8.16	7.80	7.48	99
18+18+42	1.66	1.66 *	3.88 *	-	7.20 2.90 - 8.50	0.670	1.795 -	2.485	8.24	7.88	7.55	99
18+18+50	1.51	1.51 *	4.19 *	-	7.20 2.90 - 8.50	0.670	1.733 -	2.470	7.96	7.61	7.30	99
18+18+60	1.35	1.35	4.50	-	7.20 2.90 - 8.50	0.670	1.639 -	2.450	7.53	7.20	6.90	99
18+20+20	1.80	2.00	2.00	-	5.80 2.90 - 8.10	0.800	1.568 -	3.270	7.20	6.88	6.60	99
18+20+22	1.80	2.00	2.20	-	6.00 2.90 - 8.10	0.800	1.620 -	3.940	7.44	7.11	6.82	99
18+20+25	1.80	2.00	2.50	-	6.30 2.90 - 8.10	0.750	1.576 -	3.435	7.24	6.92	6.63	99
18+20+35	1.78	1.97	3.45	-	7.20 2.90 - 8.40	0.710	1.872 -	2.520	8.60	8.22	7.88	99
18+20+42	1.62	1.80 *	3.78 *	-	7.20 2.90 - 8.50	0.700	1.821 -	2.525	8.36	8.00	7.66	99
18+20+50	1.47	1.64 *	4.09 *	-	7.20 2.90 - 8.50	0.700	1.759 -	2.505	8.07	7.72	7.40	99
18+20+60	1.32	1.47	4.41	-	7.20 2.90 - 8.50	0.700	1.665 -	2.485	7.65	7.31	7.01	99
18+22+22	1.80	2.20	2.20	-	6.20 2.90 - 8.10	0.740	1.552 -	3.565	7.13	6.82	6.53	99
18+22+25	1.80	2.20	2.50	-	6.50 2.90 - 8.10	0.690	1.508 -	3.060	6.93	6.62	6.35	99
18+22+35	1.73	2.11	3.36	-	7.20 2.90 - 8.50	0.670	1.833 -	2.500	8.42	8.05	7.72	99
18+22+42	1.58	1.93 *	3.69 *	-	7.20 2.90 - 8.50	0.670	1.768 -	2.485	8.12	7.77	7.44	99
18+22+50	1.44	1.76 *	4.00 *	-	7.20 2.90 - 8.50	0.670	1.707 -	2.465	7.84	7.50	7.19	99
18+22+60	1.30	1.58	4.32	-	7.20 2.90 - 8.50	0.670	1.613 -	2.445	7.41	7.08	6.79	99
18+25+25	1.80	2.50	2.50	-	6.80 2.90 - 8.20	0.670	1.607 -	2.750	7.38	7.06	6.76	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240				
18+25+35	1.66	2.31	3.23	-	7.20 2.90 - 8.50	1.814 0.670 - 2.495	8.33	7.97	7.63	99		
18+25+42	1.52	2.12 *	3.56 *	-	7.20 2.90 - 8.50	1.749 0.670 - 2.480	8.03	7.68	7.36	99		
18+25+50	1.39	1.94 *	3.87 *	-	7.20 2.90 - 8.50	1.688 0.670 - 2.460	7.75	7.41	7.10	99		
18+25+60	1.26	1.75	4.19	-	7.20 2.90 - 8.50	1.594 0.670 - 2.440	7.32	7.00	6.71	99		
18+35+35	1.47	2.86	2.86	-	7.20 2.90 - 8.50	1.749 0.670 - 2.485	8.03	7.68	7.36	99		
18+35+42	1.36	2.65 *	3.18 *	-	7.20 2.90 - 8.50	1.685 0.670 - 2.470	7.74	7.40	7.09	99		
18+35+50	1.26	2.45 *	3.50 *	-	7.20 2.90 - 8.50	1.623 0.670 - 2.450	7.45	7.13	6.83	99		
18+35+60	1.15	2.23	3.82	-	7.20 2.90 - 8.50	1.581 0.670 - 2.440	7.26	6.94	6.65	99		
18+42+42	1.27	2.96 *	2.96 *	-	7.20 2.90 - 8.50	1.620 0.670 - 2.455	7.44	7.11	6.82	99		
18+42+50	1.18	2.75 *	3.27 *	-	7.20 2.90 - 8.50	1.591 0.670 - 2.440	7.30	6.99	6.70	99		
18+42+60	1.08	2.52	3.60	-	7.20 2.90 - 8.50	1.562 0.670 - 2.430	7.17	6.86	6.57	99		
18+50+50	1.10	3.05 *	3.05 *	-	7.20 2.90 - 8.50	1.581 0.670 - 2.430	7.26	6.94	6.65	99		
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.581 0.770 - 3.900	7.26	6.94	6.65	99		
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.630 0.800 - 3.645	7.48	7.16	6.86	99		
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.586 0.750 - 3.140	7.28	6.97	6.67	99		
20+20+35	1.92	1.92	3.36	-	7.20 2.90 - 8.50	1.911 0.730 - 2.580	8.77	8.39	8.04	99		
20+20+42	1.76	1.76 *	3.69 *	-	7.20 2.90 - 8.50	1.846 0.730 - 2.565	8.48	8.11	7.77	99		
20+20+50	1.60	1.60 *	4.00 *	-	7.20 2.90 - 8.50	1.785 0.730 - 2.545	8.19	7.84	7.51	99		
20+20+60	1.44	1.44	4.32	-	7.20 2.90 - 8.50	1.691 0.730 - 2.525	7.76	7.43	7.12	99		
20+22+22	2.00	2.20	2.20	-	6.40 2.90 - 8.10	1.562 0.730 - 3.265	7.17	6.86	6.57	99		
20+22+25	2.00	2.20	2.50	-	6.70 2.90 - 8.20	1.589 0.700 - 2.860	7.30	6.98	6.69	99		
20+22+35	1.87	2.06	3.27	-	7.20 2.90 - 8.50	1.859 0.700 - 2.540	8.54	8.17	7.83	99		
20+22+42	1.71	1.89 *	3.60 *	-	7.20 2.90 - 8.50	1.795 0.700 - 2.520	8.24	7.88	7.55	99		
20+22+50	1.57	1.72 *	3.91 *	-	7.20 2.90 - 8.50	1.733 0.700 - 2.505	7.96	7.61	7.30	99		
20+22+60	1.41	1.55	4.24	-	7.20 2.90 - 8.50	1.639 0.700 - 2.485	7.53	7.20	6.90	99		
20+25+25	2.00	2.50	2.50	-	7.00 2.90 - 8.30	1.759 0.710 - 2.650	8.07	7.72	7.40	99		
20+25+35	1.80	2.25	3.15	-	7.20 2.90 - 8.50	1.840 0.700 - 2.535	8.45	8.08	7.74	99		
20+25+42	1.66	2.07 *	3.48 *	-	7.20 2.90 - 8.50	1.775 0.700 - 2.520	8.15	7.80	7.47	99		
20+25+50	1.52	1.89 *	3.79 *	-	7.20 2.90 - 8.50	1.714 0.700 - 2.500	7.87	7.53	7.21	99		
20+25+60	1.37	1.71	4.11	-	7.20 2.90 - 8.50	1.620 0.700 - 2.480	7.44	7.11	6.82	99		
20+35+35	1.60	2.80	2.80	-	7.20 2.90 - 8.50	1.775 0.700 - 2.525	8.15	7.80	7.47	99		
20+35+42	1.48	2.60 *	3.12 *	-	7.20 2.90 - 8.50	1.710 0.700 - 2.510	7.85	7.51	7.20	99		
20+35+50	1.37	2.40 *	3.43 *	-	7.20 2.90 - 8.50	1.649 0.700 - 2.490	7.57	7.24	6.94	99		
20+35+60	1.25	2.19	3.76	-	7.20 2.90 - 8.50	1.620 0.700 - 2.480	7.44	7.11	6.82	99		
20+42+42	1.38	2.91 *	2.91 *	-	7.20 2.90 - 8.50	1.646 0.700 - 2.490	7.56	7.23	6.93	99		
20+42+50	1.29	2.70 *	3.21 *	-	7.20 2.90 - 8.50	1.630 0.700 - 2.480	7.48	7.16	6.86	99		
20+42+60	1.18	2.48	3.54	-	7.20 2.90 - 8.50	1.601 0.700 - 2.470	7.35	7.03	6.74	99		
20+50+50	1.20	3.00 *	3.00 *	-	7.20 2.90 - 8.50	1.620 0.700 - 2.470	7.44	7.11	6.82	99		
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.494 0.670 - 2.890	6.86	6.56	6.29	99		

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240				
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.30	1.664 0.680 - 2.680	7.64	7.31	7.00	99		
22+22+35	2.01	2.01	3.19	-	7.20 2.90 - 8.50	1.807 0.670 - 2.495	8.30	7.94	7.61	99		
22+22+42	1.84	1.84 *	3.52 *	-	7.20 2.90 - 8.50	1.743 0.670 - 2.480	8.00	7.66	7.34	99		
22+22+50	1.69	1.69 *	3.83 *	-	7.20 2.90 - 8.50	1.681 0.670 - 2.460	7.72	7.38	7.07	99		
22+22+60	1.52	1.52	4.15	-	7.20 2.90 - 8.50	1.588 0.670 - 2.440	7.29	6.97	6.68	99		
22+25+35	1.93	2.20	3.07	-	7.20 2.90 - 8.50	1.788 0.670 - 2.495	8.21	7.85	7.52	99		
22+25+42	1.78	2.02 *	3.40 *	-	7.20 2.90 - 8.50	1.724 0.670 - 2.475	7.91	7.57	7.25	99		
22+25+50	1.63	1.86 *	3.71 *	-	7.20 2.90 - 8.50	1.662 0.670 - 2.460	7.63	7.30	6.99	99		
22+25+60	1.48	1.68	4.04	-	7.20 2.90 - 8.50	1.581 0.670 - 2.440	7.26	6.94	6.65	99		
22+35+35	1.72	2.74	2.74	-	7.20 2.90 - 8.50	1.724 0.670 - 2.485	7.91	7.57	7.25	99		
22+35+42	1.60	2.55 *	3.05 *	-	7.20 2.90 - 8.50	1.659 0.670 - 2.465	7.62	7.28	6.98	99		
22+35+50	1.48	2.36 *	3.36 *	-	7.20 2.90 - 8.50	1.610 0.670 - 2.450	7.39	7.07	6.78	99		
22+35+60	1.35	2.15	3.69	-	7.20 2.90 - 8.50	1.581 0.670 - 2.440	7.26	6.94	6.65	99		
22+42+42	1.49	2.85 *	2.85 *	-	7.20 2.90 - 8.50	1.601 0.670 - 2.450	7.35	7.03	6.74	99		
22+42+50	1.39	2.65 *	3.16 *	-	7.20 2.90 - 8.50	1.591 0.670 - 2.440	7.30	6.99	6.70	99		
22+42+60	1.28	2.44	3.48	-	7.20 2.90 - 8.50	1.562 0.670 - 2.430	7.17	6.86	6.57	99		
22+50+50	1.30	2.95 *	2.95 *	-	7.20 2.90 - 8.50	1.581 0.670 - 2.430	7.26	6.94	6.65	99		
25+25+25	2.40	2.40	2.40	-	7.20 2.90 - 8.50	1.833 0.670 - 2.500	8.42	8.05	7.72	99		
25+25+35	2.12	2.12	2.96	-	7.20 2.90 - 8.50	1.768 0.670 - 2.490	8.12	7.77	7.44	99		
25+25+42	1.96	1.96 *	3.29 *	-	7.20 2.90 - 8.50	1.704 0.670 - 2.475	7.83	7.48	7.17	99		
25+25+50	1.80	1.80 *	3.60 *	-	7.20 2.90 - 8.50	1.642 0.670 - 2.455	7.54	7.21	6.91	99		
25+25+60	1.64	1.64	3.93	-	7.20 2.90 - 8.50	1.581 0.670 - 2.440	7.26	6.94	6.65	99		
25+35+35	1.89	2.65	2.65	-	7.20 2.90 - 8.50	1.704 0.670 - 2.480	7.83	7.48	7.17	99		
25+35+42	1.76	2.47 *	2.96 *	-	7.20 2.90 - 8.50	1.639 0.670 - 2.465	7.53	7.20	6.90	99		
25+35+50	1.64	2.29 *	3.27 *	-	7.20 2.90 - 8.50	1.610 0.670 - 2.450	7.39	7.07	6.78	99		
25+35+60	1.50	2.10	3.60	-	7.20 2.90 - 8.50	1.581 0.670 - 2.440	7.26	6.94	6.65	99		
25+42+42	1.65	2.77 *	2.77 *	-	7.20 2.90 - 8.50	1.601 0.670 - 2.450	7.35	7.03	6.74	99		
25+42+50	1.54	2.58 *	3.08 *	-	7.20 2.90 - 8.50	1.591 0.670 - 2.440	7.30	6.99	6.70	99		
25+50+50	1.44	2.88 *	2.88 *	-	7.20 2.90 - 8.50	1.581 0.670 - 2.430	7.26	6.94	6.65	99		
35+35+35	2.40	2.40	2.40	-	7.20 2.90 - 8.50	1.639 0.670 - 2.470	7.53	7.20	6.90	99		
35+35+42	2.25	2.25 *	2.70 *	-	7.20 2.90 - 8.50	1.620 0.670 - 2.460	7.44	7.11	6.82	99		
35+35+50	2.10	2.10 *	3.00 *	-	7.20 2.90 - 8.50	1.610 0.670 - 2.450	7.39	7.07	6.78	99		
35+42+42	2.12	2.54 *	2.54 *	-	7.20 2.90 - 8.50	1.601 0.670 - 2.450	7.35	7.03	6.74	99		
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.70 - 8.00	1.734 0.800 - 3.190	7.96	7.62	7.30	99		
15+15+15+18	1.50	1.50	1.50	1.80	6.30 3.70 - 8.20	1.950 0.890 - 3.340	8.95	8.56	8.21	99		
15+15+15+20	1.50	1.50	1.50	2.00	6.50 3.70 - 8.00	2.053 0.920 - 3.390	9.43	9.02	8.64	99		
15+15+15+22	1.50	1.50	1.50	2.20	6.70 3.70 - 8.20	2.081 0.890 - 3.340	9.55	9.14	8.76	99		
15+15+15+25	1.50	1.50	1.50	2.50	7.00 3.70 - 8.20	2.179 0.890 - 3.340	10.00	9.57	9.17	99		
15+15+15+35	1.35	1.35	1.35	3.15	7.20 3.70 - 8.20	2.245 0.890 - 3.340	10.31	9.86	9.45	99		

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+15+15+42	1.24	1.24	1.24	3.48 *	7.20 3.70 - 8.20	2.225 - 3.330	0.890	10.22	9.77	9.37	99
15+15+15+50	1.14	1.14	1.14	3.79 *	7.20 3.70 - 8.20	2.215 - 3.320	0.890	10.17	9.73	9.32	99
15+15+15+60	1.03	1.03	1.03	4.11	7.20 3.70 - 8.20	2.186 - 3.310	0.890	10.04	9.60	9.20	99
15+15+18+18	1.50	1.50	1.80	1.80	6.60 3.70 - 8.40	2.009 - 3.290	0.860	9.22	8.82	8.45	99
15+15+18+20	1.50	1.50	1.80	2.00	6.80 3.70 - 8.20	2.114 - 3.340	0.890	9.70	9.28	8.90	99
15+15+18+22	1.50	1.50	1.80	2.20	7.00 3.70 - 8.40	2.140 - 3.290	0.860	9.82	9.40	9.01	99
15+15+18+25	1.48	1.48	1.78	2.47	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+15+18+35	1.30	1.30	1.56	3.04	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+15+18+42	1.20	1.20	1.44	3.36 *	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+15+18+50	1.10	1.10	1.32	3.67 *	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+15+18+60	1.00	1.00	1.20	4.00	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
15+15+20+20	1.50	1.50	2.00	2.00	7.00 3.70 - 8.00	2.217 - 3.390	0.920	10.18	9.74	9.33	99
15+15+20+25	1.44	1.44	1.92	2.40	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+15+20+35	1.27	1.27	1.69	2.96	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+15+20+42	1.17	1.17	1.57	3.29 *	7.20 3.70 - 8.20	2.225 - 3.330	0.890	10.22	9.77	9.37	99
15+15+20+50	1.08	1.08	1.44	3.60 *	7.20 3.70 - 8.20	2.215 - 3.320	0.890	10.17	9.73	9.32	99
15+15+20+60	0.98	0.98	1.31	3.93	7.20 3.70 - 8.20	2.186 - 3.310	0.890	10.04	9.60	9.20	99
15+15+22+22	1.46	1.46	2.14	2.14	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+15+22+25	1.40	1.40	2.06	2.34	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+15+22+35	1.24	1.24	1.82	2.90	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+15+22+42	1.15	1.15	1.69	3.22 *	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+15+22+50	1.06	1.06	1.55	3.53 *	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+15+22+60	0.96	0.96	1.41	3.86	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
15+15+25+25	1.35	1.35	2.25	2.25	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+15+25+35	1.20	1.20	2.00	2.80	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+15+25+42	1.11	1.11	1.86	3.12 *	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+15+25+50	1.03	1.03	1.71	3.43 *	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+15+25+60	0.94	0.94	1.57	3.76	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
15+15+35+35	1.08	1.08	2.52	2.52	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+15+35+42	1.01	1.01	2.36	2.83 *	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+15+35+50	0.94	0.94	2.19	3.13 *	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+15+35+60	0.86	0.86	2.02	3.46	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
15+15+42+42	0.95	0.95 *	2.65 *	2.65 *	7.20 3.70 - 8.40	2.167 - 3.270	0.860	9.95	9.52	9.12	99
15+15+42+50	0.89	0.89 *	2.48 *	2.95 *	7.20 3.70 - 8.40	2.157 - 3.260	0.860	9.90	9.47	9.08	99
15+18+18+18	1.50	1.80	1.80	1.80	6.90 3.70 - 8.60	2.069 - 3.240	0.830	9.50	9.09	8.71	99
15+18+18+20	1.50	1.80	1.80	2.00	7.10 3.70 - 8.40	2.173 - 3.290	0.860	9.98	9.54	9.14	99
15+18+18+22	1.48	1.78	1.78	2.17	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+18+25	1.42	1.71	1.71	2.37	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+18+35	1.26	1.51	1.51	2.93	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+18+18+42	1.16	1.39	1.39	3.25 *	7.20 3.70 - 8.60	0.830	2.148 - 3.230	9.86	9.43	9.04	99
15+18+18+50	1.07	1.28	1.28	3.56 *	7.20 3.70 - 8.60	0.830	2.138 - 3.220	9.82	9.39	9.00	99
15+18+18+60	0.97	1.17	1.17	3.89	7.20 3.70 - 8.60	0.830	2.109 - 3.210	9.68	9.26	8.88	99
15+18+20+20	1.48	1.78	1.97	1.97	7.20 3.70 - 8.20	0.890	2.245 - 3.340	10.31	9.86	9.45	99
15+18+20+22	1.44	1.73	1.92	2.11	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
15+18+20+25	1.38	1.66	1.85	2.31	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
15+18+20+35	1.23	1.47	1.64	2.86	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
15+18+20+42	1.14	1.36	1.52	3.18 *	7.20 3.70 - 8.40	0.860	2.186 - 3.280	10.04	9.60	9.20	99
15+18+20+50	1.05	1.26	1.40	3.50 *	7.20 3.70 - 8.40	0.860	2.177 - 3.270	9.99	9.56	9.16	99
15+18+20+60	0.96	1.15	1.27	3.82	7.20 3.70 - 8.40	0.860	2.148 - 3.260	9.86	9.43	9.04	99
15+18+22+22	1.40	1.68	2.06	2.06	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
15+18+22+25	1.35	1.62	1.98	2.25	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
15+18+22+35	1.20	1.44	1.76	2.80	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
15+18+22+42	1.11	1.34	1.63	3.12 *	7.20 3.70 - 8.60	0.830	2.148 - 3.230	9.86	9.43	9.04	99
15+18+22+50	1.03	1.23	1.51	3.43 *	7.20 3.70 - 8.60	0.830	2.138 - 3.220	9.82	9.39	9.00	99
15+18+22+60	0.94	1.13	1.38	3.76	7.20 3.70 - 8.60	0.830	2.109 - 3.210	9.68	9.26	8.88	99
15+18+25+25	1.30	1.56	2.17	2.17	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
15+18+25+35	1.16	1.39	1.94	2.71	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
15+18+25+42	1.08	1.30	1.80	3.02 *	7.20 3.70 - 8.60	0.830	2.148 - 3.230	9.86	9.43	9.04	99
15+18+25+50	1.00	1.20	1.67	3.33 *	7.20 3.70 - 8.60	0.830	2.138 - 3.220	9.82	9.39	9.00	99
15+18+25+60	0.92	1.10	1.53	3.66	7.20 3.70 - 8.60	0.830	2.109 - 3.210	9.68	9.26	8.88	99
15+18+35+35	1.05	1.26	2.45	2.45	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
15+18+35+42	0.98	1.18	2.29	2.75 *	7.20 3.70 - 8.60	0.830	2.148 - 3.230	9.86	9.43	9.04	99
15+18+35+50	0.92	1.10	2.14	3.05 *	7.20 3.70 - 8.60	0.830	2.138 - 3.220	9.82	9.39	9.00	99
15+18+42+42	0.92	1.11 *	2.58 *	2.58 *	7.20 3.70 - 8.60	0.830	2.128 - 3.220	9.77	9.35	8.96	99
15+18+42+50	0.86	1.04 *	2.42 *	2.88 *	7.20 3.70 - 8.60	0.830	2.118 - 3.210	9.73	9.30	8.92	99
15+20+20+20	1.44	1.92	1.92	1.92	7.20 3.70 - 8.00	0.920	2.283 - 3.390	10.48	10.03	9.61	99
15+20+20+22	1.40	1.87	1.87	2.06	7.20 3.70 - 8.20	0.890	2.245 - 3.340	10.31	9.86	9.45	99
15+20+20+25	1.35	1.80	1.80	2.25	7.20 3.70 - 8.20	0.890	2.245 - 3.340	10.31	9.86	9.45	99
15+20+20+35	1.20	1.60	1.60	2.80	7.20 3.70 - 8.20	0.890	2.245 - 3.340	10.31	9.86	9.45	99
15+20+20+42	1.11	1.48	1.48	3.12 *	7.20 3.70 - 8.20	0.890	2.225 - 3.330	10.22	9.77	9.37	99
15+20+20+50	1.03	1.37	1.37	3.43 *	7.20 3.70 - 8.20	0.890	2.215 - 3.320	10.17	9.73	9.32	99
15+20+20+60	0.94	1.25	1.25	3.76	7.20 3.70 - 8.20	0.890	2.186 - 3.310	10.04	9.60	9.20	99
15+20+22+22	1.37	1.82	2.01	2.01	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
15+20+22+25	1.32	1.76	1.93	2.20	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
15+20+22+35	1.17	1.57	1.72	2.74	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
15+20+22+42	1.09	1.45	1.60	3.05 *	7.20 3.70 - 8.40	0.860	2.186 - 3.280	10.04	9.60	9.20	99
15+20+22+50	1.01	1.35	1.48	3.36 *	7.20 3.70 - 8.40	0.860	2.177 - 3.270	9.99	9.56	9.16	99
15+20+22+60	0.92	1.23	1.35	3.69	7.20 3.70 - 8.40	0.860	2.148 - 3.260	9.86	9.43	9.04	99



**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+20+25+25	1.27	1.69	2.12	2.12	7.20 3.70 - 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+20+25+35	1.14	1.52	1.89	2.65	7.20 3.70 - 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+20+25+42	1.06	1.41	1.76	2.96 *	7.20 3.70 - 8.40	2.186 -	3.280	10.04	9.60	9.20	99
15+20+25+50	0.98	1.31	1.64	3.27 *	7.20 3.70 - 8.40	2.177 -	3.270	9.99	9.56	9.16	99
15+20+25+60	0.90	1.20	1.50	3.60	7.20 3.70 - 8.40	2.148 -	3.260	9.86	9.43	9.04	99
15+20+35+35	1.03	1.37	2.40	2.40	7.20 3.70 - 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+20+35+42	0.96	1.29	2.25	2.70 *	7.20 3.70 - 8.40	2.186 -	3.280	10.04	9.60	9.20	99
15+20+35+50	0.90	1.20	2.10	3.00 *	7.20 3.70 - 8.40	2.177 -	3.270	9.99	9.56	9.16	99
15+20+42+42	0.91	1.21 *	2.54 *	2.54 *	7.20 3.70 - 8.40	2.167 -	3.270	9.95	9.52	9.12	99
15+22+22+22	1.33	1.96	1.96	1.96	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+22+25	1.29	1.89	1.89	2.14	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+22+35	1.15	1.69	1.69	2.68	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+22+42	1.07	1.57	1.57	2.99 *	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+22+22+50	0.99	1.45	1.45	3.30 *	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+22+22+60	0.91	1.33	1.33	3.63	7.20 3.70 - 8.60	2.109 -	3.210	9.68	9.26	8.88	99
15+22+25+25	1.24	1.82	2.07	2.07	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+25+35	1.11	1.63	1.86	2.60	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+25+42	1.04	1.52	1.73	2.91 *	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+22+25+50	0.96	1.41	1.61	3.21 *	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+22+25+60	0.89	1.30	1.48	3.54	7.20 3.70 - 8.60	2.109 -	3.210	9.68	9.26	8.88	99
15+22+35+35	1.01	1.48	2.36	2.36	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+35+42	0.95	1.39	2.21	2.65 *	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+22+35+50	0.89	1.30	2.07	2.95 *	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+22+42+42	0.89	1.31 *	2.50 *	2.50 *	7.20 3.70 - 8.60	2.128 -	3.220	9.77	9.35	8.96	99
15+25+25+25	1.20	2.00	2.00	2.00	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+25+25+35	1.08	1.80	1.80	2.52	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+25+25+42	1.01	1.68	1.68	2.83 *	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+25+25+50	0.94	1.57	1.57	3.13 *	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+25+25+60	0.86	1.44	1.44	3.46	7.20 3.70 - 8.60	2.109 -	3.210	9.68	9.26	8.88	99
15+25+35+35	0.98	1.64	2.29	2.29	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+25+35+42	0.92	1.54	2.15	2.58 *	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+25+35+50	0.86	1.44	2.02	2.88 *	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+25+42+42	0.87	1.45 *	2.44 *	2.44 *	7.20 3.70 - 8.60	2.128 -	3.220	9.77	9.35	8.96	99
15+35+35+35	0.90	2.10	2.10	2.10	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
18+18+18+18	1.80	1.80	1.80	1.80	7.20 3.70 - 8.80	1.770 -	3.190	8.13	7.77	7.45	99
18+18+18+20	1.75	1.75	1.75	1.95	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
18+18+18+22	1.71	1.71	1.71	2.08	7.20 3.70 - 8.80	2.128 -	3.190	9.77	9.35	8.96	99
18+18+18+25	1.64	1.64	1.64	2.28	7.20 3.70 - 8.80	2.128 -	3.190	9.77	9.35	8.96	99
18+18+18+35	1.46	1.46	1.46	2.83	7.20 3.70 - 8.80	2.128 -	3.190	9.77	9.35	8.96	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+18+18+42	1.35	1.35	1.35	3.15 *	7.20 3.70 - 8.80	0.800	2.109 - 3.180	9.68	9.26	8.88	99
18+18+18+50	1.25	1.25	1.25	3.46 *	7.20 3.70 - 8.80	0.800	2.099 - 3.170	9.64	9.22	8.83	99
18+18+18+60	1.14	1.14	1.14	3.79	7.20 3.70 - 8.80	0.800	2.070 - 3.160	9.50	9.09	8.71	99
18+18+20+20	1.71	1.71	1.89	1.89	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
18+18+20+22	1.66	1.66	1.85	2.03	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
18+18+20+25	1.60	1.60	1.78	2.22	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
18+18+20+35	1.42	1.42	1.58	2.77	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
18+18+20+42	1.32	1.32	1.47	3.09 *	7.20 3.70 - 8.60	0.830	2.148 - 3.230	9.86	9.43	9.04	99
18+18+20+50	1.22	1.22	1.36	3.40 *	7.20 3.70 - 8.60	0.830	2.138 - 3.220	9.82	9.39	9.00	99
18+18+20+60	1.12	1.12	1.24	3.72	7.20 3.70 - 8.60	0.830	2.109 - 3.210	9.68	9.26	8.88	99
18+18+22+22	1.62	1.62	1.98	1.98	7.20 3.70 - 8.80	0.800	2.128 - 3.190	9.77	9.35	8.96	99
18+18+22+25	1.56	1.56	1.91	2.17	7.20 3.70 - 8.80	0.800	2.128 - 3.190	9.77	9.35	8.96	99
18+18+22+35	1.39	1.39	1.70	2.71	7.20 3.70 - 8.80	0.800	2.128 - 3.190	9.77	9.35	8.96	99
18+18+22+42	1.30	1.30	1.58	3.02 *	7.20 3.70 - 8.80	0.800	2.109 - 3.180	9.68	9.26	8.88	99
18+18+22+50	1.20	1.20	1.47	3.33 *	7.20 3.70 - 8.80	0.800	2.099 - 3.170	9.64	9.22	8.83	99
18+18+22+60	1.10	1.10	1.34	3.66	7.20 3.70 - 8.80	0.800	2.070 - 3.160	9.50	9.09	8.71	99
18+18+25+25	1.51	1.51	2.09	2.09	7.20 3.70 - 8.80	0.800	2.128 - 3.190	9.77	9.35	8.96	99
18+18+25+35	1.35	1.35	1.88	2.63	7.20 3.70 - 8.80	0.800	2.128 - 3.190	9.77	9.35	8.96	99
18+18+25+42	1.26	1.26	1.75	2.94 *	7.20 3.70 - 8.80	0.800	2.109 - 3.180	9.68	9.26	8.88	99
18+18+25+50	1.17	1.17	1.62	3.24 *	7.20 3.70 - 8.80	0.800	2.099 - 3.170	9.64	9.22	8.83	99
18+18+25+60	1.07	1.07	1.49	3.57	7.20 3.70 - 8.80	0.800	2.070 - 3.160	9.50	9.09	8.71	99
18+18+35+35	1.22	1.22	2.38	2.38	7.20 3.70 - 8.80	0.800	2.128 - 3.190	9.77	9.35	8.96	99
18+18+35+42	1.15	1.15	2.23	2.68 *	7.20 3.70 - 8.80	0.800	2.109 - 3.180	9.68	9.26	8.88	99
18+18+35+50	1.07	1.07	2.08	2.98 *	7.20 3.70 - 8.80	0.800	2.099 - 3.170	9.64	9.22	8.83	99
18+18+42+42	1.08	1.08 *	2.52 *	2.52 *	7.20 3.70 - 8.80	0.800	2.089 - 3.170	9.59	9.18	8.79	99
18+20+20+20	1.66	1.85	1.85	1.85	7.20 3.70 - 8.20	0.890	2.245 - 3.340	10.31	9.86	9.45	99
18+20+20+22	1.62	1.80	1.80	1.98	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
18+20+20+25	1.56	1.73	1.73	2.17	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
18+20+20+35	1.39	1.55	1.55	2.71	7.20 3.70 - 8.40	0.860	2.206 - 3.290	10.13	9.69	9.28	99
18+20+20+42	1.30	1.44	1.44	3.02 *	7.20 3.70 - 8.40	0.860	2.186 - 3.280	10.04	9.60	9.20	99
18+20+20+50	1.20	1.33	1.33	3.33 *	7.20 3.70 - 8.40	0.860	2.177 - 3.270	9.99	9.56	9.16	99
18+20+20+60	1.10	1.22	1.22	3.66	7.20 3.70 - 8.40	0.860	2.148 - 3.260	9.86	9.43	9.04	99
18+20+22+22	1.58	1.76	1.93	1.93	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
18+20+22+25	1.52	1.69	1.86	2.12	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
18+20+22+35	1.36	1.52	1.67	2.65	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99
18+20+22+42	1.27	1.41	1.55	2.96 *	7.20 3.70 - 8.60	0.830	2.148 - 3.230	9.86	9.43	9.04	99
18+20+22+50	1.18	1.31	1.44	3.27 *	7.20 3.70 - 8.60	0.830	2.138 - 3.220	9.82	9.39	9.00	99
18+20+22+60	1.08	1.20	1.32	3.60	7.20 3.70 - 8.60	0.830	2.109 - 3.210	9.68	9.26	8.88	99
18+20+25+25	1.47	1.64	2.05	2.05	7.20 3.70 - 8.60	0.830	2.167 - 3.240	9.95	9.52	9.12	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
18+20+25+35	1.32	1.47	1.84	2.57	7.20 3.70 - 8.60	2.167 - 3.240		0.830	9.95	9.52	9.12	99
18+20+25+42	1.23	1.37	1.71	2.88 *	7.20 3.70 - 8.60	2.148 - 3.230		0.830	9.86	9.43	9.04	99
18+20+25+50	1.15	1.27	1.59	3.19 *	7.20 3.70 - 8.60	2.138 - 3.220		0.830	9.82	9.39	9.00	99
18+20+25+60	1.05	1.17	1.46	3.51	7.20 3.70 - 8.60	2.109 - 3.210		0.830	9.68	9.26	8.88	99
18+20+35+35	1.20	1.33	2.33	2.33	7.20 3.70 - 8.60	2.167 - 3.240		0.830	9.95	9.52	9.12	99
18+20+35+42	1.13	1.25	2.19	2.63 *	7.20 3.70 - 8.60	2.148 - 3.230		0.830	9.86	9.43	9.04	99
18+20+35+50	1.05	1.17	2.05	2.93 *	7.20 3.70 - 8.60	2.138 - 3.220		0.830	9.82	9.39	9.00	99
18+20+42+42	1.06	1.18 *	2.48 *	2.48 *	7.20 3.70 - 8.60	2.128 - 3.220		0.830	9.77	9.35	8.96	99
18+22+22+22	1.54	1.89	1.89	1.89	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
18+22+22+25	1.49	1.82	1.82	2.07	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
18+22+22+35	1.34	1.63	1.63	2.60	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
18+22+22+42	1.25	1.52	1.52	2.91 *	7.20 3.70 - 8.80	2.109 - 3.180		0.800	9.68	9.26	8.88	99
18+22+22+50	1.16	1.41	1.41	3.21 *	7.20 3.70 - 8.80	2.099 - 3.170		0.800	9.64	9.22	8.83	99
18+22+22+60	1.06	1.30	1.30	3.54	7.20 3.70 - 8.80	2.070 - 3.160		0.800	9.50	9.09	8.71	99
18+22+25+25	1.44	1.76	2.00	2.00	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
18+22+25+35	1.30	1.58	1.80	2.52	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
18+22+25+42	1.21	1.48	1.68	2.83 *	7.20 3.70 - 8.80	2.109 - 3.180		0.800	9.68	9.26	8.88	99
18+22+25+50	1.13	1.38	1.57	3.13 *	7.20 3.70 - 8.80	2.099 - 3.170		0.800	9.64	9.22	8.83	99
18+22+25+60	1.04	1.27	1.44	3.46	7.20 3.70 - 8.80	2.070 - 3.160		0.800	9.50	9.09	8.71	99
18+22+35+35	1.18	1.44	2.29	2.29	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
18+22+35+42	1.11	1.35	2.15	2.58 *	7.20 3.70 - 8.80	2.109 - 3.180		0.800	9.68	9.26	8.88	99
18+22+35+50	1.04	1.27	2.02	2.88 *	7.20 3.70 - 8.80	2.099 - 3.170		0.800	9.64	9.22	8.83	99
18+22+42+42	1.05	1.28 *	2.44 *	2.44 *	7.20 3.70 - 8.80	2.089 - 3.170		0.800	9.59	9.18	8.79	99
18+25+25+25	1.39	1.94	1.94	1.94	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
18+25+25+35	1.26	1.75	1.75	2.45	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
18+25+25+42	1.18	1.64	1.64	2.75 *	7.20 3.70 - 8.80	2.109 - 3.180		0.800	9.68	9.26	8.88	99
18+25+25+50	1.10	1.53	1.53	3.05 *	7.20 3.70 - 8.80	2.099 - 3.170		0.800	9.64	9.22	8.83	99
18+25+35+35	1.15	1.59	2.23	2.23	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
18+25+35+42	1.08	1.50	2.10	2.52 *	7.20 3.70 - 8.80	2.109 - 3.180		0.800	9.68	9.26	8.88	99
18+35+35+35	1.05	2.05	2.05	2.05	7.20 3.70 - 8.80	2.128 - 3.190		0.800	9.77	9.35	8.96	99
20+20+20+20	1.80	1.80	1.80	1.80	7.20 3.70 - 8.00	2.128 - 3.190		0.800	9.77	9.35	8.96	99
20+20+20+22	1.76	1.76	1.76	1.93	7.20 3.70 - 8.20	2.245 - 3.340		0.890	10.31	9.86	9.45	99
20+20+20+25	1.69	1.69	1.69	2.12	7.20 3.70 - 8.20	2.245 - 3.340		0.890	10.31	9.86	9.45	99
20+20+20+35	1.52	1.52	1.52	2.65	7.20 3.70 - 8.20	2.245 - 3.340		0.890	10.31	9.86	9.45	99
20+20+20+42	1.41	1.41	1.41	2.96 *	7.20 3.70 - 8.20	2.225 - 3.330		0.890	10.22	9.77	9.37	99
20+20+20+50	1.31	1.31	1.31	3.27 *	7.20 3.70 - 8.20	2.215 - 3.320		0.890	10.17	9.73	9.32	99
20+20+20+60	1.20	1.20	1.20	3.60	7.20 3.70 - 8.20	2.186 - 3.310		0.890	10.04	9.60	9.20	99
20+20+22+22	1.71	1.71	1.89	1.89	7.20 3.70 - 8.40	2.206 - 3.290		0.860	10.13	9.69	9.28	99
20+20+22+25	1.66	1.66	1.82	2.07	7.20 3.70 - 8.40	2.206 - 3.290		0.860	10.13	9.69	9.28	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240				
20+20+22+35	1.48	1.48	1.63	2.60	7.20 3.70 - 8.40	2.206 0.860 - 3.290	10.13	9.69	9.28	99		
20+20+22+42	1.38	1.38	1.52	2.91 *	7.20 3.70 - 8.40	2.186 0.860 - 3.280	10.04	9.60	9.20	99		
20+20+22+50	1.29	1.29	1.41	3.21 *	7.20 3.70 - 8.40	2.177 0.860 - 3.270	9.99	9.56	9.16	99		
20+20+22+60	1.18	1.18	1.30	3.54	7.20 3.70 - 8.40	2.148 0.860 - 3.260	9.86	9.43	9.04	99		
20+20+25+25	1.60	1.60	2.00	2.00	7.20 3.70 - 8.40	2.206 0.860 - 3.290	10.13	9.69	9.28	99		
20+20+25+35	1.44	1.44	1.80	2.52	7.20 3.70 - 8.40	2.206 0.860 - 3.290	10.13	9.69	9.28	99		
20+20+25+42	1.35	1.35	1.68	2.83 *	7.20 3.70 - 8.40	2.186 0.860 - 3.280	10.04	9.60	9.20	99		
20+20+25+50	1.25	1.25	1.57	3.13 *	7.20 3.70 - 8.40	2.177 0.860 - 3.270	9.99	9.56	9.16	99		
20+20+25+60	1.15	1.15	1.44	3.46	7.20 3.70 - 8.40	2.148 0.860 - 3.260	9.86	9.43	9.04	99		
20+20+35+35	1.31	1.31	2.29	2.29	7.20 3.70 - 8.40	2.206 0.860 - 3.290	10.13	9.69	9.28	99		
20+20+35+42	1.23	1.23	2.15	2.58 *	7.20 3.70 - 8.40	2.186 0.860 - 3.280	10.04	9.60	9.20	99		
20+20+35+50	1.15	1.15	2.02	2.88 *	7.20 3.70 - 8.40	2.177 0.860 - 3.270	9.99	9.56	9.16	99		
20+20+42+42	1.16	1.16 *	2.44 *	2.44 *	7.20 3.70 - 8.40	2.167 0.860 - 3.270	9.95	9.52	9.12	99		
20+22+22+22	1.67	1.84	1.84	1.84	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
20+22+22+25	1.62	1.78	1.78	2.02	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
20+22+22+35	1.45	1.60	1.60	2.55	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
20+22+22+42	1.36	1.49	1.49	2.85 *	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99		
20+22+22+50	1.26	1.39	1.39	3.16 *	7.20 3.70 - 8.60	2.138 0.830 - 3.220	9.82	9.39	9.00	99		
20+22+22+60	1.16	1.28	1.28	3.48	7.20 3.70 - 8.60	2.109 0.830 - 3.210	9.68	9.26	8.88	99		
20+22+25+25	1.57	1.72	1.96	1.96	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
20+22+25+35	1.41	1.55	1.76	2.47	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
20+22+25+42	1.32	1.45	1.65	2.77 *	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99		
20+22+25+50	1.23	1.35	1.54	3.08 *	7.20 3.70 - 8.60	2.138 0.830 - 3.220	9.82	9.39	9.00	99		
20+22+35+35	1.29	1.41	2.25	2.25	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
20+22+35+42	1.21	1.33	2.12	2.54 *	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99		
20+25+25+25	1.52	1.89	1.89	1.89	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
20+25+25+35	1.37	1.71	1.71	2.40	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
20+25+25+42	1.29	1.61	1.61	2.70 *	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99		
20+25+25+50	1.20	1.50	1.50	3.00 *	7.20 3.70 - 8.60	2.138 0.830 - 3.220	9.82	9.39	9.00	99		
20+25+35+35	1.25	1.57	2.19	2.19	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
20+25+35+42	1.18	1.48	2.07	2.48 *	7.20 3.70 - 8.60	2.148 0.830 - 3.230	9.86	9.43	9.04	99		
20+35+35+35	1.15	2.02	2.02	2.02	7.20 3.70 - 8.60	2.167 0.830 - 3.240	9.95	9.52	9.12	99		
22+22+22+22	1.80	1.80	1.80	1.80	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+22+22+25	1.74	1.74	1.74	1.98	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+22+22+35	1.57	1.57	1.57	2.50	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+22+22+42	1.47	1.47	1.47	2.80 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
22+22+22+50	1.37	1.37	1.37	3.10 *	7.20 3.70 - 8.80	2.099 0.800 - 3.170	9.64	9.22	8.83	99		
22+22+25+25	1.69	1.69	1.91	1.91	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+22+25+35	1.52	1.52	1.73	2.42	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240				
22+22+25+42	1.43	1.43	1.62	2.72 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
22+22+25+50	1.33	1.33	1.51	3.03 *	7.20 3.70 - 8.80	2.099 0.800 - 3.170	9.64	9.22	8.83	99		
22+22+35+35	1.39	1.39	2.21	2.21	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+22+35+42	1.31	1.31	2.08	2.50 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
22+25+25+25	1.63	1.86	1.86	1.86	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+25+25+35	1.48	1.68	1.68	2.36	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+25+25+42	1.39	1.58	1.58	2.65 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
22+25+25+50	1.30	1.48	1.48	2.95 *	7.20 3.70 - 8.80	2.099 0.800 - 3.170	9.64	9.22	8.83	99		
22+25+35+35	1.35	1.54	2.15	2.15	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
22+25+35+42	1.28	1.45	2.03	2.44 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
25+25+25+25	1.80	1.80	1.80	1.80	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
25+25+25+35	1.64	1.64	1.64	2.29	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		
25+25+25+42	1.54	1.54	1.54	2.58 *	7.20 3.70 - 8.80	2.109 0.800 - 3.180	9.68	9.26	8.88	99		
25+25+25+50	1.44	1.44	1.44	2.88 *	7.20 3.70 - 8.80	2.099 0.800 - 3.170	9.64	9.22	8.83	99		
25+25+35+35	1.50	1.50	2.10	2.10	7.20 3.70 - 8.80	2.128 0.800 - 3.190	9.77	9.35	8.96	99		

\* In case of MSZ-AP/AY42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3, 4 units
MSZ-AP42VG	90%
MSZ-AY42VG	90%
MSZ-AP50VG	80%
MSZ-AY50VG	80%
SLZ-M50FA	70%

- ex.) MSZ-LN18VG + MSZ-LN22VG + MSZ-AP42VG  
 ·MSZ-LN18VG : Rated capacity is 1.58kW.  
 ·MSZ-LN22VG : Rated capacity is 1.93kW.  
 ·MSZ-AP42VG : Rated capacity is 3.32kW. (=3.69\*0.9)

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240				
15	1.70	-	-	-	1.70	0.502	2.30	2.20	2.11	99		
18	3.30	-	-	-	2.00	0.480	3.58	3.43	3.28	99		
20	2.20	-	-	-	2.00	0.590	2.89	2.77	2.65	99		
22	3.30	-	-	-	2.00	0.480	3.58	3.43	3.28	99		
25	3.60	-	-	-	2.00	0.460	3.81	3.65	3.49	99		
35	4.00	-	-	-	2.00	0.460	4.41	4.22	4.04	99		
42	5.40	-	-	-	2.00	0.460	6.92	6.62	6.35	99		
50	5.80	-	-	-	2.00	0.460	7.44	7.11	6.82	99		
60	7.90	-	-	-	2.00	0.440	12.76	12.20	11.69	99		
15+15	1.70	1.70	-	-	1.80	0.670	3.58	3.43	3.28	99		
15+18	1.70	3.30	-	-	1.80	0.540	5.16	4.93	4.73	99		
15+20	1.70	2.20	-	-	1.80	0.650	4.35	4.16	3.98	99		
15+22	1.70	3.30	-	-	1.80	0.540	5.16	4.93	4.73	99		
15+25	1.60	3.40	-	-	1.80	0.540	5.16	4.93	4.73	99		
15+35	1.67	3.93	-	-	1.80	0.540	5.94	5.68	5.44	99		
15+42	1.46	4.64	-	-	1.80	0.540	6.51	6.22	5.96	99		
15+50	1.28	5.42	-	-	1.80	0.540	7.09	6.78	6.50	99		
15+60	1.24	5.76	-	-	1.80	0.540	7.52	7.19	6.89	99		
18+18	3.30	3.30	-	-	1.80	0.410	6.73	6.44	6.17	99		
18+20	3.30	2.20	-	-	1.80	0.520	5.92	5.66	5.43	99		
18+22	3.30	3.30	-	-	1.80	0.410	6.73	6.44	6.17	99		
18+25	3.16	3.44	-	-	1.80	0.410	6.73	6.44	6.17	99		
18+35	3.30	4.00	-	-	1.80	0.410	7.76	7.42	7.11	99		
18+42	3.00	4.90	-	-	1.80	0.410	8.32	7.96	7.63	99		
18+50	2.70	5.80	-	-	1.80	0.410	8.89	8.50	8.15	99		
18+60	2.53	6.07	-	-	1.80	0.400	9.15	8.75	8.39	99		
20+20	2.20	2.20	-	-	1.80	0.630	5.11	4.89	4.69	99		
20+22	2.20	3.30	-	-	1.80	0.520	5.92	5.66	5.43	99		
20+25	2.12	3.48	-	-	1.80	0.520	6.06	5.80	5.56	99		
20+35	2.20	4.00	-	-	1.80	0.520	7.11	6.80	6.52	99		
20+42	2.00	4.90	-	-	1.80	0.520	7.67	7.33	7.03	99		
20+50	1.76	5.74	-	-	1.80	0.520	8.23	7.88	7.55	99		
20+60	1.63	5.87	-	-	1.80	0.510	8.38	8.02	7.68	99		
22+22	3.30	3.30	-	-	1.80	0.410	6.73	6.44	6.17	99		
22+25	3.30	3.60	-	-	1.80	0.410	7.15	6.83	6.55	99		
22+35	3.30	4.00	-	-	1.80	0.410	8.08	7.73	7.41	99		
22+42	3.11	5.09	-	-	1.80	0.410	8.63	8.25	7.91	99		
22+60	2.53	6.07	-	-	1.80	0.400	9.23	8.83	8.46	99		
25+25	3.60	3.60	-	-	1.80	0.410	7.56	7.23	6.93	99		

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240				
25+35	3.60	4.00	-	-	7.60 1.80 - 9.00	1.813 - 2.420	8.32	7.96	7.63	99		
25+42	3.36	5.04	-	-	8.40 1.80 - 9.00	1.930 - 2.420	8.86	8.47	8.12	99		
25+50	2.87	5.73	-	-	8.60 1.80 - 9.00	1.990 - 2.390	9.14	8.74	8.38	99		
25+60	2.69	5.91	-	-	8.60 1.80 - 9.00	2.002 - 2.335	9.19	8.79	8.43	99		
35+35	4.00	4.00	-	-	8.00 1.80 - 9.00	1.970 - 2.410	9.04	8.65	8.29	99		
35+42	3.66	4.94	-	-	8.60 1.80 - 9.00	1.999 - 2.380	9.18	8.78	8.41	99		
35+50	3.07	5.53	-	-	8.60 1.80 - 9.00	2.002 - 2.335	9.19	8.79	8.43	99		
35+60	2.89	5.71	-	-	8.60 1.90 - 9.00	1.827 - 2.275	8.39	8.02	7.69	99		
42+42	4.30	4.30	-	-	8.60 1.80 - 9.00	2.029 - 2.350	9.31	8.91	8.54	99		
42+50	3.69	4.91	-	-	8.60 1.90 - 9.00	1.887 - 2.300	8.66	8.29	7.94	99		
42+60	3.49	5.11	-	-	8.60 1.90 - 9.00	1.742 - 2.235	8.00	7.65	7.33	99		
50+50	4.30	4.30	-	-	8.60 1.90 - 9.00	1.744 - 2.250	8.01	7.66	7.34	99		
50+60	4.10	4.50	-	-	8.60 1.90 - 9.00	1.725 - 2.160	7.92	7.57	7.26	99		
60+60	4.30	4.30	-	-	8.60 1.90 - 9.00	1.705 - 2.070	7.83	7.49	7.18	99		
15+15+15	1.70	1.70	1.70	-	5.10 2.60 - 8.50	1.106 - 2.425	5.08	4.86	4.66	99		
15+15+18	1.62	1.62	3.15	-	6.40 2.60 - 9.20	1.489 - 2.775	6.83	6.54	6.27	99		
15+15+20	1.70	1.70	2.20	-	5.60 2.60 - 9.00	1.244 - 2.645	5.71	5.46	5.23	99		
15+15+22	1.62	1.62	3.15	-	6.40 2.60 - 9.20	1.489 - 2.775	6.83	6.54	6.27	99		
15+15+25	1.55	1.55	3.29	-	6.40 2.60 - 9.20	1.489 - 2.775	6.83	6.54	6.27	99		
15+15+35	1.47	1.47	3.46	-	6.40 2.60 - 9.20	1.479 - 2.765	6.79	6.49	6.22	99		
15+15+50	1.03	1.03	4.35	-	6.40 2.60 - 9.20	1.469 - 2.755	6.74	6.45	6.18	99		
15+15+60	0.96	0.96	4.47	-	6.40 2.60 - 9.20	1.459 - 2.745	6.70	6.41	6.14	99		
15+18+18	1.54	2.98	2.98	-	7.50 2.60 - 9.90	1.871 - 3.125	8.59	8.22	7.87	99		
15+18+20	1.63	3.16	2.11	-	6.90 2.60 - 9.70	1.626 - 2.995	7.46	7.14	6.84	99		
15+18+22	1.54	2.98	2.98	-	7.50 2.60 - 9.90	1.871 - 3.125	8.59	8.22	7.87	99		
15+18+25	1.48	2.88	3.14	-	7.50 2.60 - 9.90	1.871 - 3.125	8.59	8.22	7.87	99		
15+18+35	1.42	2.75	3.33	-	7.50 2.60 - 9.90	1.861 - 3.115	8.54	8.17	7.83	99		
15+18+42	1.23	2.38	3.89	-	7.50 2.60 - 9.90	1.861 - 3.115	8.54	8.17	7.83	99		
15+18+50	1.05	2.03	4.43	-	7.50 2.60 - 9.90	1.851 - 3.105	8.50	8.13	7.79	99		
15+18+60	0.99	1.92	4.59	-	7.50 2.60 - 9.90	1.841 - 3.095	8.45	8.09	7.75	99		
15+20+20	1.70	2.20	2.20	-	6.10 2.60 - 9.50	1.381 - 2.865	6.34	6.06	5.81	99		
15+20+22	1.63	2.11	3.16	-	6.90 2.60 - 9.70	1.626 - 2.995	7.46	7.14	6.84	99		
15+20+25	1.56	2.02	3.31	-	6.90 2.60 - 9.70	1.626 - 2.995	7.46	7.14	6.84	99		
15+20+35	1.48	1.92	3.49	-	6.90 2.60 - 9.70	1.616 - 2.985	7.42	7.10	6.80	99		
15+20+42	1.26	1.63	4.01	-	6.90 2.60 - 9.70	1.616 - 2.985	7.42	7.10	6.80	99		
15+20+50	1.06	1.37	4.48	-	6.90 2.60 - 9.70	1.606 - 2.975	7.37	7.05	6.76	99		
15+20+60	0.99	1.29	4.62	-	6.90 2.60 - 9.70	1.596 - 2.965	7.33	7.01	6.72	99		
15+22+22	1.54	2.98	2.98	-	7.50 2.60 - 9.90	1.871 - 3.125	8.59	8.22	7.87	99		
15+22+25	1.48	2.88	3.14	-	7.50 2.60 - 9.90	1.871 - 3.125	8.59	8.22	7.87	99		

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+22+42	1.23	2.38	3.89	-	7.50 2.60 - 9.90	0.660	1.861 - 3.115	8.54	8.17	7.83	99
15+22+50	1.05	2.03	4.43	-	7.50 2.60 - 9.90	0.660	1.851 - 3.105	8.50	8.13	7.79	99
15+22+60	0.99	1.92	4.59	-	7.50 2.60 - 9.90	0.660	1.841 - 3.095	8.45	8.09	7.75	99
15+25+25	1.43	3.03	3.03	-	7.50 2.60 - 9.90	0.660	1.871 - 3.125	8.59	8.22	7.87	99
15+25+35	1.37	2.90	3.23	-	7.50 2.60 - 9.90	0.660	1.861 - 3.115	8.54	8.17	7.83	99
15+25+42	1.19	2.52	3.79	-	7.50 2.60 - 9.90	0.660	1.861 - 3.115	8.54	8.17	7.83	99
15+25+50	1.02	2.16	4.32	-	7.50 2.60 - 9.90	0.660	1.851 - 3.105	8.50	8.13	7.79	99
15+25+60	0.97	2.05	4.49	-	7.50 2.60 - 9.90	0.660	1.841 - 3.095	8.45	8.09	7.75	99
15+35+35	1.31	3.09	3.09	-	7.50 2.60 - 9.90	0.660	1.851 - 3.105	8.50	8.13	7.79	99
15+35+42	1.15	2.70	3.65	-	7.50 2.60 - 9.90	0.660	1.851 - 3.105	8.50	8.13	7.79	99
15+35+50	0.99	2.33	4.19	-	7.50 2.60 - 9.90	0.660	1.841 - 3.095	8.45	8.09	7.75	99
15+35+60	0.94	2.21	4.36	-	7.50 2.60 - 9.90	0.660	1.832 - 3.085	8.41	8.04	7.71	99
15+42+42	1.02	3.24	3.24	-	7.50 2.60 - 9.90	0.660	1.851 - 3.105	8.50	8.13	7.79	99
15+42+50	0.89	2.83	3.78	-	7.50 2.60 - 9.90	0.660	1.841 - 3.095	8.45	8.09	7.75	99
15+42+60	0.85	2.70	3.95	-	7.50 2.60 - 9.90	0.650	1.832 - 3.085	8.41	8.04	7.71	99
15+50+50	0.79	3.35	3.35	-	7.50 2.60 - 9.90	0.650	1.832 - 3.085	8.41	8.04	7.71	99
15+50+60	0.76	3.21	3.53	-	7.50 2.60 - 9.90	0.640	1.822 - 3.075	8.36	8.00	7.67	99
18+18+18	2.87	2.87	2.87	-	8.60 2.60 - 10.60	0.530	2.253 - 3.475	10.34	9.89	9.48	99
18+18+20	3.00	3.00	2.00	-	8.00 2.60 - 10.40	0.650	2.008 - 3.345	9.22	8.82	8.45	99
18+18+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	0.510	2.253 - 3.475	10.34	9.89	9.48	99
18+18+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	0.510	2.253 - 3.475	10.34	9.89	9.48	99
18+18+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99
18+18+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99
18+18+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99
18+18+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99
18+20+20	3.17	2.11	2.11	-	7.40 2.60 - 10.20	0.770	1.763 - 3.215	8.09	7.74	7.42	99
18+20+22	3.00	2.00	3.00	-	8.00 2.60 - 10.40	0.630	2.008 - 3.345	9.22	8.82	8.45	99
18+20+25	2.90	1.93	3.16	-	8.00 2.60 - 10.40	0.650	2.008 - 3.345	9.22	8.82	8.45	99
18+20+35	2.78	1.85	3.37	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99
18+20+42	2.42	1.61	3.96	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99
18+20+50	2.08	1.39	4.54	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99
18+20+60	1.97	1.31	4.72	-	8.00 2.60 - 10.40	0.660	1.979 - 3.315	9.08	8.69	8.33	99
18+22+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	0.510	2.253 - 3.475	10.34	9.89	9.48	99
18+22+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	0.530	2.253 - 3.475	10.34	9.89	9.48	99
18+22+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99
18+22+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99
18+22+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99
18+22+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99
18+25+25	2.70	2.95	2.95	-	8.60 2.60 - 10.60	0.530	2.253 - 3.475	10.34	9.89	9.48	99



**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
18+25+35	2.60	2.84	3.16	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
18+25+42	2.31	2.52	3.78	-	8.60 2.60 - 10.60	0.530	2.243 - 3.465	10.30	9.85	9.44	99	
18+25+50	2.01	2.20	4.39	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
18+25+60	1.92	2.09	4.59	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
18+35+35	2.51	3.04	3.04	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
18+35+42	2.23	2.71	3.66	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
18+35+50	1.96	2.37	4.27	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
18+35+60	1.87	2.26	4.47	-	8.60 2.60 - 10.60	0.520	2.214 - 3.435	10.16	9.72	9.32	99	
18+42+42	2.01	3.29	3.29	-	8.60 2.60 - 10.60	0.530	2.233 - 3.455	10.25	9.81	9.40	99	
18+42+50	1.78	2.92	3.89	-	8.60 2.60 - 10.60	0.530	2.224 - 3.445	10.21	9.77	9.36	99	
18+42+60	1.71	2.80	4.09	-	8.60 2.60 - 10.60	0.520	2.214 - 3.435	10.16	9.72	9.32	99	
18+50+50	1.60	3.50	3.50	-	8.60 2.60 - 10.60	0.520	2.214 - 3.435	10.16	9.72	9.32	99	
20+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.00	0.890	1.518 - 3.085	6.97	6.67	6.39	99	
20+20+22	2.11	2.11	3.17	-	7.40 2.60 - 10.20	0.770	1.763 - 3.215	8.09	7.74	7.42	99	
20+20+25	2.04	2.04	3.33	-	7.40 2.60 - 10.20	0.790	1.763 - 3.215	8.09	7.74	7.42	99	
20+20+35	1.94	1.94	3.52	-	7.40 2.60 - 10.20	0.790	1.753 - 3.205	8.05	7.70	7.38	99	
20+20+42	1.66	1.66	4.08	-	7.40 2.60 - 10.20	0.790	1.753 - 3.205	8.05	7.70	7.38	99	
20+20+50	1.40	1.40	4.59	-	7.40 2.60 - 10.20	0.790	1.743 - 3.195	8.00	7.66	7.34	99	
20+20+60	1.32	1.32	4.75	-	7.40 2.60 - 10.20	0.790	1.734 - 3.185	7.96	7.61	7.30	99	
20+22+22	2.00	3.00	3.00	-	8.00 2.60 - 10.40	0.650	2.008 - 3.345	9.22	8.82	8.45	99	
20+22+25	1.93	2.90	3.16	-	8.00 2.60 - 10.40	0.660	2.008 - 3.345	9.22	8.82	8.45	99	
20+22+35	1.85	2.78	3.37	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99	
20+22+42	1.61	2.42	3.96	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99	
20+22+50	1.39	2.08	4.54	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+22+60	1.31	1.97	4.72	-	8.00 2.60 - 10.40	0.660	1.979 - 3.315	9.08	8.69	8.33	99	
20+25+25	1.87	3.06	3.06	-	8.00 2.60 - 10.40	0.660	2.008 - 3.345	9.22	8.82	8.45	99	
20+25+35	1.80	2.94	3.27	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99	
20+25+42	1.57	2.57	3.86	-	8.00 2.60 - 10.40	0.660	1.998 - 3.335	9.17	8.78	8.41	99	
20+25+50	1.35	2.22	4.43	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+25+60	1.28	2.10	4.61	-	8.00 2.60 - 10.40	0.660	1.979 - 3.315	9.08	8.69	8.33	99	
20+35+35	1.73	3.14	3.14	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+35+42	1.52	2.76	3.72	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+35+50	1.31	2.39	4.30	-	8.00 2.60 - 10.40	0.660	1.979 - 3.315	9.08	8.69	8.33	99	
20+35+60	1.25	2.27	4.48	-	8.00 2.60 - 10.40	0.650	1.969 - 3.305	9.04	8.65	8.29	99	
20+42+42	1.35	3.32	3.32	-	8.00 2.60 - 10.40	0.660	1.988 - 3.325	9.13	8.73	8.37	99	
20+42+50	1.19	2.92	3.89	-	8.00 2.60 - 10.40	0.650	1.979 - 3.315	9.08	8.69	8.33	99	
20+42+60	1.14	2.79	4.08	-	8.00 2.60 - 10.40	0.640	1.969 - 3.305	9.04	8.65	8.29	99	
20+50+50	1.06	3.47	3.47	-	8.00 2.60 - 10.40	0.650	1.969 - 3.305	9.04	8.65	8.29	99	
22+22+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	0.530	2.253 - 3.475	10.34	9.89	9.48	99	

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240				
22+22+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99		
22+22+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99		
22+22+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99		
22+22+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99		
22+22+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99		
22+25+35	2.60	2.84	3.16	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99		
22+25+42	2.31	2.52	3.78	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99		
22+25+50	2.01	2.20	4.39	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99		
22+25+60	1.92	2.09	4.59	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99		
22+35+35	2.51	3.04	3.04	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99		
22+35+42	2.23	2.71	3.66	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99		
22+35+50	1.96	2.37	4.27	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99		
22+35+60	1.87	2.26	4.47	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99		
22+42+42	2.01	3.29	3.29	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99		
22+42+50	1.78	2.92	3.89	-	8.60 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99		
22+42+60	1.71	2.80	4.09	-	8.60 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99		
22+50+50	1.60	3.50	3.50	-	8.60 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99		
25+25+25	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99		
25+25+35	2.76	2.76	3.07	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99		
25+25+42	2.46	2.46	3.69	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99		
25+25+50	2.15	2.15	4.30	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99		
25+25+60	2.05	2.05	4.50	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99		
25+35+35	2.67	2.97	2.97	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99		
25+35+42	2.38	2.65	3.57	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99		
25+35+50	2.09	2.32	4.18	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99		
25+35+60	2.00	2.22	4.38	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99		
25+42+42	2.15	3.23	3.23	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99		
25+42+50	1.91	2.87	3.82	-	8.60 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99		
25+50+50	1.72	3.44	3.44	-	8.60 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99		
35+35+35	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99		
35+35+42	2.57	2.57	3.47	-	8.60 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99		
35+35+50	2.26	2.26	4.07	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99		
35+42+42	2.32	3.14	3.14	-	8.60 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99		
15+15+15+15	1.70	1.70	1.70	1.70	6.80 3.40 - 9.50	1.462 0.880 - 2.470	6.71	6.42	6.15	99		
15+15+15+18	1.50	1.50	1.50	2.91	7.40 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99		
15+15+15+20	1.70	1.70	1.70	2.20	7.30 3.40 - 9.80	1.727 0.880 - 2.695	7.93	7.58	7.27	99		
15+15+15+22	1.50	1.50	1.50	2.91	7.40 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99		
15+15+15+25	1.45	1.45	1.45	3.06	7.40 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99		
15+15+15+35	1.38	1.38	1.38	3.25	7.40 3.40 - 9.80	1.619 0.810 - 2.540	7.43	7.11	6.81	99		

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+15+15+42	1.20	1.20	1.20	3.81	7.40 3.40 - 9.80	0.810	1.619 - 2.700	7.43	7.11	6.81	99
15+15+15+50	1.02	1.02	1.02	4.33	7.40 3.40 - 9.80	0.810	1.609 - 2.710	7.39	7.07	6.77	99
15+15+15+60	0.97	0.97	0.97	4.50	7.40 3.40 - 9.80	0.810	1.599 - 2.700	7.34	7.02	6.73	99
15+15+18+18	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+18+20	1.49	1.49	2.89	1.93	7.80 3.40 - 10.10	0.810	1.893 - 2.775	8.69	8.32	7.97	99
15+15+18+22	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+18+25	1.29	1.29	2.50	2.73	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+18+35	1.24	1.24	2.41	2.92	7.80 3.40 - 10.10	0.740	1.786 - 2.690	8.20	7.84	7.51	99
15+15+18+42	1.10	1.10	2.13	3.48	7.80 3.40 - 10.10	0.740	1.786 - 2.800	8.20	7.84	7.51	99
15+15+18+50	0.95	0.95	1.85	4.04	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+18+60	0.91	0.91	1.76	4.22	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+15+20+20	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	0.880	1.991 - 2.920	9.14	8.75	8.38	99
15+15+20+25	1.44	1.44	1.87	3.05	7.80 3.40 - 10.10	0.810	1.893 - 2.775	8.69	8.32	7.97	99
15+15+20+35	1.38	1.38	1.79	3.25	7.80 3.40 - 10.10	0.810	1.884 - 2.880	8.65	8.27	7.93	99
15+15+20+42	1.21	1.21	1.56	3.83	7.80 3.40 - 10.10	0.810	1.884 - 2.945	8.65	8.27	7.93	99
15+15+20+50	1.04	1.04	1.34	4.39	7.80 3.40 - 10.10	0.810	1.874 - 2.935	8.60	8.23	7.89	99
15+15+20+60	0.98	0.98	1.27	4.56	7.80 3.40 - 10.10	0.810	1.864 - 2.925	8.56	8.19	7.84	99
15+15+22+22	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+22+25	1.29	1.29	2.50	2.73	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+22+35	1.24	1.24	2.41	2.92	7.80 3.40 - 10.10	0.740	1.786 - 2.780	8.20	7.84	7.51	99
15+15+22+42	1.10	1.10	2.13	3.48	7.80 3.40 - 10.10	0.740	1.786 - 2.800	8.20	7.84	7.51	99
15+15+22+50	0.95	0.95	1.85	4.04	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+22+60	0.91	0.91	1.76	4.22	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+15+25+25	1.25	1.25	2.65	2.65	7.80 3.40 - 10.10	0.740	1.795 - 2.630	8.24	7.88	7.56	99
15+15+25+35	1.21	1.21	2.55	2.84	7.80 3.40 - 10.10	0.740	1.786 - 2.800	8.20	7.84	7.51	99
15+15+25+42	1.07	1.07	2.26	3.40	7.80 3.40 - 10.10	0.740	1.786 - 2.800	8.20	7.84	7.51	99
15+15+25+50	0.93	0.93	1.98	3.95	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+25+60	0.89	0.89	1.88	4.14	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+15+35+35	1.16	1.16	2.74	2.74	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+35+42	1.04	1.04	2.44	3.29	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+35+50	0.91	0.91	2.14	3.85	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+15+35+60	0.87	0.87	2.04	4.03	7.80 3.40 - 10.10	0.740	1.756 - 2.770	8.06	7.71	7.39	99
15+15+42+42	0.93	0.93	2.97	2.97	7.80 3.40 - 10.10	0.740	1.776 - 2.790	8.15	7.80	7.47	99
15+15+42+50	0.83	0.83	2.63	3.51	7.80 3.40 - 10.10	0.740	1.766 - 2.780	8.11	7.76	7.43	99
15+18+18+18	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	0.670	1.962 - 2.710	9.01	8.62	8.26	99
15+18+18+20	1.33	2.58	2.58	1.72	8.20 3.40 - 10.40	0.740	2.060 - 2.855	9.46	9.05	8.67	99
15+18+18+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	0.670	1.962 - 2.710	9.01	8.62	8.26	99
15+18+18+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	0.670	1.962 - 2.710	9.01	8.62	8.26	99
15+18+18+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	0.670	1.952 - 2.835	8.96	8.57	8.22	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+18+18+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	0.670	1.952 - 2.880	8.96	8.57	8.22	99
15+18+18+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	0.670	1.942 - 2.870	8.92	8.53	8.17	99
15+18+18+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	0.670	1.933 - 2.860	8.87	8.49	8.13	99
15+18+20+20	1.48	2.88	1.92	1.92	8.20 3.40 - 10.40	0.810	2.158 - 3.000	9.91	9.48	9.08	99
15+18+20+22	1.33	2.58	1.72	2.58	8.20 3.40 - 10.40	0.740	2.060 - 2.855	9.46	9.05	8.67	99
15+18+20+25	1.29	2.51	1.67	2.73	8.20 3.40 - 10.40	0.740	2.060 - 2.855	9.46	9.05	8.67	99
15+18+20+35	1.24	2.42	1.61	2.93	8.20 3.40 - 10.40	0.740	2.050 - 3.025	9.41	9.00	8.63	99
15+18+20+42	1.11	2.15	1.43	3.51	8.20 3.40 - 10.40	0.740	2.050 - 3.025	9.41	9.00	8.63	99
15+18+20+50	0.97	1.88	1.25	4.10	8.20 3.40 - 10.40	0.740	2.040 - 3.015	9.37	8.96	8.59	99
15+18+20+60	0.92	1.79	1.19	4.29	8.20 3.40 - 10.40	0.740	2.031 - 3.005	9.32	8.92	8.55	99
15+18+22+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	0.670	1.962 - 2.710	9.01	8.62	8.26	99
15+18+22+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	0.670	1.962 - 2.710	9.01	8.62	8.26	99
15+18+22+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	0.670	1.952 - 2.880	8.96	8.57	8.22	99
15+18+22+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	0.670	1.952 - 2.880	8.96	8.57	8.22	99
15+18+22+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	0.670	1.942 - 2.870	8.92	8.53	8.17	99
15+18+22+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	0.670	1.933 - 2.860	8.87	8.49	8.13	99
15+18+25+25	1.14	2.22	2.42	2.42	8.20 3.40 - 10.40	0.670	1.962 - 2.780	9.01	8.62	8.26	99
15+18+25+35	1.11	2.15	2.34	2.60	8.20 3.40 - 10.40	0.670	1.952 - 2.880	8.96	8.57	8.22	99
15+18+25+42	1.00	1.93	2.11	3.16	8.20 3.40 - 10.40	0.670	1.952 - 2.880	8.96	8.57	8.22	99
15+18+25+50	0.88	1.71	1.87	3.74	8.20 3.40 - 10.40	0.670	1.942 - 2.870	8.92	8.53	8.17	99
15+18+25+60	0.84	1.64	1.79	3.93	8.20 3.40 - 10.40	0.670	1.933 - 2.860	8.87	8.49	8.13	99
15+18+35+35	1.07	2.08	2.52	2.52	8.20 3.40 - 10.40	0.670	1.942 - 2.870	8.92	8.53	8.17	99
15+18+35+42	0.97	1.88	2.28	3.08	8.20 3.40 - 10.40	0.670	1.942 - 2.870	8.92	8.53	8.17	99
15+18+35+50	0.86	1.67	2.02	3.64	8.20 3.40 - 10.40	0.670	1.933 - 2.860	8.87	8.49	8.13	99
15+18+42+42	0.88	1.71	2.80	2.80	8.20 3.40 - 10.40	0.670	1.942 - 2.870	8.92	8.53	8.17	99
15+18+42+50	0.79	1.54	2.52	3.35	8.20 3.40 - 10.40	0.670	1.933 - 2.860	8.87	8.49	8.13	99
15+20+20+20	1.68	2.17	2.17	2.17	8.20 3.40 - 10.40	0.880	2.256 - 3.145	10.36	9.91	9.49	99
15+20+20+22	1.48	1.92	1.92	2.88	8.20 3.40 - 10.40	0.810	2.158 - 3.000	9.91	9.48	9.08	99
15+20+20+25	1.44	1.86	1.86	3.04	8.20 3.40 - 10.40	0.810	2.158 - 3.000	9.91	9.48	9.08	99
15+20+20+35	1.38	1.79	1.79	3.25	8.20 3.40 - 10.40	0.810	2.148 - 3.170	9.86	9.43	9.04	99
15+20+20+42	1.21	1.57	1.57	3.85	8.20 3.40 - 10.40	0.810	2.148 - 3.170	9.86	9.43	9.04	99
15+20+20+50	1.05	1.36	1.36	4.44	8.20 3.40 - 10.40	0.810	2.138 - 3.160	9.82	9.39	9.00	99
15+20+20+60	1.00	1.29	1.29	4.63	8.20 3.40 - 10.40	0.810	2.129 - 3.150	9.77	9.35	8.96	99
15+20+22+22	1.33	1.72	2.58	2.58	8.20 3.40 - 10.40	0.740	2.060 - 2.855	9.46	9.05	8.67	99
15+20+22+25	1.29	1.67	2.51	2.73	8.20 3.40 - 10.40	0.740	2.060 - 2.900	9.46	9.05	8.67	99
15+20+22+35	1.24	1.61	2.42	2.93	8.20 3.40 - 10.40	0.740	2.050 - 3.025	9.41	9.00	8.63	99
15+20+22+42	1.11	1.43	2.15	3.51	8.20 3.40 - 10.40	0.740	2.050 - 3.025	9.41	9.00	8.63	99
15+20+22+50	0.97	1.25	1.88	4.10	8.20 3.40 - 10.40	0.740	2.040 - 3.015	9.37	8.96	8.59	99
15+20+22+60	0.92	1.19	1.79	4.29	8.20 3.40 - 10.40	0.740	2.031 - 3.005	9.32	8.92	8.55	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+20+25+25	1.26	1.63	2.66	2.66	8.20 3.40 - 10.40	2.060 0.740 - 2.970	9.46	9.05	8.67	99	
15+20+25+35	1.21	1.57	2.57	2.85	8.20 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99	
15+20+25+42	1.08	1.40	2.29	3.43	8.20 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99	
15+20+25+50	0.95	1.23	2.01	4.02	8.20 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99	
15+20+25+60	0.91	1.17	1.92	4.21	8.20 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99	
15+20+35+35	1.17	1.52	2.76	2.76	8.20 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99	
15+20+35+42	1.05	1.36	2.47	3.33	8.20 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99	
15+20+35+50	0.92	1.19	2.17	3.91	8.20 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99	
15+20+42+42	0.95	1.23	3.01	3.01	8.20 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99	
15+22+22+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 0.670 - 2.735	9.01	8.62	8.26	99	
15+22+22+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	1.962 0.670 - 2.800	9.01	8.62	8.26	99	
15+22+22+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+22+22+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+22+22+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+22+22+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+22+25+25	1.14	2.22	2.42	2.42	8.20 3.40 - 10.40	1.962 0.670 - 2.870	9.01	8.62	8.26	99	
15+22+25+35	1.11	2.15	2.34	2.60	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+22+25+42	1.00	1.93	2.11	3.16	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+22+25+50	0.88	1.71	1.87	3.74	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+22+25+60	0.84	1.64	1.79	3.93	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+22+35+35	1.07	2.08	2.52	2.52	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+22+35+42	0.97	1.88	2.28	3.08	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+22+35+50	0.86	1.67	2.02	3.64	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+22+42+42	0.88	1.71	2.80	2.80	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+25+25+25	1.12	2.36	2.36	2.36	8.20 3.40 - 10.40	1.962 0.670 - 2.890	9.01	8.62	8.26	99	
15+25+25+35	1.08	2.29	2.29	2.54	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+25+25+42	0.97	2.06	2.06	3.10	8.20 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99	
15+25+25+50	0.87	1.83	1.83	3.67	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+25+25+60	0.83	1.76	1.76	3.86	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+25+35+35	1.05	2.22	2.47	2.47	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+25+35+42	0.95	2.01	2.23	3.01	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+25+35+50	0.84	1.79	1.99	3.58	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
15+25+42+42	0.87	1.83	2.75	2.75	8.20 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99	
15+35+35+35	1.02	2.39	2.39	2.39	8.20 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99	
18+18+18+18	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	1.754 0.600 - 2.790	8.05	7.70	7.38	99	
18+18+18+20	2.35	2.35	2.35	1.56	8.60 3.40 - 10.70	2.227 0.670 - 2.935	10.22	9.78	9.37	99	
18+18+18+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 0.600 - 2.790	9.77	9.35	8.96	99	
18+18+18+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	2.129 0.600 - 2.790	9.77	9.35	8.96	99	
18+18+18+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	2.119 0.600 - 2.960	9.73	9.31	8.92	99	

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240				
18+18+18+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+18+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+18+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	0.600	2.099 -	2.940	9.64	9.22	8.83	99
18+18+20+20	2.58	2.58	1.72	1.72	8.60 3.40 - 10.70	0.740	2.325 -	3.080	10.67	10.21	9.78	99
18+18+20+22	2.35	2.35	1.56	2.35	8.60 3.40 - 10.70	0.670	2.227 -	2.935	10.22	9.78	9.37	99
18+18+20+25	2.29	2.29	1.53	2.50	8.60 3.40 - 10.70	0.670	2.227 -	2.960	10.22	9.78	9.37	99
18+18+20+35	2.22	2.22	1.48	2.69	8.60 3.40 - 10.70	0.670	2.217 -	3.105	10.18	9.74	9.33	99
18+18+20+42	2.00	2.00	1.33	3.27	8.60 3.40 - 10.70	0.670	2.217 -	3.105	10.18	9.74	9.33	99
18+18+20+50	1.77	1.77	1.18	3.87	8.60 3.40 - 10.70	0.670	2.207 -	3.095	10.13	9.69	9.29	99
18+18+20+60	1.70	1.70	1.13	4.07	8.60 3.40 - 10.70	0.670	2.197 -	3.085	10.09	9.65	9.25	99
18+18+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	0.600	2.129 -	2.790	9.77	9.35	8.96	99
18+18+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	0.600	2.129 -	2.860	9.77	9.35	8.96	99
18+18+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+22+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	0.600	2.099 -	2.940	9.64	9.22	8.83	99
18+18+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	0.600	2.129 -	2.925	9.77	9.35	8.96	99
18+18+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	0.600	2.119 -	2.960	9.73	9.31	8.92	99
18+18+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+25+60	1.57	1.57	1.71	3.75	8.60 3.40 - 10.70	0.600	2.099 -	2.940	9.64	9.22	8.83	99
18+18+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+18+35+50	1.59	1.59	1.93	3.48	8.60 3.40 - 10.70	0.600	2.099 -	2.940	9.64	9.22	8.83	99
18+18+42+42	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	0.600	2.109 -	2.950	9.68	9.26	8.88	99
18+20+20+20	2.87	1.91	1.91	1.91	8.60 3.40 - 10.70	0.810	2.423 -	3.225	11.12	10.64	10.20	99
18+20+20+22	2.58	1.72	1.72	2.58	8.60 3.40 - 10.70	0.740	2.325 -	3.080	10.67	10.21	9.78	99
18+20+20+25	2.51	1.67	1.67	2.74	8.60 3.40 - 10.70	0.740	2.325 -	3.150	10.67	10.21	9.78	99
18+20+20+35	2.43	1.62	1.62	2.94	8.60 3.40 - 10.70	0.740	2.315 -	3.250	10.63	10.17	9.74	99
18+20+20+42	2.17	1.44	1.44	3.55	8.60 3.40 - 10.70	0.740	2.315 -	3.250	10.63	10.17	9.74	99
18+20+20+50	1.90	1.27	1.27	4.16	8.60 3.40 - 10.70	0.740	2.305 -	3.240	10.58	10.12	9.70	99
18+20+20+60	1.82	1.21	1.21	4.36	8.60 3.40 - 10.70	0.740	2.295 -	3.230	10.54	10.08	9.66	99
18+20+22+22	2.35	1.56	2.35	2.35	8.60 3.40 - 10.70	0.670	2.227 -	2.980	10.22	9.78	9.37	99
18+20+22+25	2.29	1.53	2.29	2.50	8.60 3.40 - 10.70	0.670	2.227 -	3.050	10.22	9.78	9.37	99
18+20+22+35	2.22	1.48	2.22	2.69	8.60 3.40 - 10.70	0.670	2.217 -	3.105	10.18	9.74	9.33	99
18+20+22+42	2.00	1.33	2.00	3.27	8.60 3.40 - 10.70	0.670	2.217 -	3.105	10.18	9.74	9.33	99
18+20+22+50	1.77	1.18	1.77	3.87	8.60 3.40 - 10.70	0.670	2.207 -	3.095	10.13	9.69	9.29	99
18+20+22+60	1.70	1.13	1.70	4.07	8.60 3.40 - 10.70	0.670	2.197 -	3.085	10.09	9.65	9.25	99
18+20+25+25	2.23	1.49	2.44	2.44	8.60 3.40 - 10.70	0.670	2.227 -	3.115	10.22	9.78	9.37	99

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
18+20+25+35	2.17	1.44	2.36	2.63	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99	
18+20+25+42	1.96	1.30	2.14	3.20	8.60 3.40 - 10.70	0.670	2.217 - 3.105	10.18	9.74	9.33	99	
18+20+25+50	1.74	1.16	1.90	3.80	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99	
18+20+25+60	1.67	1.11	1.82	4.00	8.60 3.40 - 10.70	0.670	2.197 - 3.085	10.09	9.65	9.25	99	
18+20+35+35	2.10	1.40	2.55	2.55	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99	
18+20+35+42	1.90	1.27	2.31	3.12	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99	
18+20+35+50	1.70	1.13	2.06	3.71	8.60 3.40 - 10.70	0.670	2.197 - 3.085	10.09	9.65	9.25	99	
18+20+42+42	1.74	1.16	2.85	2.85	8.60 3.40 - 10.70	0.670	2.207 - 3.095	10.13	9.69	9.29	99	
18+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	0.600	2.129 - 2.880	9.77	9.35	8.96	99	
18+22+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	0.600	2.129 - 2.950	9.77	9.35	8.96	99	
18+22+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99	
18+22+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99	
18+22+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99	
18+22+22+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	0.600	2.099 - 2.940	9.64	9.22	8.83	99	
18+22+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	0.600	2.129 - 2.970	9.77	9.35	8.96	99	
18+22+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99	
18+22+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99	
18+22+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99	
18+22+25+60	1.57	1.57	1.71	3.75	8.60 3.40 - 10.70	0.600	2.099 - 2.940	9.64	9.22	8.83	99	
18+22+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99	
18+22+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99	
18+22+35+50	1.59	1.59	1.93	3.48	8.60 3.40 - 10.70	0.600	2.099 - 2.940	9.64	9.22	8.83	99	
18+22+42+42	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99	
18+25+25+25	2.01	2.20	2.20	2.20	8.60 3.40 - 10.70	0.600	2.129 - 2.970	9.77	9.35	8.96	99	
18+25+25+35	1.96	2.14	2.14	2.37	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99	
18+25+25+42	1.78	1.95	1.95	2.92	8.60 3.40 - 10.70	0.600	2.119 - 2.960	9.73	9.31	8.92	99	
18+25+25+50	1.60	1.75	1.75	3.50	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99	
18+25+35+35	1.90	2.08	2.31	2.31	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99	
18+25+35+42	1.74	1.90	2.11	2.85	8.60 3.40 - 10.70	0.600	2.109 - 2.950	9.68	9.26	8.88	99	
18+35+35+35	1.85	2.25	2.25	2.25	8.60 3.40 - 10.70	0.600	2.099 - 2.940	9.64	9.22	8.83	99	
20+20+20+20	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	0.880	2.521 - 3.370	11.57	11.07	10.61	99	
20+20+20+22	1.91	1.91	1.91	2.87	8.60 3.40 - 10.70	0.810	2.423 - 3.270	11.12	10.64	10.20	99	
20+20+20+25	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.810	2.423 - 3.340	11.12	10.64	10.20	99	
20+20+20+35	1.78	1.78	1.78	3.25	8.60 3.40 - 10.70	0.810	2.413 - 3.395	11.08	10.60	10.15	99	
20+20+20+42	1.58	1.58	1.58	3.87	8.60 3.40 - 10.70	0.810	2.413 - 3.395	11.08	10.60	10.15	99	
20+20+20+50	1.37	1.37	1.37	4.49	8.60 3.40 - 10.70	0.810	2.403 - 3.385	11.03	10.55	10.11	99	
20+20+20+60	1.30	1.30	1.30	4.69	8.60 3.40 - 10.70	0.810	2.393 - 3.375	10.99	10.51	10.07	99	
20+20+22+22	1.72	1.72	2.58	2.58	8.60 3.40 - 10.70	0.740	2.325 - 3.170	10.67	10.21	9.78	99	
20+20+22+25	1.67	1.67	2.51	2.74	8.60 3.40 - 10.70	0.740	2.325 - 3.240	10.67	10.21	9.78	99	

**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
20+20+22+35	1.62	1.62	2.43	2.94	8.60 3.40 - 10.70	0.740	2.315 -	10.63	10.17	9.74	99	
20+20+22+42	1.44	1.44	2.17	3.55	8.60 3.40 - 10.70	0.740	2.315 -	10.63	10.17	9.74	99	
20+20+22+50	1.27	1.27	1.90	4.16	8.60 3.40 - 10.70	0.740	2.305 -	10.58	10.12	9.70	99	
20+20+22+60	1.21	1.21	1.82	4.36	8.60 3.40 - 10.70	0.740	2.295 -	10.54	10.08	9.66	99	
20+20+25+25	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	0.740	2.325 -	10.67	10.21	9.78	99	
20+20+25+35	1.58	1.58	2.58	2.87	8.60 3.40 - 10.70	0.740	2.315 -	10.63	10.17	9.74	99	
20+20+25+42	1.41	1.41	2.31	3.47	8.60 3.40 - 10.70	0.740	2.315 -	10.63	10.17	9.74	99	
20+20+25+50	1.24	1.24	2.04	4.07	8.60 3.40 - 10.70	0.740	2.305 -	10.58	10.12	9.70	99	
20+20+25+60	1.19	1.19	1.95	4.27	8.60 3.40 - 10.70	0.740	2.295 -	10.54	10.08	9.66	99	
20+20+35+35	1.53	1.53	2.77	2.77	8.60 3.40 - 10.70	0.740	2.305 -	10.58	10.12	9.70	99	
20+20+35+42	1.37	1.37	2.49	3.37	8.60 3.40 - 10.70	0.740	2.305 -	10.58	10.12	9.70	99	
20+20+35+50	1.21	1.21	2.21	3.97	8.60 3.40 - 10.70	0.740	2.295 -	10.54	10.08	9.66	99	
20+20+42+42	1.24	1.24	3.06	3.06	8.60 3.40 - 10.70	0.740	2.305 -	10.58	10.12	9.70	99	
20+22+22+22	1.56	2.35	2.35	2.35	8.60 3.40 - 10.70	0.670	2.227 -	10.22	9.78	9.37	99	
20+22+22+25	1.53	2.29	2.29	2.50	8.60 3.40 - 10.70	0.670	2.227 -	10.22	9.78	9.37	99	
20+22+22+35	1.48	2.22	2.22	2.69	8.60 3.40 - 10.70	0.670	2.217 -	10.18	9.74	9.33	99	
20+22+22+42	1.33	2.00	2.00	3.27	8.60 3.40 - 10.70	0.670	2.217 -	10.18	9.74	9.33	99	
20+22+22+50	1.18	1.77	1.77	3.87	8.60 3.40 - 10.70	0.670	2.207 -	10.13	9.69	9.29	99	
20+22+22+60	1.13	1.70	1.70	4.07	8.60 3.40 - 10.70	0.670	2.197 -	10.09	9.65	9.25	99	
20+22+25+25	1.49	2.23	2.44	2.44	8.60 3.40 - 10.70	0.670	2.227 -	10.22	9.78	9.37	99	
20+22+25+35	1.44	2.17	2.36	2.63	8.60 3.40 - 10.70	0.670	2.217 -	10.18	9.74	9.33	99	
20+22+25+42	1.30	1.96	2.14	3.20	8.60 3.40 - 10.70	0.670	2.217 -	10.18	9.74	9.33	99	
20+22+25+50	1.16	1.74	1.90	3.80	8.60 3.40 - 10.70	0.670	2.207 -	10.13	9.69	9.29	99	
20+22+35+35	1.40	2.10	2.55	2.55	8.60 3.40 - 10.70	0.670	2.207 -	10.13	9.69	9.29	99	
20+22+35+42	1.27	1.90	2.31	3.12	8.60 3.40 - 10.70	0.670	2.207 -	10.13	9.69	9.29	99	
20+25+25+25	1.46	2.38	2.38	2.38	8.60 3.40 - 10.70	0.670	2.227 -	10.22	9.78	9.37	99	
20+25+25+35	1.41	2.31	2.31	2.57	8.60 3.40 - 10.70	0.670	2.217 -	10.18	9.74	9.33	99	
20+25+25+42	1.28	2.09	2.09	3.14	8.60 3.40 - 10.70	0.670	2.217 -	10.18	9.74	9.33	99	
20+25+25+50	1.14	1.87	1.87	3.73	8.60 3.40 - 10.70	0.670	2.207 -	10.13	9.69	9.29	99	
20+25+35+35	1.37	2.24	2.49	2.49	8.60 3.40 - 10.70	0.670	2.207 -	10.13	9.69	9.29	99	
20+25+35+42	1.24	2.04	2.26	3.06	8.60 3.40 - 10.70	0.670	2.207 -	10.13	9.69	9.29	99	
20+35+35+35	1.33	2.42	2.42	2.42	8.60 3.40 - 10.70	0.670	2.197 -	10.09	9.65	9.25	99	
22+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	0.600	2.129 -	9.77	9.35	8.96	99	
22+22+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	0.600	2.129 -	9.77	9.35	8.96	99	
22+22+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	0.600	2.119 -	9.73	9.31	8.92	99	
22+22+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	0.600	2.119 -	9.73	9.31	8.92	99	
22+22+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	0.600	2.109 -	9.68	9.26	8.88	99	
22+22+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	0.600	2.129 -	9.77	9.35	8.96	99	
22+22+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	0.600	2.119 -	9.73	9.31	8.92	99	



**MXZ-4F72VF MXZ-4F72VF2 MXZ-4F72VF3 MXZ-4F72VF4 HEATING**

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240				
22+22+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99	
22+22+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99	
22+22+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99	
22+22+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99	
22+25+25+25	2.01	2.20	2.20	2.20	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99	
22+25+25+35	1.96	2.14	2.14	2.37	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99	
22+25+25+42	1.78	1.95	1.95	2.92	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99	
22+25+25+50	1.60	1.75	1.75	3.50	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99	
22+25+35+35	1.90	2.08	2.31	2.31	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99	
22+25+35+42	1.74	1.90	2.11	2.85	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99	
25+25+25+25	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99	
25+25+25+35	2.09	2.09	2.09	2.32	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99	
25+25+25+42	1.91	1.91	1.91	2.87	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99	
25+25+25+50	1.72	1.72	1.72	3.44	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99	
25+25+35+35	2.04	2.04	2.26	2.26	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99	

# Mitsubishi Electric at your service

## **Mitsubishi Electric Europe B.V. Belgium Living Environment Systems**

### **Main office**

Autobaan 2 - 8210 Loppem  
T 050 40 48 48 - [info@mitsubishi-electric.be](mailto:info@mitsubishi-electric.be)

### **Service centre**

Preflexbaan 151 - 1740 Ternat  
T 02 582 77 50 - [service.as@mee.com](mailto:service.as@mee.com)

**[www.mitsubishi-electric.be](http://www.mitsubishi-electric.be)**

