


MXZ-5F102VF

MXZ-5F102VF2

COMBINATION TABLE



MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total	220	230	240				
15	1.50	-	-	-	-	1.50 1.50 - 2.20	0.570 0.570 - 0.870	2.61	2.50	2.40	99		
18	1.80	-	-	-	-	1.80 1.50 - 4.20	0.580 0.580 - 1.060	2.67	2.55	2.44	99		
20	2.00	-	-	-	-	2.00 1.50 - 2.40	0.580 0.570 - 0.870	2.67	2.55	2.44	99		
22	2.20	-	-	-	-	2.20 1.50 - 4.20	0.610 0.580 - 1.060	2.80	2.68	2.57	99		
25	2.50	-	-	-	-	2.50 1.50 - 4.20	0.630 0.580 - 1.060	2.90	2.77	2.65	99		
35	3.50	-	-	-	-	3.50 1.50 - 4.30	0.790 0.580 - 1.120	3.63	3.47	3.33	99		
42	4.20	-	-	-	-	4.20 1.50 - 5.00	0.960 0.580 - 1.740	4.41		4.04	99		
50	5.00	-	-	-	-	5.00 1.50 - 5.50	1.270 0.620 - 1.780	5.83	5.58	5.35	99		
60	6.00	-	-	-	-	6.00 1.50 - 6.40	1.780 0.620 - 1.950	8.18	7.82	7.49	99		
71	7.10	-	-	-	-	7.10 1.50 - 7.40	2.480 0.650 - 2.930	11.39	10.89	10.44	99		
15+15	1.50	1.50	-	-	-	3.00 2.00 - 4.40	0.606 0.600 - 1.486	2.78	2.66	2.55	99		
15+18	1.50	1.80	-	-	-	3.30 2.00 - 5.00	0.697 0.600 - 1.477	3.20	3.06	2.93	99		
15+20	1.50	2.00	-	-	-	3.50 2.00 - 5.40	0.774 0.600 - 1.484	3.55	3.40	3.26	99		
15+22	1.50	2.20	-	-	-	3.70 2.00 - 5.60	0.817 0.600 - 1.477	3.75	3.59	3.44	99		
15+25	1.50	2.50	-	-	-	4.00 2.00 - 5.60	0.887 0.600 - 1.477	4.08	3.90	3.74	99		
15+35	1.50	3.50	-	-	-	5.00 2.00 - 6.20	1.197 0.590 - 1.807	5.50	5.26	5.04	99		
15+42	1.50	4.20	-	-	-	5.70 2.00 - 6.70	1.481 0.590 - 2.151	6.80	6.50	6.23	99		
15+50	1.50	5.00	-	-	-	6.50 2.00 - 7.30	1.811 0.580 - 2.541	8.31	7.95	7.62	99		
15+60	1.46	5.84	-	-	-	7.30 2.00 - 8.10	2.234 0.580 - 2.854	10.26	9.81	9.40	99		
15+71	1.38	6.52	-	-	-	7.90 2.00 - 8.80	2.688 0.580 - 3.028	12.35	11.81	11.32	99		
18+18	1.80	1.80	-	-	-	3.60 2.00 - 5.60	0.788 0.600 - 1.468	3.62	3.46	3.32	99		
18+20	1.80	2.00	-	-	-	3.80 2.00 - 5.60	0.845 0.600 - 1.475	3.88	3.71	3.56	99		
18+22	1.80	2.20	-	-	-	4.00 2.00 - 5.60	0.878 0.600 - 1.468	4.04	3.86	3.70	99		
18+25	1.80	2.50	-	-	-	4.30 2.00 - 5.60	0.948 0.600 - 1.468	4.35	4.16	3.99	99		
18+35	1.80	3.50	-	-	-	5.30 2.00 - 6.40	1.308 0.590 - 1.948	6.00	5.74	5.50	99		
18+42	1.80	4.20	-	-	-	6.00 2.00 - 7.00	1.602 0.590 - 2.292	7.36	7.04	6.75	99		
18+50	1.80	5.00	-	-	-	6.80 2.00 - 7.60	1.932 0.580 - 2.682	8.87	8.48	8.13	99		
18+60	1.73	5.77	-	-	-	7.50 2.00 - 8.30	2.365 0.580 - 2.895	10.86	10.39	9.96	99		
18+71	1.62	6.38	-	-	-	8.00 2.00 - 8.90	2.739 0.580 - 3.069	12.58	12.03	11.53	99		
20+20	2.00	2.00	-	-	-	4.00 2.00 - 5.60	0.892 0.600 - 1.482	4.10	3.92	3.76	99		
20+22	2.00	2.20	-	-	-	4.20 2.00 - 5.60	0.935 0.600 - 1.475	4.30	4.11	3.94	99		
20+25	2.00	2.50	-	-	-	4.50 2.00 - 5.70	1.015 0.600 - 1.535	4.66	4.46	4.27	99		
20+35	2.00	3.50	-	-	-	5.50 2.00 - 6.60	1.405 0.590 - 2.055	6.45	6.17	5.91	99		
20+42	2.00	4.20	-	-	-	6.20 2.00 - 7.10	1.689 0.580 - 2.389	7.76	7.42	7.11	99		
20+50	2.00	5.00	-	-	-	7.00 2.00 - 7.70	2.019 0.580 - 2.789	9.27	8.87	8.50	99		
20+60	1.90	5.70	-	-	-	7.60 2.00 - 8.50	2.462 0.580 - 2.932	11.30	10.81	10.36	99		
20+71	1.76	6.24	-	-	-	8.00 2.00 - 8.90	2.786 0.580 - 3.106	12.80	12.24	11.73	99		
22+22	2.20	2.20	-	-	-	4.40 2.00 - 5.60	0.968 0.600 - 1.468	4.44	4.25	4.07	99		
22+25	2.20	2.50	-	-	-	4.70 2.00 - 5.90	1.078 0.600 - 1.638	4.95	4.73	4.53	99		
22+35	2.20	3.50	-	-	-	5.70 2.00 - 6.70	1.478 0.590 - 2.148	6.79	6.49	6.22	99		
22+42	2.20	4.20	-	-	-	6.40 2.00 - 7.30	1.762 0.580 - 2.482	8.09	7.74	7.42	99		
22+50	2.17	4.93	-	-	-	7.10 2.00 - 7.90	2.102 0.580 - 2.812	9.65	9.23	8.85	99		
22+60	2.07	5.63	-	-	-	7.70 2.00 - 8.60	2.545 0.580 - 2.955	11.69	11.18	10.71	99		
22+71	1.92	6.18	-	-	-	8.10 2.10 - 9.00	2.809 0.580 - 3.129	12.90	12.34	11.83	99		
25+25	2.50	2.50	-	-	-	5.00 2.00 - 6.20	1.188 0.590 - 1.798	5.46	5.22	5.00	99		

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
25+35	2.50	3.50	-	-	-	6.00 2.00 - 7.00	1.608 0.590 - 2.298	7.38	7.06	6.77	99
25+42	2.50	4.20	-	-	-	6.70 2.00 - 7.50	1.892 0.580 - 2.632	8.69	8.31	7.96	99
25+50	2.43	4.87	-	-	-	7.30 2.00 - 8.10	2.242 0.580 - 2.862	10.30	9.85	9.44	99
25+60	2.29	5.51	-	-	-	7.80 2.00 - 8.80	2.655 0.580 - 3.005	12.19	11.66	11.17	99
25+71	2.14	6.06	-	-	-	8.20 2.10 - 9.00	2.869 0.580 - 3.179	13.17	12.60	12.08	99
35+35	3.50	3.50	-	-	-	7.00 2.00 - 7.70	2.018 0.580 - 2.788	9.26	8.86	8.49	99
35+42	3.36	4.04	-	-	-	7.40 2.00 - 8.30	2.332 0.580 - 2.892	10.71	10.24	9.81	99
35+50	3.21	4.59	-	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	12.26	11.73	11.24	99
35+60	2.98	5.12	-	-	-	8.10 2.10 - 9.00	2.845 0.580 - 3.155	13.06	12.49	11.97	99
35+71	2.81	5.69	-	-	-	8.50 2.10 - 9.10	3.039 0.570 - 3.269	13.96	13.35	12.79	99
42+42	3.90	3.90	-	-	-	7.80 2.00 - 8.80	2.646 0.580 - 2.996	12.15	11.62	11.14	99
42+50	3.70	4.40	-	-	-	8.10 2.10 - 9.00	2.806 0.580 - 3.126	12.88	12.32	11.81	99
42+71	3.23	5.47	-	-	-	8.70 2.10 - 9.20	3.133 0.560 - 3.303	14.39	13.76	13.19	99
50+50	4.15	4.15	-	-	-	8.30 2.10 - 9.10	2.956 0.580 - 3.246	13.57	12.98	12.44	99
50+60	3.91	4.69	-	-	-	8.60 2.10 - 9.20	3.089 0.570 - 3.289	14.19	13.57	13.00	99
50+71	3.68	5.22	-	-	-	8.90 2.10 - 9.20	3.243 0.550 - 3.353	14.89	14.24	13.65	99
60+60	4.45	4.45	-	-	-	8.90 2.10 - 9.20	3.212 0.550 - 3.322	14.75	14.11	13.52	99
60+71	4.12	4.88	-	-	-	9.00 2.10 - 9.20	3.346 0.550 - 3.416	15.36	14.69	14.08	99
71+71	4.55	4.55	-	-	-	9.10 2.10 - 9.20	3.470 0.550 - 3.510	15.93	15.24	14.61	99
15+15+15	1.50	1.50	1.50	-	-	4.50 2.90 - 6.30	1.009 0.690 - 2.359	4.63	4.43	4.25	99
15+15+18	1.50	1.50	1.80	-	-	4.80 2.90 - 6.90	1.070 0.690 - 2.350	4.91	4.70	4.50	99
15+15+20	1.50	1.50	2.00	-	-	5.00 2.90 - 7.30	1.127 0.690 - 2.357	5.18	4.95	4.74	99
15+15+22	1.50	1.50	2.20	-	-	5.20 2.90 - 7.70	1.160 0.690 - 2.350	5.32	5.09	4.88	99
15+15+25	1.50	1.50	2.50	-	-	5.50 2.90 - 8.10	1.230 0.690 - 2.350	5.65	5.40	5.18	99
15+15+35	1.50	1.50	3.50	-	-	6.50 2.90 - 8.10	1.480 0.690 - 2.350	6.80	6.50	6.23	99
15+15+42	1.50	1.50	4.20 *	-	-	7.20 2.90 - 8.70	1.654 0.690 - 2.614	7.59	7.26	6.96	99
15+15+50	1.44	1.44	4.81 *	-	-	7.70 2.90 - 9.00	1.884 0.690 - 2.774	8.65	8.27	7.93	99
15+15+60	1.35	1.35	5.40	-	-	8.10 2.90 - 9.10	2.177 0.690 - 2.787	9.99	9.56	9.16	99
15+15+71	1.26	1.26	5.98	-	-	8.50 2.90 - 9.20	2.521 0.690 - 2.821	11.57	11.07	10.61	99
15+18+18	1.50	1.80	1.80	-	-	5.10 2.90 - 7.50	1.131 0.690 - 2.341	5.20	4.97	4.76	99
15+18+20	1.50	1.80	2.00	-	-	5.30 2.90 - 7.90	1.188 0.690 - 2.348	5.46	5.22	5.00	99
15+18+22	1.50	1.80	2.20	-	-	5.50 2.90 - 8.10	1.221 0.690 - 2.341	5.60	5.36	5.14	99
15+18+25	1.50	1.80	2.50	-	-	5.80 2.90 - 8.10	1.291 0.690 - 2.341	5.93	5.67	5.43	99
15+18+35	1.50	1.80	3.50	-	-	6.80 2.90 - 8.30	1.541 0.690 - 2.431	7.08	6.77	6.49	99
15+18+42	1.50	1.80	4.20 *	-	-	7.50 2.90 - 9.00	1.725 0.690 - 2.745	7.92	7.58	7.26	99
15+18+50	1.41	1.69	4.70 *	-	-	7.80 2.90 - 9.10	1.975 0.690 - 2.765	9.06	8.67	8.31	99
15+18+60	1.32	1.59	5.29	-	-	8.20 2.90 - 9.10	2.258 0.690 - 2.778	10.37	9.92	9.51	99
15+18+71	1.24	1.49	5.87	-	-	8.60 2.90 - 9.20	2.602 0.690 - 2.822	11.95	11.43	10.95	99
15+20+20	1.50	2.00	2.00	-	-	5.50 2.90 - 8.10	1.235 0.690 - 2.355	5.67	5.42	5.19	99
15+20+22	1.50	2.00	2.20	-	-	5.70 2.90 - 8.10	1.278 0.690 - 2.348	5.87	5.61	5.38	99
15+20+25	1.50	2.00	2.50	-	-	6.00 2.90 - 8.10	1.348 0.690 - 2.348	6.19	5.92	5.67	99
15+20+35	1.50	2.00	3.50	-	-	7.00 2.90 - 8.50	1.608 0.690 - 2.528	7.38	7.06	6.77	99
15+20+42	1.48	1.97	4.15 *	-	-	7.60 2.90 - 9.00	1.792 0.690 - 2.762	8.23	7.87	7.54	99
15+20+50	1.39	1.86	4.65 *	-	-	7.90 2.90 - 9.10	2.042 0.690 - 2.782	9.38	8.97	8.60	99
15+20+60	1.29	1.73	5.18	-	-	8.20 2.90 - 9.10	2.325 0.690 - 2.795	10.67	10.21	9.78	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total	220	230	240			
15+20+71	1.22	1.62	5.76	-	-	8.60 2.90 - 9.20	2.649 0.690 - 2.829	12.16	11.63	11.15	99	
15+22+22	1.50	2.20	2.20	-	-	5.90 2.90 - 8.10	1.321 0.690 - 2.341	6.06	5.80	5.56	99	
15+22+25	1.50	2.20	2.50	-	-	6.20 2.90 - 8.10	1.391 0.690 - 2.341	6.39	6.11	5.86	99	
15+22+35	1.50	2.20	3.50	-	-	7.20 2.90 - 8.70	1.651 0.690 - 2.611	7.58	7.25	6.95	99	
15+22+42	1.44	2.12	4.04 *	-	-	7.60 2.90 - 9.00	1.845 0.690 - 2.755	8.47	8.10	7.76	99	
15+22+50	1.36	2.00	4.54 *	-	-	7.90 2.90 - 9.10	2.095 0.690 - 2.785	9.62	9.20	8.82	99	
15+22+60	1.28	1.88	5.13	-	-	8.30 2.90 - 9.10	2.378 0.690 - 2.798	10.91	10.44	10.01	99	
15+22+71	1.21	1.77	5.72	-	-	8.70 2.90 - 9.20	2.652 0.690 - 2.832	12.18	11.65	11.16	99	
15+25+25	1.50	2.50	2.50	-	-	6.50 2.90 - 8.10	1.471 0.690 - 2.341	6.75	6.46	6.19	99	
15+25+35	1.50	2.50	3.50	-	-	7.50 2.90 - 9.00	1.731 0.690 - 2.751	7.95	7.60	7.28	99	
15+25+42	1.43	2.38	4.00 *	-	-	7.80 2.90 - 9.00	1.935 0.690 - 2.765	8.89	8.50	8.15	99	
15+25+50	1.35	2.25	4.50 *	-	-	8.10 2.90 - 9.10	2.185 0.690 - 2.795	10.04	9.60	9.20	99	
15+25+60	1.26	2.10	5.04	-	-	8.40 2.90 - 9.20	2.478 0.690 - 2.808	11.37	10.88	10.43	99	
15+25+71	1.18	1.96	5.56	-	-	8.70 2.90 - 9.20	2.672 0.690 - 2.842	12.26	11.73	11.24	99	
15+35+35	1.39	3.25	3.25	-	-	7.90 2.90 - 9.10	2.041 0.690 - 2.781	9.37	8.96	8.59	99	
15+35+42	1.32	3.08	3.70 *	-	-	8.10 2.90 - 9.10	2.245 0.690 - 2.795	10.31	9.86	9.45	99	
15+35+50	1.26	2.94	4.20 *	-	-	8.40 2.90 - 9.20	2.495 0.690 - 2.825	11.46	10.96	10.50	99	
15+35+60	1.19	2.77	4.75	-	-	8.70 2.90 - 9.20	2.668 0.690 - 2.838	12.25	11.72	11.23	99	
15+35+71	1.10	2.57	5.22	-	-	8.90 2.90 - 9.20	2.742 0.690 - 2.882	12.59	12.04	11.54	99	
15+42+42	1.27	3.56	3.56 *	-	-	8.40 2.90 - 9.20	2.459 0.690 - 2.809	11.29	10.80	10.35	99	
15+42+50	1.21	3.38	4.02 *	-	-	8.60 2.90 - 9.20	2.649 0.690 - 2.839	12.16	11.63	11.15	99	
15+42+60	1.13	3.16	4.51	-	-	8.80 2.90 - 9.20	2.712 0.690 - 2.862	12.45	11.91	11.41	99	
15+42+71	1.05	2.95	4.99	-	-	9.00 2.90 - 9.20	2.796 0.690 - 2.906	12.84	12.28	11.77	99	
15+50+50	1.15	3.83	3.83 *	-	-	8.80 2.90 - 9.20	2.709 0.690 - 2.869	12.44	11.90	11.40	99	
15+50+60	1.08	3.60	4.32	-	-	9.00 2.90 - 9.20	2.762 0.690 - 2.892	12.68	12.13	11.62	99	
15+50+71	0.99	3.31	4.70	-	-	9.00 2.90 - 9.20	2.876 0.690 - 2.966	13.20	12.63	12.10	99	
15+60+60	1.00	4.00	4.00	-	-	9.00 2.90 - 9.20	2.845 0.690 - 2.945	13.06	12.49	11.97	99	
15+60+71	0.93	3.74	4.43	-	-	9.10 2.90 - 9.30	2.979 0.690 - 3.049	13.67	13.08	12.54	99	
15+71+71	0.90	4.25	4.25	-	-	9.40 2.90 - 9.60	3.093 0.690 - 3.163	14.20	13.58	13.01	99	
18+18+18	1.80	1.80	1.80	-	-	5.40 2.90 - 8.10	1.192 0.690 - 2.332	5.47	5.23	5.01	99	
18+18+20	1.80	1.80	2.00	-	-	5.60 2.90 - 8.10	1.249 0.690 - 2.339	5.74	5.49	5.26	99	
18+18+22	1.80	1.80	2.20	-	-	5.80 2.90 - 8.10	1.282 0.690 - 2.332	5.89	5.63	5.40	99	
18+18+25	1.80	1.80	2.50	-	-	6.10 2.90 - 8.10	1.362 0.690 - 2.332	6.25	5.98	5.73	99	
18+18+35	1.80	1.80	3.50	-	-	7.10 2.90 - 8.60	1.612 0.690 - 2.562	7.40	7.08	6.79	99	
18+18+42	1.75	1.75	4.09 *	-	-	7.60 2.90 - 9.00	1.806 0.690 - 2.746	8.29	7.93	7.60	99	
18+18+50	1.65	1.65	4.59 *	-	-	7.90 2.90 - 9.10	2.056 0.690 - 2.766	9.44	9.03	8.65	99	
18+18+60	1.56	1.56	5.19	-	-	8.30 2.90 - 9.10	2.339 0.690 - 2.779	10.74	10.27	9.84	99	
18+18+71	1.45	1.45	5.71	-	-	8.60 2.90 - 9.20	2.633 0.690 - 2.823	12.09	11.56	11.08	99	
18+20+20	1.80	2.00	2.00	-	-	5.80 2.90 - 8.10	1.296 0.690 - 2.346	5.95	5.69	5.45	99	
18+20+22	1.80	2.00	2.20	-	-	6.00 2.90 - 8.10	1.339 0.690 - 2.339	6.15	5.88	5.64	99	
18+20+25	1.80	2.00	2.50	-	-	6.30 2.90 - 8.10	1.419 0.690 - 2.339	6.51	6.23	5.97	99	
18+20+35	1.80	2.00	3.50	-	-	7.30 2.90 - 8.80	1.679 0.690 - 2.659	7.71	7.37	7.06	99	
18+20+42	1.73	1.93	4.04 *	-	-	7.70 2.90 - 9.00	1.873 0.690 - 2.763	8.60	8.23	7.89	99	
18+20+50	1.64	1.82	4.55 *	-	-	8.00 2.90 - 9.10	2.123 0.690 - 2.783	9.74	9.32	8.93	99	
18+20+60	1.52	1.69	5.08	-	-	8.30 2.90 - 9.20	2.416 0.690 - 2.796	11.09	10.61	10.17	99	

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
18+20+71	1.44	1.60	5.67	-	-	8.70 2.90 - 9.20	2.660 0.690 - 2.840	12.21	11.68	11.19	99	
18+22+22	1.80	2.20	2.20	-	-	6.20 2.90 - 8.10	1.382 0.690 - 2.332	6.35	6.07	5.82	99	
18+22+25	1.80	2.20	2.50	-	-	6.50 2.90 - 8.10	1.462 0.690 - 2.332	6.71	6.42	6.15	99	
18+22+35	1.80	2.20	3.50	-	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.90	7.56	7.25	99	
18+22+42	1.71	2.09	4.00 *	-	-	7.80 2.90 - 9.00	1.926 0.690 - 2.756	8.84	8.46	8.11	99	
18+22+50	1.62	1.98	4.50 *	-	-	8.10 2.90 - 9.10	2.176 0.690 - 2.786	9.99	9.56	9.16	99	
18+22+60	1.51	1.85	5.04	-	-	8.40 2.90 - 9.20	2.469 0.690 - 2.799	11.33	10.84	10.39	99	
18+22+71	1.41	1.72	5.56	-	-	8.70 2.90 - 9.20	2.663 0.690 - 2.833	12.23	11.70	11.21	99	
18+25+25	1.80	2.50	2.50	-	-	6.80 2.90 - 8.30	1.532 0.690 - 2.422	7.04	6.73	6.45	99	
18+25+35	1.75	2.44	3.41	-	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	8.32	7.96	7.63	99	
18+25+42	1.67	2.32	3.90 *	-	-	7.90 2.90 - 9.10	2.026 0.690 - 2.766	9.30	8.90	8.53	99	
18+25+50	1.59	2.20	4.41 *	-	-	8.20 2.90 - 9.10	2.266 0.690 - 2.786	10.40	9.95	9.54	99	
18+25+60	1.49	2.06	4.95	-	-	8.50 2.90 - 9.20	2.559 0.690 - 2.799	11.75	11.24	10.77	99	
18+25+71	1.39	1.93	5.48	-	-	8.80 2.90 - 9.20	2.683 0.690 - 2.843	12.32	11.78	11.29	99	
18+35+35	1.64	3.18	3.18	-	-	8.00 2.90 - 9.10	2.122 0.690 - 2.782	9.74	9.32	8.93	99	
18+35+42	1.55	3.02	3.63 *	-	-	8.20 2.90 - 9.10	2.326 0.690 - 2.796	10.68	10.22	9.79	99	
18+35+50	1.49	2.89	4.13 *	-	-	8.50 2.90 - 9.20	2.576 0.690 - 2.816	11.82	11.31	10.84	99	
18+35+60	1.40	2.73	4.67	-	-	8.80 2.90 - 9.20	2.679 0.690 - 2.839	12.31	11.77	11.28	99	
18+35+71	1.31	2.54	5.15	-	-	9.00 2.90 - 9.20	2.763 0.690 - 2.883	12.68	12.13	11.62	99	
18+42+50	1.42	3.32	3.95 *	-	-	8.70 2.90 - 9.20	2.670 0.690 - 2.840	12.26	11.73	11.24	99	
18+42+60	1.34	3.12	4.45	-	-	8.90 2.90 - 9.20	2.723 0.690 - 2.863	12.50	11.96	11.46	99	
18+42+71	1.24	2.89	4.88	-	-	9.00 2.90 - 9.20	2.817 0.690 - 2.927	12.93	12.37	11.85	99	
18+50+50	1.34	3.73	3.73 *	-	-	8.80 2.90 - 9.20	2.720 0.690 - 2.870	12.49	11.95	11.45	99	
18+50+60	1.27	3.52	4.22	-	-	9.00 2.90 - 9.20	2.783 0.690 - 2.893	12.78	12.22	11.71	99	
18+50+71	1.17	3.24	4.60	-	-	9.00 2.90 - 9.20	2.897 0.690 - 2.987	13.30	12.72	12.19	99	
18+60+60	1.17	3.91	3.91	-	-	9.00 2.90 - 9.20	2.866 0.690 - 2.956	13.16	12.59	12.07	99	
18+60+71	1.12	3.74	4.43	-	-	9.30 2.90 - 9.50	3.050 0.690 - 3.120	14.00	13.39	12.83	99	
18+71+71	1.06	4.17	4.17	-	-	9.40 2.90 - 9.60	3.084 0.690 - 3.154	14.16	13.54	12.98	99	
20+20+20	2.00	2.00	2.00	-	-	6.00 2.90 - 8.10	1.353 0.690 - 2.353	6.21	5.94	5.69	99	
20+20+22	2.00	2.00	2.20	-	-	6.20 2.90 - 8.10	1.396 0.690 - 2.346	6.41	6.13	5.87	99	
20+20+25	2.00	2.00	2.50	-	-	6.50 2.90 - 8.10	1.476 0.690 - 2.346	6.77	6.48	6.21	99	
20+20+35	2.00	2.00	3.50	-	-	7.50 2.90 - 9.00	1.736 0.690 - 2.756	7.97	7.62	7.30	99	
20+20+42	1.90	1.90	4.00 *	-	-	7.80 2.90 - 9.00	1.940 0.690 - 2.770	8.91	8.52	8.17	99	
20+20+50	1.80	1.80	4.50 *	-	-	8.10 2.90 - 9.10	2.190 0.690 - 2.800	10.06	9.62	9.22	99	
20+20+60	1.68	1.68	5.04	-	-	8.40 2.90 - 9.20	2.483 0.690 - 2.813	11.40	10.90	10.45	99	
20+20+71	1.57	1.57	5.56	-	-	8.70 2.90 - 9.20	2.677 0.690 - 2.847	12.29	11.76	11.27	99	
20+22+22	2.00	2.20	2.20	-	-	6.40 2.90 - 8.10	1.439 0.690 - 2.339	6.61	6.32	6.06	99	
20+22+25	2.00	2.20	2.50	-	-	6.70 2.90 - 8.20	1.519 0.690 - 2.389	6.97	6.67	6.39	99	
20+22+35	1.97	2.17	3.45	-	-	7.60 2.90 - 9.00	1.789 0.690 - 2.759	8.22	7.86	7.53	99	
20+22+42	1.86	2.04	3.90 *	-	-	7.80 2.90 - 9.10	2.003 0.690 - 2.773	9.20	8.80	8.43	99	
20+22+50	1.76	1.94	4.40 *	-	-	8.10 2.90 - 9.10	2.243 0.690 - 2.793	10.30	9.85	9.44	99	
20+22+71	1.56	1.71	5.53	-	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	12.35	11.81	11.32	99	
20+25+25	2.00	2.50	2.50	-	-	7.00 2.90 - 8.50	1.599 0.690 - 2.519	7.34	7.02	6.73	99	
20+25+35	1.93	2.41	3.37	-	-	7.70 2.90 - 9.00	1.879 0.690 - 2.769	8.63	8.25	7.91	99	
20+25+42	1.82	2.27	3.81 *	-	-	7.90 2.90 - 9.10	2.093 0.690 - 2.783	9.61	9.19	8.81	99	

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+25+50	1.73	2.16	4.32 *	-	-	8.20 2.90 - 9.10	2.333 0.690 - 2.803	10.72	10.25	9.82	99
20+25+60	1.64	2.05	4.91	-	-	8.60 2.90 - 9.20	2.626 0.690 - 2.816	12.05	11.53	11.05	99
20+25+71	1.52	1.90	5.39	-	-	8.80 2.90 - 9.20	2.710 0.690 - 2.860	12.44	11.90	11.40	99
20+35+35	1.80	3.15	3.15	-	-	8.10 2.90 - 9.10	2.189 0.690 - 2.799	10.05	9.61	9.21	99
20+35+42	1.71	2.99	3.59 *	-	-	8.30 2.90 - 9.10	2.393 0.690 - 2.813	10.99	10.51	10.07	99
20+35+50	1.64	2.87	4.10 *	-	-	8.60 2.90 - 9.20	2.643 0.690 - 2.833	12.14	11.61	11.13	99
20+35+60	1.53	2.68	4.59	-	-	8.80 2.90 - 9.20	2.696 0.690 - 2.856	12.38	11.84	11.35	99
20+35+71	1.43	2.50	5.07	-	-	9.00 2.90 - 9.20	2.780 0.690 - 2.900	12.77	12.21	11.70	99
20+42+42	1.65	3.47	3.47 *	-	-	8.60 2.90 - 9.20	2.607 0.690 - 2.827	11.97	11.45	10.97	99
20+42+50	1.55	3.26	3.88 *	-	-	8.70 2.90 - 9.20	2.687 0.690 - 2.857	12.34	11.80	11.31	99
20+42+60	1.46	3.06	4.38	-	-	8.90 2.90 - 9.20	2.740 0.690 - 2.870	12.58	12.03	11.53	99
20+42+71	1.35	2.84	4.80	-	-	9.00 2.90 - 9.20	2.844 0.690 - 2.944	13.06	12.49	11.97	99
20+50+50	1.48	3.71	3.71 *	-	-	8.90 2.90 - 9.20	2.747 0.690 - 2.887	12.61	12.06	11.56	99
20+50+60	1.38	3.46	4.15	-	-	9.00 2.90 - 9.20	2.810 0.690 - 2.920	12.90	12.34	11.83	99
20+50+71	1.28	3.19	4.53	-	-	9.00 2.90 - 9.20	2.924 0.690 - 3.004	13.42	12.84	12.31	99
20+60+60	1.29	3.86	3.86	-	-	9.00 2.90 - 9.20	2.893 0.690 - 2.973	13.29	12.71	12.18	99
20+60+71	1.25	3.74	4.42	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	14.18	13.56	13.00	99
20+71+71	1.16	4.12	4.12	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	13.00	99
22+22+22	2.20	2.20	2.20	-	-	6.60 2.90 - 8.10	1.482 0.690 - 2.332	6.81	6.51	6.24	99
22+22+25	2.20	2.20	2.50	-	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	7.17	6.86	6.57	99
22+22+35	2.12	2.12	3.37	-	-	7.60 2.90 - 9.00	1.842 0.690 - 2.752	8.46	8.09	7.75	99
22+22+42	2.02	2.02	3.86 *	-	-	7.90 2.90 - 9.10	2.056 0.690 - 2.766	9.44	9.03	8.65	99
22+22+50	1.92	1.92	4.36 *	-	-	8.20 2.90 - 9.10	2.296 0.690 - 2.796	10.54	10.08	9.66	99
22+22+60	1.82	1.82	4.96	-	-	8.60 2.90 - 9.20	2.589 0.690 - 2.809	11.89	11.37	10.90	99
22+22+71	1.68	1.68	5.43	-	-	8.80 2.90 - 9.20	2.693 0.690 - 2.853	12.37	11.83	11.34	99
22+25+25	2.20	2.50	2.50	-	-	7.20 2.90 - 8.70	1.642 0.690 - 2.602	7.54	7.21	6.91	99
22+25+35	2.09	2.38	3.33	-	-	7.80 2.90 - 9.00	1.932 0.690 - 2.762	8.87	8.48	8.13	99
22+25+42	1.98	2.25	3.78 *	-	-	8.00 2.90 - 9.10	2.146 0.690 - 2.776	9.85	9.42	9.03	99
22+25+50	1.88	2.14	4.28 *	-	-	8.30 2.90 - 9.10	2.386 0.690 - 2.806	10.96	10.48	10.04	99
22+25+60	1.77	2.01	4.82	-	-	8.60 2.90 - 9.20	2.629 0.690 - 2.819	12.08	11.55	11.07	99
22+25+71	1.64	1.86	5.29	-	-	8.80 2.90 - 9.20	2.713 0.690 - 2.863	12.45	11.91	11.41	99
22+35+35	1.94	3.08	3.08	-	-	8.10 2.90 - 9.10	2.242 0.690 - 2.792	10.30	9.85	9.44	99
22+35+42	1.87	2.97	3.56 *	-	-	8.40 2.90 - 9.20	2.456 0.690 - 2.806	11.28	10.79	10.34	99
22+35+50	1.77	2.81	4.02 *	-	-	8.60 2.90 - 9.20	2.646 0.690 - 2.836	12.15	11.62	11.14	99
22+35+60	1.65	2.63	4.51	-	-	8.80 2.90 - 9.20	2.709 0.690 - 2.859	12.44	11.90	11.40	99
22+35+71	1.55	2.46	4.99	-	-	9.00 2.90 - 9.20	2.793 0.690 - 2.903	12.83	12.27	11.76	99
22+42+42	1.78	3.41	3.41 *	-	-	8.60 2.90 - 9.20	2.640 0.690 - 2.820	12.12	11.59	11.11	99
22+42+50	1.70	3.24	3.86 *	-	-	8.80 2.90 - 9.20	2.690 0.690 - 2.850	12.35	11.81	11.32	99
22+42+60	1.60	3.05	4.35	-	-	9.00 2.90 - 9.20	2.753 0.690 - 2.873	12.64	12.09	11.59	99
22+42+71	1.47	2.80	4.73	-	-	9.00 2.90 - 9.20	2.857 0.690 - 2.957	13.12	12.55	12.03	99
22+50+50	1.60	3.65	3.65 *	-	-	8.90 2.90 - 9.20	2.750 0.690 - 2.880	12.63	12.08	11.58	99
22+50+60	1.50	3.41	4.09	-	-	9.00 2.90 - 9.20	2.823 0.690 - 2.923	12.96	12.40	11.88	99
22+50+71	1.38	3.15	4.47	-	-	9.00 2.90 - 9.20	2.937 0.690 - 3.017	13.49	12.90	12.36	99
22+60+60	1.39	3.80	3.80	-	-	9.00 2.90 - 9.20	2.906 0.690 - 2.986	13.34	12.76	12.23	99
22+60+71	1.35	3.69	4.36	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	14.15	13.53	12.97	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+71+71	1.26	4.07	4.07	-	-	9.40 2.90 - 9.60	3.084 0.690 - 3.154	14.16	13.54	12.98	99
25+25+25	2.50	2.50	2.50	-	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.90	7.56	7.25	99
25+25+35	2.32	2.32	3.25	-	-	7.90 2.90 - 9.10	2.032 0.690 - 2.772	9.33	8.92	8.55	99
25+25+42	2.20	2.20	3.70 *	-	-	8.10 2.90 - 9.10	2.236 0.690 - 2.786	10.27	9.82	9.41	99
25+25+50	2.10	2.10	4.20 *	-	-	8.40 2.90 - 9.20	2.486 0.690 - 2.816	11.42	10.92	10.47	99
25+25+60	1.98	1.98	4.75	-	-	8.70 2.90 - 9.20	2.659 0.690 - 2.829	12.21	11.68	11.19	99
25+25+71	1.84	1.84	5.22	-	-	8.90 2.90 - 9.20	2.733 0.690 - 2.873	12.55	12.00	11.50	99
25+35+35	2.16	3.02	3.02	-	-	8.20 2.90 - 9.10	2.332 0.690 - 2.802	10.71	10.24	9.81	99
25+35+50	1.98	2.77	3.95 *	-	-	8.70 2.90 - 9.20	2.676 0.690 - 2.846	12.28	11.75	11.26	99
25+35+60	1.85	2.60	4.45	-	-	8.90 2.90 - 9.20	2.729 0.690 - 2.869	12.54	11.99	11.49	99
25+35+71	1.72	2.40	4.88	-	-	9.00 2.90 - 9.20	2.823 0.690 - 2.933	12.96	12.40	11.88	99
25+42+42	2.00	3.35	3.35 *	-	-	8.70 2.90 - 9.20	2.660 0.690 - 2.840	12.21	11.68	11.19	99
25+42+50	1.88	3.16	3.76 *	-	-	8.80 2.90 - 9.20	2.720 0.690 - 2.870	12.49	11.95	11.45	99
25+42+60	1.77	2.98	4.25	-	-	9.00 2.90 - 9.20	2.773 0.690 - 2.893	12.73	12.18	11.67	99
25+42+71	1.63	2.74	4.63	-	-	9.00 2.90 - 9.20	2.887 0.690 - 2.977	13.26	12.68	12.15	99
25+50+50	1.80	3.60	3.60 *	-	-	9.00 2.90 - 9.20	2.770 0.690 - 2.900	12.72	12.17	11.66	99
25+50+60	1.67	3.33	4.00	-	-	9.00 2.90 - 9.20	2.853 0.690 - 2.953	13.10	12.53	12.01	99
25+50+71	1.56	3.12	4.43	-	-	9.10 2.90 - 9.30	2.987 0.690 - 3.057	13.72	13.12	12.57	99
25+60+60	1.55	3.72	3.72	-	-	9.00 2.90 - 9.20	2.936 0.690 - 3.006	13.48	12.89	12.35	99
25+60+71	1.51	3.62	4.28	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	14.15	13.53	12.97	99
25+71+71	1.41	4.00	4.00	-	-	9.40 2.90 - 9.60	3.084 0.690 - 3.154	14.16	13.54	12.98	99
35+35+35	2.87	2.87	2.87	-	-	8.60 2.90 - 9.20	2.642 0.690 - 2.832	12.13	11.60	11.12	99
35+35+42	2.72	2.72	3.26 *	-	-	8.70 2.90 - 9.20	2.686 0.690 - 2.856	12.34	11.80	11.31	99
35+35+50	2.60	2.60	3.71 *	-	-	8.90 2.90 - 9.20	2.746 0.690 - 2.886	12.61	12.06	11.56	99
35+35+60	2.42	2.42	4.15	-	-	9.00 2.90 - 9.20	2.809 0.690 - 2.919	12.90	12.34	11.83	99
35+35+71	2.23	2.23	4.53	-	-	9.00 2.90 - 9.20	2.923 0.690 - 3.003	13.42	12.84	12.31	99
35+42+42	2.62	3.14	3.14 *	-	-	8.90 2.90 - 9.20	2.730 0.690 - 2.870	12.54	11.99	11.49	99
35+42+50	2.48	2.98	3.54 *	-	-	9.00 2.90 - 9.20	2.790 0.690 - 2.910	12.81	12.25	11.74	99
35+42+60	2.30	2.76	3.94	-	-	9.00 2.90 - 9.20	2.873 0.690 - 2.963	13.19	12.62	12.09	99
35+42+71	2.18	2.61	4.41	-	-	9.20 2.90 - 9.40	3.037 0.690 - 3.107	13.95	13.34	12.78	99
35+50+50	2.33	3.33	3.33 *	-	-	9.00 2.90 - 9.20	2.870 0.690 - 2.970	13.17	12.60	12.08	99
35+50+60	2.17	3.10	3.72	-	-	9.00 2.90 - 9.20	2.953 0.690 - 3.023	13.56	12.97	12.43	99
35+50+71	2.11	3.01	4.28	-	-	9.40 2.90 - 9.60	3.097 0.690 - 3.167	14.22	13.60	13.03	99
35+60+60	2.12	3.64	3.64	-	-	9.40 2.90 - 9.60	3.076 0.690 - 3.146	14.12	13.51	12.95	99
35+60+71	1.98	3.40	4.02	-	-	9.40 2.90 - 9.60	3.080 0.690 - 3.150	14.15	13.53	12.97	99
42+42+42	3.00	3.00	3.00 *	-	-	9.00 2.90 - 9.20	2.774 0.690 - 2.894	12.73	12.18	11.67	99
42+42+50	2.82	2.82	3.36 *	-	-	9.00 2.90 - 9.20	2.854 0.690 - 2.954	13.10	12.53	12.01	99
42+42+60	2.63	2.63	3.75	-	-	9.00 2.90 - 9.20	2.937 0.690 - 3.007	13.49	12.90	12.36	99
42+42+71	2.55	2.55	4.31	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	13.00	99
42+50+50	2.66	3.17	3.17 *	-	-	9.00 2.90 - 9.20	2.934 0.690 - 3.014	13.48	12.89	12.35	99
42+50+60	2.60	3.09	3.71	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	14.18	13.56	13.00	99
42+50+71	2.42	2.88	4.09	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	13.00	99
42+60+60	2.44	3.48	3.48	-	-	9.40 2.90 - 9.60	3.070 0.690 - 3.140	14.09	13.48	12.92	99
50+50+50	3.13	3.13	3.13 *	-	-	9.40 2.90 - 9.60	3.104 0.690 - 3.174	14.25	13.63	13.06	99
50+50+60	2.94	2.94	3.53	-	-	9.40 2.90 - 9.60	3.087 0.690 - 3.157	14.18	13.56	13.00	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
50+50+71	2.75	2.75	3.90	-	-	9.40 2.90 - 9.60	3.091 0.690 - 3.161	14.19	13.57	13.00	99
50+60+60	2.76	3.32	3.32	-	-	9.40 2.90 - 9.60	3.070 0.690 - 3.140	14.09	13.48	12.92	99
15+15+15+15	1.40	1.40	1.40	1.40	-	5.60 3.70 - 7.20	1.352 0.660 - 2.972	6.21	5.94	5.69	99
15+15+15+18	1.43	1.43	1.43	1.71	-	6.00 3.70 - 7.70	1.413 0.660 - 3.233	6.49	6.21	5.95	99
15+15+15+20	1.41	1.41	1.41	1.88	-	6.10 3.70 - 8.00	1.470 0.660 - 3.420	6.75	6.46	6.19	99
15+15+15+22	1.43	1.43	1.43	2.10	-	6.40 3.70 - 8.40	1.513 0.660 - 3.593	6.94	6.64	6.36	99
15+15+15+25	1.44	1.44	1.44	2.39	-	6.70 3.70 - 8.90	1.583 0.660 - 3.863	7.27	6.95	6.66	99
15+15+15+35	1.44	1.44	1.44	3.37	-	7.70 3.70 - 9.20	1.823 0.660 - 4.043	8.37	8.01	7.68	99
15+15+15+42	1.45	1.45	1.45	4.06 *	-	8.40 3.70 - 9.20	1.987 0.660 - 4.037	9.13	8.73	8.37	99
15+15+15+50	1.33	1.33	1.33	4.42 *	-	8.40 3.70 - 9.60	1.977 0.660 - 4.037	9.07	8.68	8.32	99
15+15+15+60	1.20	1.20	1.20	4.80	-	8.40 3.70 - 9.90	2.050 0.660 - 4.020	9.41	9.00	8.63	99
15+15+15+71	1.10	1.10	1.10	5.20	-	8.50 3.70 - 10.00	2.294 0.660 - 4.024	10.53	10.07	9.65	99
15+15+18+18	1.45	1.45	1.75	1.75	-	6.40 3.70 - 8.20	1.484 0.660 - 3.494	6.82	6.52	6.25	99
15+15+18+20	1.43	1.43	1.72	1.91	-	6.50 3.70 - 8.50	1.531 0.660 - 3.681	7.03	6.72	6.44	99
15+15+18+22	1.46	1.46	1.75	2.14	-	6.80 3.70 - 8.90	1.574 0.660 - 3.854	7.22	6.91	6.62	99
15+15+18+25	1.46	1.46	1.75	2.43	-	7.10 3.70 - 9.20	1.644 0.660 - 4.034	7.55	7.22	6.92	99
15+15+18+35	1.46	1.46	1.76	3.42	-	8.10 3.70 - 9.20	1.884 0.660 - 4.034	8.65	8.27	7.93	99
15+15+18+42	1.43	1.43	1.72	4.01 *	-	8.60 3.70 - 9.30	1.988 0.660 - 4.028	9.13	8.73	8.37	99
15+15+18+50	1.29	1.29	1.54	4.29 *	-	8.40 3.70 - 9.80	1.958 0.660 - 4.028	8.99	8.60	8.24	99
15+15+18+60	1.18	1.18	1.42	4.72	-	8.50 3.70 - 10.00	2.101 0.660 - 4.011	9.65	9.23	8.85	99
15+15+18+71	1.08	1.08	1.30	5.13	-	8.60 3.70 - 10.00	2.345 0.660 - 4.015	10.77	10.30	9.87	99
15+15+20+20	1.41	1.41	1.89	1.89	-	6.60 3.70 - 8.90	1.588 0.660 - 3.868	7.29	6.97	6.68	99
15+15+20+22	1.44	1.44	1.92	2.11	-	6.90 3.70 - 9.20	1.631 0.660 - 4.041	7.49	7.16	6.86	99
15+15+20+25	1.44	1.44	1.92	2.40	-	7.20 3.70 - 9.20	1.701 0.660 - 4.041	7.81	7.47	7.16	99
15+15+20+35	1.45	1.45	1.93	3.38	-	8.20 3.70 - 9.20	1.941 0.660 - 4.041	8.91	8.52	8.17	99
15+15+20+42	1.37	1.37	1.83	3.83 *	-	8.40 3.70 - 9.40	1.985 0.660 - 4.035	9.12	8.72	8.36	99
15+15+20+50	1.25	1.25	1.66	4.15 *	-	8.30 3.70 - 9.90	1.955 0.660 - 4.035	8.98	8.59	8.23	99
15+15+20+60	1.15	1.15	1.53	4.58	-	8.40 3.70 - 10.00	2.158 0.660 - 4.018	9.91	9.48	9.09	99
15+15+20+71	1.05	1.05	1.40	4.99	-	8.50 3.70 - 10.10	2.402 0.660 - 4.022	11.03	10.55	10.11	99
15+15+22+22	1.46	1.46	2.14	2.14	-	7.20 3.70 - 9.20	1.674 0.660 - 4.034	7.68	7.35	7.04	99
15+15+22+25	1.46	1.46	2.14	2.44	-	7.50 3.70 - 9.20	1.744 0.660 - 4.034	8.01	7.66	7.34	99
15+15+22+35	1.47	1.47	2.15	3.42	-	8.50 3.70 - 9.20	1.984 0.660 - 4.034	9.11	8.71	8.35	99
15+15+22+42	1.36	1.36	1.99	3.80 *	-	8.50 3.70 - 9.60	1.978 0.660 - 4.028	9.09	8.69	8.33	99
15+15+22+60	1.14	1.14	1.67	4.55	-	8.50 3.70 - 10.00	2.191 0.660 - 4.011	10.06	9.62	9.22	99
15+15+22+71	1.05	1.05	1.54	4.96	-	8.60 3.70 - 10.10	2.435 0.660 - 4.015	11.18	10.69	10.24	99
15+15+25+25	1.46	1.46	2.44	2.44	-	7.80 3.70 - 9.20	1.814 0.660 - 4.034	8.33	7.97	7.64	99
15+15+25+35	1.43	1.43	2.39	3.34	-	8.60 3.70 - 9.30	1.994 0.660 - 4.034	9.16	8.76	8.40	99
15+15+25+42	1.31	1.31	2.19	3.68 *	-	8.50 3.70 - 9.70	1.958 0.660 - 4.028	8.99	8.60	8.24	99
15+15+25+50	1.21	1.21	2.02	4.05 *	-	8.50 3.70 - 9.90	2.058 0.660 - 4.028	9.45	9.04	8.66	99
15+15+25+60	1.12	1.12	1.87	4.49	-	8.60 3.70 - 10.00	2.261 0.660 - 4.011	10.38	9.93	9.52	99
15+15+25+71	1.04	1.04	1.73	4.90	-	8.70 3.70 - 10.10	2.505 0.660 - 4.015	11.50	11.00	10.54	99
15+15+35+35	1.26	1.26	2.94	2.94	-	8.40 3.70 - 9.90	1.954 0.660 - 4.034	8.97	8.58	8.22	99
15+15+35+42	1.19	1.19	2.78	3.34 *	-	8.50 3.70 - 10.00	2.098 0.660 - 4.028	9.63	9.21	8.83	99
15+15+35+50	1.12	1.12	2.62	3.74 *	-	8.60 3.70 - 10.00	2.278 0.660 - 4.028	10.45	10.00	9.58	99
15+15+35+60	1.04	1.04	2.44	4.18	-	8.70 3.70 - 10.10	2.471 0.660 - 4.011	11.34	10.85	10.40	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15+15+35+71	0.97	0.97	2.26	4.59	-	8.80 3.70 - 10.20	2.715 0.660 - 4.015	12.46	11.92	11.42	99
15+15+42+42	1.12	1.12	3.13 *	3.13 *	-	8.50 3.70 - 10.00	2.242 0.660 - 4.022	10.30	9.85	9.44	99
15+15+42+50	1.06	1.06	2.96 *	3.52 *	-	8.60 3.70 - 10.10	2.422 0.660 - 4.022	11.12	10.64	10.20	99
15+15+42+60	0.99	0.99	2.77 *	3.95	-	8.70 3.70 - 10.10	2.625 0.660 - 4.005	12.05	11.53	11.05	99
15+15+42+71	0.92	0.92	2.58 *	4.37	-	8.80 3.70 - 10.20	2.799 0.660 - 4.009	12.85	12.29	11.78	99
15+15+50+50	1.00	1.00	3.35 *	3.35 *	-	8.70 3.70 - 10.10	2.592 0.660 - 4.022	11.90	11.38	10.91	99
15+15+50+60	0.94	0.94	3.14 *	3.77	-	8.80 3.70 - 10.20	2.795 0.660 - 4.005	12.83	12.27	11.76	99
15+15+50+71	0.88	0.88	2.95 *	4.18	-	8.90 3.70 - 10.20	2.879 0.660 - 4.009	13.21	12.64	12.11	99
15+15+60+60	0.89	0.89	3.56	3.56	-	8.90 3.70 - 10.20	2.838 0.660 - 3.988	13.03	12.46	11.94	99
15+15+60+71	0.85	0.85	3.39	4.01	-	9.10 3.70 - 10.20	2.982 0.660 - 3.992	13.70	13.10	12.55	99
15+15+71+71	0.80	0.80	3.80	3.80	-	9.20 3.70 - 10.20	3.076 0.660 - 3.996	14.12	13.51	12.95	99
15+18+18+18	1.48	1.77	1.77	1.77	-	6.80 3.70 - 8.70	1.545 0.660 - 3.755	7.10	6.79	6.51	99
15+18+18+20	1.46	1.75	1.75	1.94	-	6.90 3.70 - 9.00	1.602 0.660 - 3.942	7.36	7.04	6.75	99
15+18+18+22	1.48	1.78	1.78	2.17	-	7.20 3.70 - 9.20	1.635 0.660 - 4.025	7.51	7.18	6.88	99
15+18+18+25	1.48	1.78	1.78	2.47	-	7.50 3.70 - 9.20	1.715 0.660 - 4.025	7.87	7.53	7.22	99
15+18+18+35	1.48	1.78	1.78	3.46	-	8.50 3.70 - 9.20	1.945 0.660 - 4.025	8.93	8.54	8.18	99
15+18+18+42	1.39	1.66	1.66	3.88 *	-	8.60 3.70 - 9.50	1.969 0.660 - 4.019	9.04	8.65	8.29	99
15+18+18+50	1.26	1.51	1.51	4.21 *	-	8.50 3.70 - 9.90	1.959 0.660 - 4.019	8.99	8.60	8.24	99
15+18+18+60	1.16	1.39	1.39	4.65	-	8.60 3.70 - 10.00	2.162 0.660 - 4.002	9.92	9.49	9.09	99
15+18+18+71	1.07	1.28	1.28	5.06	-	8.70 3.70 - 10.10	2.406 0.660 - 4.006	11.05	10.57	10.13	99
15+18+20+20	1.44	1.73	1.92	1.92	-	7.00 3.70 - 9.20	1.649 0.660 - 4.039	7.57	7.24	6.94	99
15+18+20+22	1.46	1.75	1.95	2.14	-	7.30 3.70 - 9.20	1.692 0.660 - 4.032	7.77	7.43	7.12	99
15+18+20+25	1.46	1.75	1.95	2.44	-	7.60 3.70 - 9.20	1.762 0.660 - 4.032	8.09	7.74	7.42	99
15+18+20+35	1.47	1.76	1.95	3.42	-	8.60 3.70 - 9.20	2.002 0.660 - 4.032	9.19	8.79	8.42	99
15+18+20+42	1.34	1.61	1.79	3.76 *	-	8.50 3.70 - 9.60	1.966 0.660 - 4.026	9.02	8.63	8.27	99
15+18+20+50	1.22	1.47	1.63	4.08 *	-	8.40 3.70 - 9.90	2.016 0.660 - 4.026	9.25	8.85	8.48	99
15+18+20+60	1.13	1.35	1.50	4.51	-	8.50 3.70 - 10.00	2.209 0.660 - 4.009	10.14	9.70	9.30	99
15+18+20+71	1.04	1.25	1.39	4.92	-	8.60 3.70 - 10.10	2.453 0.660 - 4.013	11.26	10.77	10.32	99
15+18+22+22	1.48	1.78	2.17	2.17	-	7.60 3.70 - 9.20	1.735 0.660 - 4.025	7.97	7.62	7.30	99
15+18+22+25	1.48	1.78	2.17	2.47	-	7.90 3.70 - 9.20	1.805 0.660 - 4.025	8.29	7.93	7.60	99
15+18+22+35	1.45	1.74	2.13	3.38	-	8.70 3.70 - 9.30	1.985 0.660 - 4.025	9.12	8.72	8.36	99
15+18+22+42	1.33	1.60	1.95	3.72 *	-	8.60 3.70 - 9.70	1.949 0.660 - 4.019	8.95	8.56	8.20	99
15+18+22+50	1.23	1.47	1.80	4.10 *	-	8.60 3.70 - 9.90	2.049 0.660 - 4.019	9.41	9.00	8.63	99
15+18+22+60	1.13	1.36	1.66	4.54	-	8.70 3.70 - 10.00	2.252 0.660 - 4.002	10.34	9.89	9.48	99
15+18+22+71	1.05	1.26	1.54	4.96	-	8.80 3.70 - 10.10	2.496 0.660 - 4.006	11.46	10.96	10.50	99
15+18+25+25	1.48	1.78	2.47	2.47	-	8.20 3.70 - 9.20	1.875 0.660 - 4.025	8.60	8.23	7.89	99
15+18+25+35	1.39	1.66	2.31	3.24	-	8.60 3.70 - 9.50	1.975 0.660 - 4.025	9.06	8.67	8.31	99
15+18+25+42	1.28	1.53	2.13	3.57 *	-	8.50 3.70 - 9.90	1.939 0.660 - 4.019	8.91	8.52	8.17	99
15+18+25+50	1.19	1.43	1.99	3.98 *	-	8.60 3.70 - 10.00	2.109 0.660 - 4.019	9.68	9.26	8.87	99
15+18+25+60	1.11	1.33	1.84	4.42	-	8.70 3.70 - 10.00	2.312 0.660 - 4.002	10.61	10.15	9.73	99
15+18+25+71	1.02	1.23	1.71	4.84	-	8.80 3.70 - 10.10	2.556 0.660 - 4.006	11.74	11.23	10.76	99
15+18+35+35	1.24	1.49	2.89	2.89	-	8.50 3.70 - 9.90	2.015 0.660 - 4.025	9.25	8.85	8.48	99
15+18+35+42	1.17	1.41	2.74	3.28 *	-	8.60 3.70 - 10.00	2.159 0.660 - 4.019	9.91	9.48	9.09	99
15+18+35+50	1.11	1.33	2.58	3.69 *	-	8.70 3.70 - 10.00	2.329 0.660 - 4.019	10.70	10.23	9.80	99
15+18+35+60	1.03	1.24	2.41	4.13	-	8.80 3.70 - 10.10	2.532 0.660 - 4.002	11.63	11.12	10.66	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+35+71	0.96	1.15	2.24	4.55	-	8.90 3.70 - 10.20	2.776 0.660 - 4.006	12.74	12.19	11.68	99
15+18+42+42	1.12	1.34	3.12 *	3.12 *	-	8.70 3.70 - 10.00	2.303 0.660 - 4.013	10.57	10.11	9.69	99
15+18+42+50	1.06	1.27	2.96 *	3.52 *	-	8.80 3.70 - 10.10	2.473 0.660 - 4.013	11.35	10.86	10.41	99
15+18+42+60	0.99	1.19	2.77 *	3.96	-	8.90 3.70 - 10.20	2.676 0.660 - 3.996	12.28	11.75	11.26	99
15+18+42+71	0.91	1.10	2.56 *	4.33	-	8.90 3.70 - 10.20	2.800 0.660 - 4.000	12.86	12.30	11.79	99
15+18+50+50	0.99	1.19	3.31 *	3.31 *	-	8.80 3.70 - 10.10	2.653 0.660 - 4.013	12.18	11.65	11.16	99
15+18+50+60	0.93	1.12	3.11 *	3.73	-	8.90 3.70 - 10.20	2.786 0.660 - 3.996	12.80	12.24	11.73	99
15+18+50+71	0.89	1.06	2.95 *	4.20	-	9.10 3.70 - 10.20	2.900 0.660 - 4.000	13.32	12.74	12.21	99
15+18+60+60	0.88	1.06	3.53	3.53	-	9.00 3.70 - 10.20	2.869 0.660 - 3.979	13.17	12.60	12.08	99
15+18+60+71	0.84	1.01	3.37	3.98	-	9.20 3.70 - 10.20	3.013 0.660 - 3.983	13.83	13.23	12.68	99
15+20+20+20	1.42	1.89	1.89	1.89	-	7.10 3.70 - 9.20	1.706 0.660 - 4.046	7.83	7.49	7.18	99
15+20+20+22	1.44	1.92	1.92	2.11	-	7.40 3.70 - 9.20	1.749 0.660 - 4.039	8.03	7.68	7.36	99
15+20+20+25	1.44	1.93	1.93	2.41	-	7.70 3.70 - 9.20	1.819 0.660 - 4.039	8.35	7.99	7.66	99
15+20+20+35	1.42	1.89	1.89	3.31	-	8.50 3.70 - 9.30	1.999 0.660 - 4.039	9.18	8.78	8.41	99
15+20+20+42	1.30	1.73	1.73	3.64 *	-	8.40 3.70 - 9.70	1.963 0.660 - 4.033	9.01	8.62	8.26	99
15+20+20+50	1.20	1.60	1.60	4.00 *	-	8.40 3.70 - 9.90	2.063 0.660 - 4.033	9.47	9.06	8.68	99
15+20+20+60	1.11	1.48	1.48	4.43	-	8.50 3.70 - 10.00	2.266 0.660 - 4.016	10.40	9.95	9.54	99
15+20+20+71	1.02	1.37	1.37	4.85	-	8.60 3.70 - 10.10	2.510 0.660 - 4.020	11.52	11.02	10.56	99
15+20+22+22	1.46	1.95	2.14	2.14	-	7.70 3.70 - 9.20	1.792 0.660 - 4.032	8.23	7.87	7.54	99
15+20+22+25	1.46	1.95	2.15	2.44	-	8.00 3.70 - 9.20	1.862 0.660 - 4.032	8.55	8.18	7.84	99
15+20+22+35	1.39	1.85	2.03	3.23	-	8.50 3.70 - 9.40	1.982 0.660 - 4.032	9.10	8.70	8.34	99
15+20+22+42	1.27	1.70	1.87	3.56 *	-	8.40 3.70 - 9.80	1.946 0.660 - 4.026	8.94	8.55	8.19	99
15+20+22+50	1.19	1.59	1.75	3.97 *	-	8.50 3.70 - 10.00	2.096 0.660 - 4.026	9.63	9.21	8.83	99
15+20+22+60	1.10	1.47	1.62	4.41	-	8.60 3.70 - 10.00	2.299 0.660 - 4.009	10.56	10.10	9.68	99
15+20+22+71	1.02	1.36	1.50	4.83	-	8.70 3.70 - 10.10	2.543 0.660 - 4.013	11.68	11.17	10.70	99
15+20+25+25	1.46	1.95	2.44	2.44	-	8.30 3.70 - 9.20	1.932 0.660 - 4.032	8.87	8.48	8.13	99
15+20+25+35	1.34	1.79	2.24	3.13	-	8.50 3.70 - 9.60	1.972 0.660 - 4.032	9.05	8.66	8.30	99
15+20+25+50	1.16	1.55	1.93	3.86 *	-	8.50 3.70 - 10.00	2.166 0.660 - 4.026	9.94	9.51	9.11	99
15+20+25+60	1.08	1.43	1.79	4.30	-	8.60 3.70 - 10.10	2.369 0.660 - 4.009	10.87	10.40	9.97	99
15+20+25+71	1.00	1.33	1.66	4.72	-	8.70 3.70 - 10.10	2.603 0.660 - 4.013	11.95	11.43	10.95	99
15+20+35+35	1.21	1.62	2.83	2.83	-	8.50 3.70 - 9.90	2.062 0.660 - 4.032	9.47	9.06	8.68	99
15+20+35+42	1.14	1.52	2.66	3.19 *	-	8.50 3.70 - 10.00	2.206 0.660 - 4.026	10.13	9.69	9.29	99
15+20+35+50	1.08	1.43	2.51	3.58 *	-	8.60 3.70 - 10.10	2.386 0.660 - 4.026	10.96	10.48	10.04	99
15+20+35+60	1.00	1.34	2.34	4.02	-	8.70 3.70 - 10.10	2.579 0.660 - 4.009	11.85	11.33	10.86	99
15+20+35+71	0.94	1.25	2.18	4.43	-	8.80 3.70 - 10.20	2.803 0.660 - 4.013	12.87	12.31	11.80	99
15+20+42+42	1.08	1.45	3.04 *	3.04 *	-	8.60 3.70 - 10.00	2.350 0.660 - 4.020	10.79	10.32	9.89	99
15+20+42+50	1.03	1.37	2.88 *	3.43 *	-	8.70 3.70 - 10.10	2.530 0.660 - 4.020	11.62	11.11	10.65	99
15+20+42+60	0.96	1.28	2.70 *	3.85	-	8.80 3.70 - 10.20	2.723 0.660 - 4.003	12.50	11.96	11.46	99
15+20+42+71	0.90	1.20	2.53 *	4.27	-	8.90 3.70 - 10.20	2.837 0.660 - 4.007	13.03	12.46	11.94	99
15+20+50+50	0.98	1.30	3.26 *	3.26 *	-	8.80 3.70 - 10.20	2.700 0.660 - 4.020	12.40	11.86	11.37	99
15+20+50+60	0.91	1.21	3.03 *	3.64	-	8.80 3.70 - 10.20	2.793 0.660 - 4.003	12.83	12.27	11.76	99
15+20+50+71	0.87	1.15	2.88 *	4.10	-	9.00 3.70 - 10.20	2.937 0.660 - 4.007	13.49	12.90	12.36	99
15+20+60+60	0.87	1.16	3.48	3.48	-	9.00 3.70 - 10.20	2.906 0.660 - 3.986	13.34	12.76	12.23	99
15+20+60+71	0.83	1.11	3.33	3.93	-	9.20 3.70 - 10.20	3.040 0.660 - 3.990	13.96	13.35	12.79	99
15+22+22+22	1.48	2.17	2.17	2.17	-	8.00 3.70 - 9.20	1.825 0.660 - 4.025	8.37	8.01	7.68	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15+22+22+25	1.48	2.17	2.17	2.47	-	8.30 3.70 - 9.20	1.905 0.660 - 4.025	8.75	8.37	8.02	99
15+22+22+35	1.37	2.01	2.01	3.20	-	8.60 3.70 - 9.60	1.975 0.660 - 4.025	9.06	8.67	8.31	99
15+22+22+42	1.26	1.85	1.85	3.53 *	-	8.50 3.70 - 9.90	1.959 0.660 - 4.019	8.99	8.60	8.24	99
15+22+22+50	1.18	1.74	1.74	3.94 *	-	8.60 3.70 - 10.00	2.139 0.660 - 4.019	9.82	9.39	9.00	99
15+22+22+60	1.10	1.61	1.61	4.39	-	8.70 3.70 - 10.00	2.332 0.660 - 4.002	10.71	10.24	9.81	99
15+22+22+71	1.02	1.49	1.49	4.81	-	8.80 3.70 - 10.10	2.576 0.660 - 4.006	11.82	11.31	10.84	99
15+22+25+25	1.48	2.17	2.47	2.47	-	8.60 3.70 - 9.20	1.975 0.660 - 4.025	9.06	8.67	8.31	99
15+22+25+35	1.33	1.95	2.22	3.10	-	8.60 3.70 - 9.70	1.955 0.660 - 4.025	8.98	8.59	8.23	99
15+22+25+42	1.23	1.80	2.04	3.43 *	-	8.50 3.70 - 9.90	2.029 0.660 - 4.019	9.32	8.91	8.54	99
15+22+25+50	1.15	1.69	1.92	3.84 *	-	8.60 3.70 - 10.00	2.199 0.660 - 4.019	10.10	9.66	9.26	99
15+22+25+60	1.07	1.57	1.78	4.28	-	8.70 3.70 - 10.10	2.402 0.660 - 4.002	11.03	10.55	10.11	99
15+22+25+71	0.99	1.46	1.65	4.70	-	8.80 3.70 - 10.10	2.646 0.660 - 4.006	12.15	11.62	11.14	99
15+22+35+35	1.21	1.77	2.81	2.81	-	8.60 3.70 - 10.00	2.095 0.660 - 4.025	9.62	9.20	8.82	99
15+22+35+42	1.13	1.66	2.64	3.17 *	-	8.60 3.70 - 10.00	2.239 0.660 - 4.019	10.28	9.83	9.42	99
15+22+35+50	1.07	1.57	2.50	3.57 *	-	8.70 3.70 - 10.10	2.419 0.660 - 4.019	11.10	10.62	10.18	99
15+22+35+60	1.00	1.47	2.33	4.00	-	8.80 3.70 - 10.10	2.622 0.660 - 4.002	12.04	11.52	11.04	99
15+22+35+71	0.93	1.37	2.18	4.42	-	8.90 3.70 - 10.20	2.796 0.660 - 4.006	12.84	12.28	11.77	99
15+22+42+42	1.08	1.58	3.02 *	3.02 *	-	8.70 3.70 - 10.10	2.393 0.660 - 4.013	10.99	10.51	10.07	99
15+22+42+50	1.02	1.50	2.87 *	3.41 *	-	8.80 3.70 - 10.10	2.563 0.660 - 4.013	11.77	11.26	10.79	99
15+22+42+60	0.96	1.41	2.69 *	3.84	-	8.90 3.70 - 10.20	2.766 0.660 - 3.996	12.70	12.15	11.64	99
15+22+42+71	0.90	1.32	2.52 *	4.26	-	9.00 3.70 - 10.20	2.850 0.660 - 4.000	13.09	12.52	12.00	99
15+22+50+50	0.97	1.43	3.25 *	3.25 *	-	8.90 3.70 - 10.20	2.733 0.660 - 4.013	12.55	12.00	11.50	99
15+22+50+60	0.91	1.33	3.03 *	3.63	-	8.90 3.70 - 10.20	2.816 0.660 - 3.996	12.93	12.37	11.85	99
15+22+50+71	0.86	1.27	2.88 *	4.09	-	9.10 3.70 - 10.20	2.950 0.660 - 4.000	13.55	12.96	12.42	99
15+22+60+60	0.87	1.28	3.48	3.48	-	9.10 3.70 - 10.20	2.919 0.660 - 3.979	13.40	12.82	12.29	99
15+22+60+71	0.83	1.22	3.32	3.93	-	9.30 3.70 - 10.20	3.063 0.660 - 3.983	14.06	13.45	12.89	99
15+25+25+25	1.45	2.42	2.42	2.42	-	8.70 3.70 - 9.30	1.985 0.660 - 4.025	9.12	8.72	8.36	99
15+25+25+35	1.28	2.13	2.13	2.98	-	8.50 3.70 - 9.90	1.945 0.660 - 4.025	8.93	8.54	8.18	99
15+25+25+42	1.21	2.01	2.01	3.38 *	-	8.60 3.70 - 10.00	2.089 0.660 - 4.019	9.59	9.17	8.79	99
15+25+25+50	1.13	1.89	1.89	3.78 *	-	8.70 3.70 - 10.00	2.269 0.660 - 4.019	10.41	9.96	9.55	99
15+25+25+60	1.06	1.76	1.76	4.22	-	8.80 3.70 - 10.10	2.462 0.660 - 4.002	11.30	10.81	10.36	99
15+25+25+71	0.98	1.64	1.64	4.65	-	8.90 3.70 - 10.20	2.706 0.660 - 4.006	12.42	11.88	11.39	99
15+25+35+35	1.17	1.95	2.74	2.74	-	8.60 3.70 - 10.00	2.165 0.660 - 4.025	9.94	9.51	9.11	99
15+25+35+42	1.12	1.86	2.60	3.12 *	-	8.70 3.70 - 10.00	2.309 0.660 - 4.019	10.60	10.14	9.72	99
15+25+35+50	1.06	1.76	2.46	3.52 *	-	8.80 3.70 - 10.10	2.479 0.660 - 4.019	11.39	10.89	10.44	99
15+25+35+60	0.99	1.65	2.31	3.96	-	8.90 3.70 - 10.20	2.682 0.660 - 4.002	12.32	11.78	11.29	99
15+25+35+71	0.91	1.52	2.13	4.33	-	8.90 3.70 - 10.20	2.806 0.660 - 4.006	12.88	12.32	11.81	99
15+25+42+42	1.05	1.75	2.95 *	2.95 *	-	8.70 3.70 - 10.10	2.453 0.660 - 4.013	11.26	10.77	10.32	99
15+25+42+50	1.00	1.67	2.80 *	3.33 *	-	8.80 3.70 - 10.10	2.633 0.660 - 4.013	12.09	11.56	11.08	99
15+25+42+60	0.94	1.57	2.63 *	3.76	-	8.90 3.70 - 10.20	2.786 0.660 - 3.996	12.80	12.24	11.73	99
15+25+42+71	0.88	1.47	2.47 *	4.18	-	9.00 3.70 - 10.20	2.890 0.660 - 4.000	13.27	12.69	12.16	99
15+25+50+50	0.95	1.59	3.18 *	3.18 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	12.87	12.31	11.80	99
15+25+50+60	0.90	1.50	3.00 *	3.60	-	9.00 3.70 - 10.20	2.846 0.660 - 3.996	13.07	12.50	11.98	99
15+25+50+71	0.86	1.43	2.86 *	4.06	-	9.20 3.70 - 10.20	2.990 0.660 - 4.000	13.73	13.13	12.58	99
15+25+60+60	0.86	1.44	3.45	3.45	-	9.20 3.70 - 10.20	2.959 0.660 - 3.979	13.59	13.00	12.46	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+25+60+71	0.82	1.36	3.26	3.86	-	9.30 3.70 - 10.20	3.063 0.660 - 3.983	14.06	13.45	12.89	99
15+35+35+35	1.09	2.54	2.54	2.54	-	8.70 3.70 - 10.10	2.385 0.660 - 4.025	10.95	10.47	10.03	99
15+35+35+42	1.04	2.43	2.43	2.91 *	-	8.80 3.70 - 10.10	2.529 0.660 - 4.019	11.62	11.11	10.65	99
15+35+35+50	0.99	2.31	2.31	3.30 *	-	8.90 3.70 - 10.20	2.699 0.660 - 4.019	12.39	11.85	11.36	99
15+35+35+60	0.92	2.15	2.15	3.68	-	8.90 3.70 - 10.20	2.792 0.660 - 4.002	12.82	12.26	11.75	99
15+35+35+71	0.88	2.04	2.04	4.14	-	9.10 3.70 - 10.20	2.936 0.660 - 4.006	13.48	12.89	12.35	99
15+35+42+42	0.99	2.30	2.76 *	2.76 *	-	8.80 3.70 - 10.20	2.673 0.660 - 4.013	12.27	11.74	11.25	99
15+35+42+50	0.94	2.19	2.63 *	3.13 *	-	8.90 3.70 - 10.20	2.803 0.660 - 4.013	12.87	12.31	11.80	99
15+35+42+60	0.89	2.07	2.49 *	3.55	-	9.00 3.70 - 10.20	2.876 0.660 - 3.996	13.20	12.63	12.10	99
15+35+42+71	0.85	1.98	2.37 *	4.01	-	9.20 3.70 - 10.20	3.020 0.660 - 4.000	13.86	13.26	12.71	99
15+35+50+50	0.90	2.10	3.00 *	3.00 *	-	9.00 3.70 - 10.20	2.863 0.660 - 4.013	13.14	12.57	12.05	99
15+35+50+60	0.86	2.01	2.88 *	3.45	-	9.20 3.70 - 10.20	2.976 0.660 - 3.996	13.66	13.07	12.53	99
15+35+50+71	0.82	1.90	2.72 *	3.86	-	9.30 3.70 - 10.20	3.080 0.660 - 4.000	14.15	13.53	12.97	99
15+35+60+60	0.82	1.91	3.28	3.28	-	9.30 3.70 - 10.20	3.059 0.660 - 3.979	14.04	13.43	12.87	99
15+42+42+42	0.95	2.65	2.65 *	2.65 *	-	8.90 3.70 - 10.20	2.797 0.660 - 4.007	12.84	12.28	11.77	99
15+42+42+50	0.91	2.54	2.54 *	3.02 *	-	9.00 3.70 - 10.20	2.847 0.660 - 4.007	13.07	12.50	11.98	99
15+42+42+60	0.86	2.40	2.40 *	3.43	-	9.10 3.70 - 10.20	2.960 0.660 - 3.990	13.59	13.00	12.46	99
15+42+42+71	0.82	2.30	2.30 *	3.88	-	9.30 3.70 - 10.20	3.074 0.660 - 3.994	14.11	13.50	12.94	99
15+42+50+50	0.87	2.43	2.90 *	2.90 *	-	9.10 3.70 - 10.20	2.947 0.660 - 4.007	13.53	12.94	12.40	99
15+42+50+60	0.84	2.34	2.78 *	3.34	-	9.30 3.70 - 10.20	3.060 0.660 - 3.990	14.05	13.44	12.88	99
15+50+50+50	0.84	2.79	2.79 *	2.79 *	-	9.20 3.70 - 10.20	3.047 0.660 - 4.007	13.99	13.38	12.82	99
18+18+18+18	1.80	1.80	1.80	1.80	-	7.20 3.70 - 9.20	1.606 0.660 - 4.016	7.37	7.05	6.76	99
18+18+18+20	1.78	1.78	1.78	1.97	-	7.30 3.70 - 9.20	1.663 0.660 - 4.023	7.63	7.30	7.00	99
18+18+18+22	1.80	1.80	1.80	2.20	-	7.60 3.70 - 9.20	1.706 0.660 - 4.016	7.83	7.49	7.18	99
18+18+18+25	1.80	1.80	1.80	2.50	-	7.90 3.70 - 9.20	1.776 0.660 - 4.016	8.15	7.80	7.48	99
18+18+18+35	1.78	1.78	1.78	3.46	-	8.80 3.70 - 9.30	1.986 0.660 - 4.016	9.12	8.72	8.36	99
18+18+18+42	1.63	1.63	1.63	3.81 *	-	8.70 3.70 - 9.70	1.950 0.660 - 4.010	8.95	8.56	8.20	99
18+18+18+50	1.49	1.49	1.49	4.13 *	-	8.60 3.70 - 9.90	2.020 0.660 - 4.010	9.27	8.87	8.50	99
18+18+18+60	1.37	1.37	1.37	4.58	-	8.70 3.70 - 10.00	2.213 0.660 - 3.993	10.16	9.72	9.32	99
18+18+18+71	1.28	1.28	1.28	5.06	-	8.90 3.70 - 10.10	2.457 0.660 - 3.997	11.28	10.79	10.34	99
18+18+20+20	1.75	1.75	1.95	1.95	-	7.40 3.70 - 9.20	1.720 0.660 - 4.030	7.89	7.55	7.24	99
18+18+20+22	1.78	1.78	1.97	2.17	-	7.70 3.70 - 9.20	1.753 0.660 - 4.023	8.05	7.70	7.38	99
18+18+20+25	1.78	1.78	1.98	2.47	-	8.00 3.70 - 9.20	1.823 0.660 - 4.023	8.37	8.01	7.68	99
18+18+20+35	1.72	1.72	1.91	3.35	-	8.70 3.70 - 9.40	1.983 0.660 - 4.023	9.11	8.71	8.35	99
18+18+20+42	1.56	1.56	1.73	3.64 *	-	8.50 3.70 - 9.80	1.947 0.660 - 4.017	8.94	8.55	8.19	99
18+18+20+50	1.46	1.46	1.62	4.06 *	-	8.60 3.70 - 9.90	2.067 0.660 - 4.017	9.49	9.08	8.70	99
18+18+20+60	1.35	1.35	1.50	4.50	-	8.70 3.70 - 10.00	2.270 0.660 - 4.000	10.42	9.97	9.55	99
18+18+20+71	1.25	1.25	1.39	4.92	-	8.80 3.70 - 10.10	2.514 0.660 - 4.004	11.54	11.04	10.58	99
18+18+22+22	1.80	1.80	2.20	2.20	-	8.00 3.70 - 9.20	1.796 0.660 - 4.016	8.25	7.89	7.56	99
18+18+22+25	1.80	1.80	2.20	2.50	-	8.30 3.70 - 9.20	1.866 0.660 - 4.016	8.56	8.19	7.85	99
18+18+22+35	1.68	1.68	2.06	3.27	-	8.70 3.70 - 9.50	1.966 0.660 - 4.016	9.02	8.63	8.27	99
18+18+22+42	1.55	1.55	1.89	3.61 *	-	8.60 3.70 - 9.90	1.930 0.660 - 4.010	8.87	8.48	8.13	99
18+18+22+50	1.45	1.45	1.77	4.03 *	-	8.70 3.70 - 10.00	2.100 0.660 - 4.010	9.64	9.22	8.84	99
18+18+22+60	1.34	1.34	1.64	4.47	-	8.80 3.70 - 10.00	2.303 0.660 - 3.993	10.57	10.11	9.69	99
18+18+22+71	1.24	1.24	1.52	4.90	-	8.90 3.70 - 10.10	2.547 0.660 - 3.997	11.70	11.19	10.72	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+25+25	1.80	1.80	2.50	2.50	-	8.60 3.70 - 9.20	1.936 0.660 - 4.016	8.89	8.50	8.15	99
18+18+25+35	1.63	1.63	2.27	3.17	-	8.70 3.70 - 9.70	1.956 0.660 - 4.016	8.98	8.59	8.23	99
18+18+25+42	1.50	1.50	2.09	3.51 *	-	8.60 3.70 - 9.90	2.000 0.660 - 4.010	9.18	8.78	8.41	99
18+18+25+50	1.41	1.41	1.96	3.92 *	-	8.70 3.70 - 10.00	2.170 0.660 - 4.010	9.96	9.53	9.13	99
18+18+25+60	1.31	1.31	1.82	4.36	-	8.80 3.70 - 10.10	2.373 0.660 - 3.993	10.89	10.42	9.99	99
18+18+25+71	1.21	1.21	1.69	4.79	-	8.90 3.70 - 10.10	2.617 0.660 - 3.997	12.01	11.49	11.01	99
18+18+35+35	1.48	1.48	2.87	2.87	-	8.70 3.70 - 9.90	2.066 0.660 - 4.016	9.48	9.07	8.69	99
18+18+35+42	1.39	1.39	2.69	3.23 *	-	8.70 3.70 - 10.00	2.210 0.660 - 4.010	10.15	9.71	9.31	99
18+18+35+50	1.31	1.31	2.55	3.64 *	-	8.80 3.70 - 10.10	2.390 0.660 - 4.010	10.98	10.50	10.06	99
18+18+35+60	1.22	1.22	2.38	4.08	-	8.90 3.70 - 10.10	2.583 0.660 - 3.993	11.86	11.34	10.87	99
18+18+35+71	1.14	1.14	2.22	4.50	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	12.80	12.24	11.73	99
18+18+42+42	1.32	1.32	3.08 *	3.08 *	-	8.80 3.70 - 10.10	2.364 0.660 - 4.004	10.85	10.38	9.95	99
18+18+42+50	1.25	1.25	2.92 *	3.48 *	-	8.90 3.70 - 10.10	2.534 0.660 - 4.004	11.64	11.13	10.67	99
18+18+42+60	1.17	1.17	2.74 *	3.91	-	9.00 3.70 - 10.20	2.737 0.660 - 3.987	12.57	12.02	11.52	99
18+18+42+71	1.10	1.10	2.57 *	4.34	-	9.10 3.70 - 10.20	2.831 0.660 - 3.991	13.00	12.43	11.91	99
18+18+50+50	1.19	1.19	3.31 *	3.31 *	-	9.00 3.70 - 10.20	2.704 0.660 - 4.004	12.42	11.88	11.39	99
18+18+50+60	1.11	1.11	3.08 *	3.70	-	9.00 3.70 - 10.20	2.787 0.660 - 3.987	12.80	12.24	11.73	99
18+18+50+71	1.05	1.05	2.93 *	4.16	-	9.20 3.70 - 10.20	2.931 0.660 - 3.991	13.46	12.87	12.33	99
18+18+60+60	1.06	1.06	3.54	3.54	-	9.20 3.70 - 10.20	2.900 0.660 - 3.970	13.32	12.74	12.21	99
18+18+60+71	1.01	1.01	3.38	4.00	-	9.40 3.70 - 10.20	3.044 0.660 - 3.974	13.98	13.37	12.81	99
18+20+20+20	1.73	1.92	1.92	1.92	-	7.50 3.70 - 9.20	1.767 0.660 - 4.037	8.11	7.76	7.44	99
18+20+20+22	1.76	1.95	1.95	2.15	-	7.80 3.70 - 9.20	1.810 0.660 - 4.030	8.31	7.95	7.62	99
18+20+20+25	1.76	1.95	1.95	2.44	-	8.10 3.70 - 9.20	1.880 0.660 - 4.030	8.64	8.26	7.92	99
18+20+20+35	1.65	1.83	1.83	3.20	-	8.50 3.70 - 9.50	1.980 0.660 - 4.030	9.10	8.70	8.34	99
18+20+20+42	1.51	1.68	1.68	3.53 *	-	8.40 3.70 - 9.90	1.944 0.660 - 4.024	8.93	8.54	8.18	99
18+20+20+50	1.42	1.57	1.57	3.94 *	-	8.50 3.70 - 10.00	2.114 0.660 - 4.024	9.70	9.28	8.89	99
18+20+20+60	1.31	1.46	1.46	4.37	-	8.60 3.70 - 10.00	2.317 0.660 - 4.007	10.64	10.18	9.76	99
18+20+20+71	1.21	1.35	1.35	4.79	-	8.70 3.70 - 10.10	2.561 0.660 - 4.011	11.76	11.25	10.78	99
18+20+22+22	1.78	1.98	2.17	2.17	-	8.10 3.70 - 9.20	1.853 0.660 - 4.023	8.51	8.14	7.80	99
18+20+22+25	1.78	1.98	2.17	2.47	-	8.40 3.70 - 9.20	1.923 0.660 - 4.023	8.83	8.45	8.10	99
18+20+22+35	1.63	1.81	1.99	3.17	-	8.60 3.70 - 9.60	1.963 0.660 - 4.023	9.01	8.62	8.26	99
18+20+22+50	1.41	1.56	1.72	3.91 *	-	8.60 3.70 - 10.00	2.157 0.660 - 4.017	9.90	9.47	9.08	99
18+20+22+60	1.31	1.45	1.60	4.35	-	8.70 3.70 - 10.10	2.360 0.660 - 4.000	10.83	10.36	9.93	99
18+20+22+71	1.21	1.34	1.48	4.77	-	8.80 3.70 - 10.10	2.594 0.660 - 4.004	11.91	11.39	10.92	99
18+20+25+25	1.78	1.98	2.47	2.47	-	8.70 3.70 - 9.20	1.993 0.660 - 4.023	9.15	8.75	8.39	99
18+20+25+35	1.56	1.73	2.17	3.04	-	8.50 3.70 - 9.80	1.953 0.660 - 4.023	8.97	8.58	8.22	99
18+20+25+42	1.47	1.64	2.05	3.44 *	-	8.60 3.70 - 9.90	2.047 0.660 - 4.017	9.40	8.99	8.62	99
18+20+25+50	1.37	1.52	1.90	3.81 *	-	8.60 3.70 - 10.00	2.217 0.660 - 4.017	10.18	9.74	9.33	99
18+20+25+60	1.27	1.41	1.77	4.24	-	8.70 3.70 - 10.10	2.420 0.660 - 4.000	11.11	10.63	10.19	99
18+20+25+71	1.18	1.31	1.64	4.66	-	8.80 3.70 - 10.20	2.664 0.660 - 4.004	12.23	11.70	11.21	99
18+20+35+35	1.43	1.59	2.79	2.79	-	8.60 3.70 - 10.00	2.113 0.660 - 4.023	9.70	9.28	8.89	99
18+20+35+42	1.36	1.51	2.65	3.18 *	-	8.70 3.70 - 10.00	2.267 0.660 - 4.017	10.41	9.96	9.55	99
18+20+35+50	1.27	1.41	2.48	3.54 *	-	8.70 3.70 - 10.10	2.437 0.660 - 4.017	11.19	10.70	10.25	99
18+20+35+60	1.19	1.32	2.32	3.97	-	8.80 3.70 - 10.10	2.640 0.660 - 4.000	12.12	11.59	11.11	99
18+20+35+71	1.11	1.24	2.16	4.39	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	11.76	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+42+42	1.28	1.43	3.00 *	3.00 *	-	8.70 3.70 - 10.10	2.411 0.660 - 4.011	11.07	10.59	10.15	99
18+20+42+50	1.22	1.35	2.84 *	3.38 *	-	8.80 3.70 - 10.10	2.581 0.660 - 4.011	11.86	11.34	10.87	99
18+20+42+60	1.14	1.27	2.67 *	3.81 *	-	8.90 3.70 - 10.20	2.784 0.660 - 3.994	12.79	12.23	11.72	99
18+20+42+71	1.07	1.19	2.50 *	4.23 *	-	9.00 3.70 - 10.20	2.868 0.660 - 3.998	13.17	12.60	12.08	99
18+20+50+50	1.16	1.29	3.22 *	3.22 *	-	8.90 3.70 - 10.20	2.761 0.660 - 4.011	12.68	12.13	11.62	99
18+20+50+60	1.09	1.22	3.04 *	3.65 *	-	9.00 3.70 - 10.20	2.824 0.660 - 3.994	12.96	12.40	11.88	99
18+20+50+71	1.03	1.14	2.86 *	4.06 *	-	9.10 3.70 - 10.20	2.968 0.660 - 3.998	13.62	13.03	12.49	99
18+20+60+60	1.04	1.15	3.46	3.46	-	9.10 3.70 - 10.20	2.927 0.660 - 3.977	13.43	12.85	12.31	99
18+20+60+71	0.99	1.10	3.30	3.91	-	9.30 3.70 - 10.20	3.061 0.660 - 3.981	14.05	13.44	12.88	99
18+22+22+22	1.80	2.20	2.20	2.20	-	8.40 3.70 - 9.20	1.896 0.660 - 4.016	8.71	8.33	7.98	99
18+22+22+25	1.80	2.20	2.20	2.50	-	8.70 3.70 - 9.20	1.966 0.660 - 4.016	9.02	8.63	8.27	99
18+22+22+35	1.61	1.97	1.97	3.14	-	8.70 3.70 - 9.70	1.946 0.660 - 4.016	8.94	8.55	8.19	99
18+22+22+42	1.49	1.82	1.82	3.47 *	-	8.60 3.70 - 9.90	2.020 0.660 - 4.010	9.27	8.87	8.50	99
18+22+22+50	1.40	1.71	1.71	3.88 *	-	8.70 3.70 - 10.00	2.190 0.660 - 4.010	10.06	9.62	9.22	99
18+22+22+60	1.30	1.59	1.59	4.33 *	-	8.80 3.70 - 10.10	2.393 0.660 - 3.993	10.99	10.51	10.07	99
18+22+22+71	1.20	1.47	1.47	4.75 *	-	8.90 3.70 - 10.10	2.637 0.660 - 3.997	12.11	11.58	11.10	99
18+22+25+25	1.76	2.15	2.44	2.44	-	8.80 3.70 - 9.30	1.976 0.660 - 4.016	9.07	8.68	8.32	99
18+22+25+35	1.55	1.89	2.15	3.01	-	8.60 3.70 - 9.90	1.936 0.660 - 4.016	8.89	8.50	8.15	99
18+22+25+42	1.46	1.79	2.03	3.41 *	-	8.70 3.70 - 10.00	2.080 0.660 - 4.010	9.55	9.13	8.75	99
18+22+25+50	1.38	1.68	1.91	3.83 *	-	8.80 3.70 - 10.00	2.260 0.660 - 4.010	10.38	9.93	9.52	99
18+22+25+60	1.28	1.57	1.78	4.27 *	-	8.90 3.70 - 10.10	2.453 0.660 - 3.993	11.26	10.77	10.32	99
18+22+25+71	1.19	1.46	1.65	4.70 *	-	9.00 3.70 - 10.20	2.697 0.660 - 3.997	12.38	11.84	11.35	99
18+22+35+35	1.42	1.74	2.77	2.77	-	8.70 3.70 - 10.00	2.156 0.660 - 4.016	9.90	9.47	9.08	99
18+22+35+42	1.35	1.65	2.63	3.16 *	-	8.80 3.70 - 10.00	2.300 0.660 - 4.010	10.56	10.10	9.68	99
18+22+35+50	1.28	1.57	2.49	3.56 *	-	8.90 3.70 - 10.10	2.470 0.660 - 4.010	11.34	10.85	10.40	99
18+22+35+60	1.20	1.47	2.33	4.00 *	-	9.00 3.70 - 10.20	2.673 0.660 - 3.993	12.27	11.74	11.25	99
18+22+35+71	1.11	1.36	2.16	4.38 *	-	9.00 3.70 - 10.20	2.797 0.660 - 3.997	12.84	12.28	11.77	99
18+22+42+42	1.28	1.56	2.98 *	2.98 *	-	8.80 3.70 - 10.10	2.444 0.660 - 4.004	11.22	10.73	10.28	99
18+22+42+50	1.21	1.48	2.83 *	3.37 *	-	8.90 3.70 - 10.10	2.624 0.660 - 4.004	12.04	11.52	11.04	99
18+22+42+60	1.14	1.39	2.66 *	3.80 *	-	9.00 3.70 - 10.20	2.777 0.660 - 3.987	12.75	12.20	11.69	99
18+22+42+71	1.07	1.31	2.50 *	4.22 *	-	9.10 3.70 - 10.20	2.881 0.660 - 3.991	13.23	12.65	12.12	99
18+22+50+50	1.16	1.41	3.21 *	3.21 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	11.76	99
18+22+50+60	1.09	1.33	3.03 *	3.64 *	-	9.10 3.70 - 10.20	2.837 0.660 - 3.987	13.03	12.46	11.94	99
18+22+50+71	1.04	1.27	2.89 *	4.10 *	-	9.30 3.70 - 10.20	2.981 0.660 - 3.991	13.69	13.09	12.54	99
18+22+60+60	1.05	1.28	3.49	3.49	-	9.30 3.70 - 10.20	2.950 0.660 - 3.970	13.55	12.96	12.42	99
18+22+60+71	0.99	1.21	3.30	3.90	-	9.40 3.70 - 10.20	3.054 0.660 - 3.974	14.02	13.41	12.85	99
18+25+25+25	1.68	2.34	2.34	2.34	-	8.70 3.70 - 9.50	1.966 0.660 - 4.016	9.02	8.63	8.27	99
18+25+25+35	1.50	2.09	2.09	2.92	-	8.60 3.70 - 9.90	2.006 0.660 - 4.016	9.21	8.81	8.44	99
18+25+25+42	1.42	1.98	1.98	3.32 *	-	8.70 3.70 - 10.00	2.150 0.660 - 4.010	9.87	9.44	9.05	99
18+25+25+50	1.34	1.86	1.86	3.73 *	-	8.80 3.70 - 10.00	2.320 0.660 - 4.010	10.65	10.19	9.77	99
18+25+25+60	1.25	1.74	1.74	4.17 *	-	8.90 3.70 - 10.10	2.523 0.660 - 3.993	11.58	11.08	10.62	99
18+25+25+71	1.17	1.62	1.62	4.60 *	-	9.00 3.70 - 10.20	2.767 0.660 - 3.997	12.70	12.15	11.64	99
18+25+35+35	1.39	1.92	2.69	2.69	-	8.70 3.70 - 10.00	2.216 0.660 - 4.016	10.17	9.73	9.32	99
18+25+35+42	1.32	1.83	2.57	3.08 *	-	8.80 3.70 - 10.10	2.370 0.660 - 4.010	10.88	10.41	9.98	99
18+25+35+50	1.25	1.74	2.43	3.48 *	-	8.90 3.70 - 10.10	2.540 0.660 - 4.010	11.67	11.16	10.70	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+25+35+60	1.17	1.63	2.28	3.91	-	9.00 3.70 - 10.20	2.743 0.660 - 3.993	12.60	12.05	11.55	99
18+25+35+71	1.10	1.53	2.14	4.34	-	9.10 3.70 - 10.20	2.837 0.660 - 3.997	13.03	12.46	11.94	99
18+25+42+42	1.26	1.75	2.94 *	2.94 *	-	8.90 3.70 - 10.10	2.514 0.660 - 4.004	11.54	11.04	10.58	99
18+25+42+50	1.20	1.67	2.80 *	3.33 *	-	9.00 3.70 - 10.20	2.684 0.660 - 4.004	12.33	11.79	11.30	99
18+25+42+60	1.12	1.55	2.61 *	3.72	-	9.00 3.70 - 10.20	2.777 0.660 - 3.987	12.75	12.20	11.69	99
18+25+42+71	1.06	1.47	2.48 *	4.19	-	9.20 3.70 - 10.20	2.921 0.660 - 3.991	13.41	12.83	12.30	99
18+25+50+50	1.13	1.57	3.15 *	3.15 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	11.76	99
18+25+50+60	1.07	1.49	2.97 *	3.57	-	9.10 3.70 - 10.20	2.877 0.660 - 3.987	13.21	12.64	12.11	99
18+25+50+71	1.02	1.42	2.84 *	4.03	-	9.30 3.70 - 10.20	3.021 0.660 - 3.991	13.87	13.27	12.72	99
18+25+60+60	1.03	1.43	3.42	3.42	-	9.30 3.70 - 10.20	2.990 0.660 - 3.970	13.73	13.13	12.58	99
18+35+35+35	1.29	2.50	2.50	2.50	-	8.80 3.70 - 10.10	2.436 0.660 - 4.016	11.19	10.70	10.25	99
18+35+35+42	1.23	2.40	2.40	2.88 *	-	8.90 3.70 - 10.10	2.580 0.660 - 4.010	11.85	11.33	10.86	99
18+35+35+50	1.17	2.28	2.28	3.26 *	-	9.00 3.70 - 10.20	2.760 0.660 - 4.010	12.67	12.12	11.62	99
18+35+35+60	1.11	2.15	2.15	3.69	-	9.10 3.70 - 10.20	2.823 0.660 - 3.993	12.96	12.40	11.88	99
18+35+35+71	1.04	2.03	2.03	4.11	-	9.20 3.70 - 10.20	2.967 0.660 - 3.997	13.62	13.03	12.49	99
18+35+42+42	1.18	2.30	2.76 *	2.76 *	-	9.00 3.70 - 10.20	2.724 0.660 - 4.004	12.50	11.96	11.46	99
18+35+42+50	1.12	2.17	2.61 *	3.10 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	11.76	99
18+35+42+60	1.07	2.08	2.49 *	3.56	-	9.20 3.70 - 10.20	2.907 0.660 - 3.987	13.35	12.77	12.24	99
18+35+42+71	1.02	1.98	2.38 *	4.02	-	9.40 3.70 - 10.20	3.041 0.660 - 3.991	13.97	13.36	12.80	99
18+35+50+50	1.07	2.08	2.97 *	2.97 *	-	9.10 3.70 - 10.20	2.894 0.660 - 4.004	13.29	12.71	12.18	99
18+35+50+60	1.03	2.00	2.85 *	3.42	-	9.30 3.70 - 10.20	3.007 0.660 - 3.987	13.81	13.21	12.66	99
18+42+42+42	1.13	2.63	2.63 *	2.63 *	-	9.00 3.70 - 10.20	2.788 0.660 - 3.998	12.80	12.24	11.73	99
18+42+42+50	1.08	2.51	2.51 *	2.99 *	-	9.10 3.70 - 10.20	2.878 0.660 - 3.998	13.21	12.64	12.11	99
18+42+42+60	1.03	2.41	2.41 *	3.44	-	9.30 3.70 - 10.20	2.981 0.660 - 3.981	13.69	13.09	12.54	99
18+42+50+50	1.05	2.44	2.91 *	2.91 *	-	9.30 3.70 - 10.20	2.978 0.660 - 3.998	13.67	13.08	12.54	99
18+42+50+60	1.00	2.32	2.76 *	3.32	-	9.40 3.70 - 10.20	3.061 0.660 - 3.981	14.05	13.44	12.88	99
18+50+50+50	1.01	2.80	2.80 *	2.80 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	14.13	13.52	12.96	99
20+20+20+20	1.90	1.90	1.90	1.90	-	7.60 3.70 - 9.20	1.824 0.660 - 4.044	8.37	8.01	7.68	99
20+20+20+22	1.93	1.93	1.93	2.12	-	7.90 3.70 - 9.20	1.867 0.660 - 4.037	8.57	8.20	7.86	99
20+20+20+25	1.93	1.93	1.93	2.41	-	8.20 3.70 - 9.20	1.937 0.660 - 4.037	8.90	8.51	8.16	99
20+20+20+35	1.77	1.77	1.77	3.09	-	8.40 3.70 - 9.60	1.977 0.660 - 4.037	9.07	8.68	8.32	99
20+20+20+50	1.53	1.53	1.53	3.82 *	-	8.40 3.70 - 10.00	2.171 0.660 - 4.031	9.96	9.53	9.13	99
20+20+20+60	1.42	1.42	1.42	4.25	-	8.50 3.70 - 10.10	2.374 0.660 - 4.014	10.90	10.43	10.00	99
20+20+20+71	1.31	1.31	1.31	4.66	-	8.60 3.70 - 10.10	2.608 0.660 - 4.018	11.97	11.45	10.97	99
20+20+22+22	1.95	1.95	2.15	2.15	-	8.20 3.70 - 9.20	1.910 0.660 - 4.030	8.77	8.39	8.04	99
20+20+22+25	1.95	1.95	2.15	2.44	-	8.50 3.70 - 9.20	1.980 0.660 - 4.030	9.10	8.70	8.34	99
20+20+22+35	1.75	1.75	1.93	3.07	-	8.50 3.70 - 9.70	1.960 0.660 - 4.030	9.00	8.61	8.25	99
20+20+22+42	1.62	1.62	1.78	3.39 *	-	8.40 3.70 - 9.90	2.034 0.660 - 4.024	9.34	8.93	8.56	99
20+20+22+50	1.52	1.52	1.67	3.79 *	-	8.50 3.70 - 10.00	2.204 0.660 - 4.024	10.12	9.68	9.28	99
20+20+22+60	1.41	1.41	1.55	4.23	-	8.60 3.70 - 10.10	2.407 0.660 - 4.007	11.05	10.57	10.13	99
20+20+22+71	1.31	1.31	1.44	4.64	-	8.70 3.70 - 10.10	2.651 0.660 - 4.011	12.17	11.64	11.16	99
20+20+25+25	1.91	1.91	2.39	2.39	-	8.60 3.70 - 9.30	1.990 0.660 - 4.030	9.14	8.74	8.38	99
20+20+25+35	1.68	1.68	2.10	2.94	-	8.40 3.70 - 9.90	1.950 0.660 - 4.030	8.95	8.56	8.20	99
20+20+25+42	1.59	1.59	1.99	3.34 *	-	8.50 3.70 - 10.00	2.094 0.660 - 4.024	9.62	9.20	8.82	99
20+20+25+50	1.50	1.50	1.87	3.74 *	-	8.60 3.70 - 10.00	2.274 0.660 - 4.024	10.44	9.99	9.57	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+25+60	1.39	1.39	1.74	4.18	-	8.70 3.70 - 10.10	2.467 0.660 - 4.007	11.32	10.83	10.38	99
20+20+25+71	1.29	1.29	1.62	4.59	-	8.80 3.70 - 10.20	2.711 0.660 - 4.011	12.45	11.91	11.41	99
20+20+35+35	1.55	1.55	2.70	2.70	-	8.50 3.70 - 10.00	2.170 0.660 - 4.030	9.96	9.53	9.13	99
20+20+35+42	1.47	1.47	2.57	3.09 *	-	8.60 3.70 - 10.00	2.314 0.660 - 4.024	10.62	10.16	9.74	99
20+20+35+50	1.39	1.39	2.44	3.48 *	-	8.70 3.70 - 10.10	2.484 0.660 - 4.024	11.41	10.91	10.46	99
20+20+35+60	1.30	1.30	2.28	3.91	-	8.80 3.70 - 10.20	2.687 0.660 - 4.007	12.34	11.80	11.31	99
20+20+35+71	1.21	1.21	2.11	4.28	-	8.80 3.70 - 10.20	2.811 0.660 - 4.011	12.91	12.35	11.84	99
20+20+42+42	1.39	1.39	2.91 *	2.91 *	-	8.60 3.70 - 10.10	2.458 0.660 - 4.018	11.28	10.79	10.34	99
20+20+42+50	1.32	1.32	2.77 *	3.30 *	-	8.70 3.70 - 10.10	2.638 0.660 - 4.018	12.12	11.59	11.11	99
20+20+42+60	1.24	1.24	2.60 *	3.72	-	8.80 3.70 - 10.20	2.791 0.660 - 4.001	12.82	12.26	11.75	99
20+20+42+71	1.16	1.16	2.44 *	4.13	-	8.90 3.70 - 10.20	2.895 0.660 - 4.005	13.29	12.71	12.18	99
20+20+50+50	1.26	1.26	3.14 *	3.14 *	-	8.80 3.70 - 10.20	2.808 0.660 - 4.018	12.89	12.33	11.82	99
20+20+50+60	1.19	1.19	2.97 *	3.56	-	8.90 3.70 - 10.20	2.851 0.660 - 4.001	13.09	12.52	12.00	99
20+20+50+71	1.13	1.13	2.83 *	4.01	-	9.10 3.70 - 10.20	2.995 0.660 - 4.005	13.75	13.15	12.60	99
20+20+60+60	1.14	1.14	3.41	3.41	-	9.10 3.70 - 10.20	2.964 0.660 - 3.984	13.61	13.02	12.48	99
20+20+60+71	1.08	1.08	3.23	3.82	-	9.20 3.70 - 10.20	3.068 0.660 - 3.988	14.08	13.47	12.91	99
20+22+22+22	1.98	2.17	2.17	2.17	-	8.50 3.70 - 9.20	1.943 0.660 - 4.023	8.92	8.53	8.17	99
20+22+22+25	1.96	2.15	2.15	2.44	-	8.70 3.70 - 9.30	1.993 0.660 - 4.023	9.15	8.75	8.39	99
20+22+22+35	1.72	1.89	1.89	3.01	-	8.50 3.70 - 9.80	1.943 0.660 - 4.023	8.92	8.53	8.17	99
20+22+22+42	1.62	1.78	1.78	3.41 *	-	8.60 3.70 - 9.90	2.067 0.660 - 4.017	9.49	9.08	8.70	99
20+22+22+50	1.51	1.66	1.66	3.77 *	-	8.60 3.70 - 10.00	2.237 0.660 - 4.017	10.27	9.82	9.41	99
20+22+22+60	1.40	1.54	1.54	4.21	-	8.70 3.70 - 10.10	2.440 0.660 - 4.000	11.21	10.72	10.27	99
20+22+22+71	1.32	1.45	1.45	4.68	-	8.90 3.70 - 10.20	2.684 0.660 - 4.004	12.33	11.79	11.30	99
20+22+25+25	1.87	2.06	2.34	2.34	-	8.60 3.70 - 9.40	1.973 0.660 - 4.023	9.05	8.66	8.30	99
20+22+25+42	1.58	1.74	1.97	3.31 *	-	8.60 3.70 - 10.00	2.137 0.660 - 4.017	9.82	9.39	9.00	99
20+22+25+50	1.49	1.64	1.86	3.72 *	-	8.70 3.70 - 10.00	2.307 0.660 - 4.017	10.59	10.13	9.71	99
20+22+25+60	1.39	1.52	1.73	4.16	-	8.80 3.70 - 10.10	2.510 0.660 - 4.000	11.52	11.02	10.56	99
20+22+25+71	1.29	1.42	1.61	4.58	-	8.90 3.70 - 10.20	2.754 0.660 - 4.004	12.64	12.09	11.59	99
20+22+35+35	1.54	1.69	2.69	2.69	-	8.60 3.70 - 10.00	2.203 0.660 - 4.023	10.12	9.68	9.28	99
20+22+35+42	1.46	1.61	2.56	3.07 *	-	8.70 3.70 - 10.00	2.347 0.660 - 4.017	10.78	10.31	9.88	99
20+22+35+50	1.39	1.52	2.43	3.46 *	-	8.80 3.70 - 10.10	2.527 0.660 - 4.017	11.60	11.10	10.64	99
20+22+35+60	1.30	1.43	2.27	3.90	-	8.90 3.70 - 10.20	2.720 0.660 - 4.000	12.49	11.95	11.45	99
20+22+35+71	1.22	1.34	2.13	4.32	-	9.00 3.70 - 10.20	2.834 0.660 - 4.004	13.02	12.45	11.93	99
20+22+42+42	1.40	1.54	2.93 *	2.93 *	-	8.80 3.70 - 10.10	2.501 0.660 - 4.011	11.48	10.98	10.52	99
20+22+42+50	1.31	1.44	2.76 *	3.28 *	-	8.80 3.70 - 10.20	2.671 0.660 - 4.011	12.26	11.73	11.24	99
20+22+42+60	1.24	1.36	2.60 *	3.71	-	8.90 3.70 - 10.20	2.784 0.660 - 3.994	12.79	12.23	11.72	99
20+22+42+71	1.17	1.29	2.47 *	4.17	-	9.10 3.70 - 10.20	2.918 0.660 - 3.998	13.40	12.82	12.29	99
20+22+50+50	1.25	1.38	3.13 *	3.13 *	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	12.86	12.30	11.79	99
20+22+50+60	1.18	1.30	2.96 *	3.55	-	9.00 3.70 - 10.20	2.874 0.660 - 3.994	13.19	12.62	12.09	99
20+22+50+71	1.13	1.24	2.82 *	4.01	-	9.20 3.70 - 10.20	3.018 0.660 - 3.998	13.85	13.25	12.70	99
20+22+60+60	1.14	1.25	3.41	3.41	-	9.20 3.70 - 10.20	2.977 0.660 - 3.977	13.66	13.07	12.53	99
20+25+25+25	1.81	2.26	2.26	2.26	-	8.60 3.70 - 9.60	1.963 0.660 - 4.023	9.01	8.62	8.26	99
20+25+25+35	1.64	2.05	2.05	2.87	-	8.60 3.70 - 9.90	2.053 0.660 - 4.023	9.43	9.02	8.64	99
20+25+25+42	1.54	1.92	1.92	3.23 *	-	8.60 3.70 - 10.00	2.197 0.660 - 4.017	10.09	9.65	9.25	99
20+25+25+50	1.45	1.81	1.81	3.63 *	-	8.70 3.70 - 10.10	2.377 0.660 - 4.017	10.91	10.44	10.01	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+25+25+60	1.35	1.69	1.69	4.06	-	8.80 3.70 - 10.10	2.570 0.660 - 4.000	11.80	11.29	10.82	99
20+25+25+71	1.26	1.58	1.58	4.48	-	8.90 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	11.76	99
20+25+35+35	1.51	1.89	2.65	2.65	-	8.70 3.70 - 10.00	2.273 0.660 - 4.023	10.43	9.98	9.56	99
20+25+35+42	1.43	1.78	2.50	3.00 *	-	8.70 3.70 - 10.10	2.417 0.660 - 4.017	11.09	10.61	10.17	99
20+25+35+50	1.35	1.69	2.37	3.38 *	-	8.80 3.70 - 10.10	2.587 0.660 - 4.017	11.88	11.36	10.89	99
20+25+35+60	1.27	1.59	2.23	3.81	-	8.90 3.70 - 10.20	2.790 0.660 - 4.000	12.81	12.25	11.74	99
20+25+35+71	1.19	1.49	2.09	4.23	-	9.00 3.70 - 10.20	2.874 0.660 - 4.004	13.19	12.62	12.09	99
20+25+42+42	1.36	1.71	2.87 *	2.87 *	-	8.80 3.70 - 10.10	2.561 0.660 - 4.011	11.76	11.25	10.78	99
20+25+42+50	1.30	1.62	2.73 *	3.25 *	-	8.90 3.70 - 10.20	2.731 0.660 - 4.011	12.54	11.99	11.49	99
20+25+42+60	1.21	1.51	2.54 *	3.63	-	8.90 3.70 - 10.20	2.814 0.660 - 3.994	12.92	12.36	11.85	99
20+25+42+71	1.15	1.44	2.42 *	4.09	-	9.10 3.70 - 10.20	2.948 0.660 - 3.998	13.54	12.95	12.41	99
20+25+50+50	1.23	1.53	3.07 *	3.07 *	-	8.90 3.70 - 10.20	2.801 0.660 - 4.011	12.86	12.30	11.79	99
20+25+50+60	1.17	1.47	2.94 *	3.52	-	9.10 3.70 - 10.20	2.914 0.660 - 3.994	13.38	12.80	12.27	99
20+25+50+71	1.12	1.40	2.80 *	3.98	-	9.30 3.70 - 10.20	3.048 0.660 - 3.998	14.00	13.39	12.83	99
20+25+60+60	1.12	1.39	3.35	3.35	-	9.20 3.70 - 10.20	3.017 0.660 - 3.977	13.85	13.25	12.70	99
20+35+35+35	1.41	2.46	2.46	2.46	-	8.80 3.70 - 10.10	2.483 0.660 - 4.023	11.40	10.90	10.45	99
20+35+35+42	1.33	2.33	2.33	2.80 *	-	8.80 3.70 - 10.10	2.637 0.660 - 4.017	12.11	11.58	11.10	99
20+35+35+50	1.27	2.23	2.23	3.18 *	-	8.90 3.70 - 10.20	2.807 0.660 - 4.017	12.89	12.33	11.82	99
20+35+35+60	1.20	2.10	2.10	3.60	-	9.00 3.70 - 10.20	2.850 0.660 - 4.000	13.09	12.52	12.00	99
20+35+35+71	1.14	2.00	2.00	4.06	-	9.20 3.70 - 10.20	2.994 0.660 - 4.004	13.75	13.15	12.60	99
20+35+42+42	1.28	2.24	2.69 *	2.69 *	-	8.90 3.70 - 10.20	2.781 0.660 - 4.011	12.77	12.21	11.70	99
20+35+42+50	1.21	2.12	2.54 *	3.03 *	-	8.90 3.70 - 10.20	2.831 0.660 - 4.011	13.00	12.43	11.91	99
20+35+42+60	1.16	2.03	2.43 *	3.48	-	9.10 3.70 - 10.20	2.934 0.660 - 3.994	13.48	12.89	12.35	99
20+35+42+71	1.11	1.94	2.33 *	3.93	-	9.30 3.70 - 10.20	3.078 0.660 - 3.998	14.13	13.52	12.96	99
20+35+50+50	1.17	2.05	2.94 *	2.94 *	-	9.10 3.70 - 10.20	2.931 0.660 - 4.011	13.46	12.87	12.33	99
20+35+50+60	1.12	1.95	2.79 *	3.35	-	9.20 3.70 - 10.20	3.034 0.660 - 3.994	13.93	13.32	12.77	99
20+42+42+42	1.22	2.56	2.56 *	2.56 *	-	8.90 3.70 - 10.20	2.805 0.660 - 4.005	12.88	12.32	11.81	99
20+42+42+50	1.18	2.48	2.48 *	2.95 *	-	9.10 3.70 - 10.20	2.905 0.660 - 4.005	13.34	12.76	12.23	99
20+42+42+60	1.12	2.36	2.36 *	3.37	-	9.20 3.70 - 10.20	3.018 0.660 - 3.988	13.85	13.25	12.70	99
20+42+50+50	1.14	2.39	2.84 *	2.84 *	-	9.20 3.70 - 10.20	3.005 0.660 - 4.005	13.80	13.20	12.65	99
20+42+50+60	1.08	2.27	2.70 *	3.24	-	9.30 3.70 - 10.20	3.068 0.660 - 3.988	14.08	13.47	12.91	99
20+50+50+50	1.09	2.74	2.74 *	2.74 *	-	9.30 3.70 - 10.20	3.085 0.660 - 4.005	14.17	13.55	12.99	99
22+22+22+22	2.20	2.20	2.20	2.20	-	8.80 3.70 - 9.20	1.986 0.660 - 4.016	9.12	8.72	8.36	99
22+22+22+25	2.13	2.13	2.13	2.42	-	8.80 3.70 - 9.40	1.976 0.660 - 4.016	9.07	8.68	8.32	99
22+22+22+35	1.87	1.87	1.87	2.98	-	8.60 3.70 - 9.90	1.956 0.660 - 4.016	8.98	8.59	8.23	99
22+22+22+42	1.77	1.77	1.77	3.38 *	-	8.70 3.70 - 10.00	2.100 0.660 - 4.010	9.64	9.22	8.84	99
22+22+22+50	1.67	1.67	1.67	3.79 *	-	8.80 3.70 - 10.00	2.280 0.660 - 4.010	10.47	10.01	9.59	99
22+22+22+60	1.55	1.55	1.55	4.24	-	8.90 3.70 - 10.10	2.483 0.660 - 3.993	11.40	10.90	10.45	99
22+22+22+71	1.45	1.45	1.45	4.66	-	9.00 3.70 - 10.20	2.717 0.660 - 3.997	12.47	11.93	11.43	99
22+22+25+25	2.04	2.04	2.31	2.31	-	8.70 3.70 - 9.60	1.966 0.660 - 4.016	9.02	8.63	8.27	99
22+22+25+35	1.82	1.82	2.07	2.89	-	8.60 3.70 - 9.90	2.026 0.660 - 4.016	9.30	8.90	8.53	99
22+22+25+42	1.72	1.72	1.96	3.29 *	-	8.70 3.70 - 10.00	2.170 0.660 - 4.010	9.96	9.53	9.13	99
22+22+25+50	1.63	1.63	1.85	3.70 *	-	8.80 3.70 - 10.00	2.340 0.660 - 4.010	10.75	10.28	9.85	99
22+22+25+60	1.52	1.52	1.72	4.14	-	8.90 3.70 - 10.10	2.543 0.660 - 3.993	11.68	11.17	10.70	99
22+22+25+71	1.41	1.41	1.61	4.56	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	12.80	12.24	11.73	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+22+35+35	1.68	1.68	2.67	2.67	-	8.70 3.70 - 10.00	2.236 0.660 - 4.016	10.27	9.82	9.41	99
22+22+35+42	1.60	1.60	2.55	3.05 *	-	8.80 3.70 - 10.10	2.390 0.660 - 4.010	10.98	10.50	10.06	99
22+22+35+50	1.52	1.52	2.41	3.45 *	-	8.90 3.70 - 10.10	2.560 0.660 - 4.010	11.75	11.24	10.77	99
22+22+35+60	1.42	1.42	2.27	3.88	-	9.00 3.70 - 10.20	2.763 0.660 - 3.993	12.68	12.13	11.62	99
22+22+35+71	1.33	1.33	2.12	4.31	-	9.10 3.70 - 10.20	2.847 0.660 - 3.997	13.07	12.50	11.98	99
22+22+42+42	1.53	1.53	2.92 *	2.92 *	-	8.90 3.70 - 10.10	2.534 0.660 - 4.004	11.64	11.13	10.67	99
22+22+42+50	1.46	1.46	2.78 *	3.31 *	-	9.00 3.70 - 10.20	2.704 0.660 - 4.004	12.42	11.88	11.39	99
22+22+42+60	1.36	1.36	2.59 *	3.70	-	9.00 3.70 - 10.20	2.787 0.660 - 3.987	12.80	12.24	11.73	99
22+22+42+71	1.29	1.29	2.46 *	4.16	-	9.20 3.70 - 10.20	2.931 0.660 - 3.991	13.46	12.87	12.33	99
22+22+50+50	1.38	1.38	3.13 *	3.13 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	11.76	99
22+22+50+60	1.31	1.31	2.99 *	3.58	-	9.20 3.70 - 10.20	2.887 0.660 - 3.987	13.26	12.68	12.15	99
22+22+50+71	1.24	1.24	2.82 *	4.00	-	9.30 3.70 - 10.20	3.031 0.660 - 3.991	13.92	13.31	12.76	99
22+22+60+60	1.25	1.25	3.40	3.40	-	9.30 3.70 - 10.20	3.000 0.660 - 3.970	13.78	13.18	12.63	99
22+25+25+25	1.97	2.24	2.24	2.24	-	8.70 3.70 - 9.70	1.946 0.660 - 4.016	8.94	8.55	8.19	99
22+25+25+35	1.79	2.03	2.03	2.85	-	8.70 3.70 - 10.00	2.086 0.660 - 4.016	9.58	9.16	8.78	99
22+25+25+42	1.68	1.91	1.91	3.21 *	-	8.70 3.70 - 10.00	2.230 0.660 - 4.010	10.24	9.79	9.38	99
22+25+25+50	1.59	1.80	1.80	3.61 *	-	8.80 3.70 - 10.10	2.410 0.660 - 4.010	11.06	10.58	10.14	99
22+25+25+60	1.48	1.69	1.69	4.05	-	8.90 3.70 - 10.10	2.613 0.660 - 3.993	12.00	11.48	11.00	99
22+25+25+71	1.38	1.57	1.57	4.47	-	9.00 3.70 - 10.20	2.787 0.660 - 3.997	12.80	12.24	11.73	99
22+25+35+35	1.65	1.88	2.63	2.63	-	8.80 3.70 - 10.00	2.306 0.660 - 4.016	10.59	10.13	9.71	99
22+25+35+42	1.56	1.77	2.48	2.98 *	-	8.80 3.70 - 10.10	2.450 0.660 - 4.010	11.25	10.76	10.31	99
22+25+35+50	1.48	1.69	2.36	3.37 *	-	8.90 3.70 - 10.10	2.630 0.660 - 4.010	12.08	11.55	11.07	99
22+25+35+60	1.39	1.58	2.22	3.80	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	12.78	12.22	11.71	99
22+25+35+71	1.31	1.49	2.08	4.22	-	9.10 3.70 - 10.20	2.887 0.660 - 3.997	13.26	12.68	12.15	99
22+25+42+42	1.49	1.70	2.85 *	2.85 *	-	8.90 3.70 - 10.10	2.594 0.660 - 4.004	11.91	11.39	10.92	99
22+25+42+50	1.42	1.62	2.72 *	3.24 *	-	9.00 3.70 - 10.20	2.774 0.660 - 4.004	12.73	12.18	11.67	99
22+25+42+60	1.34	1.53	2.57 *	3.66	-	9.10 3.70 - 10.20	2.827 0.660 - 3.987	12.98	12.42	11.90	99
22+25+42+71	1.28	1.45	2.44 *	4.13	-	9.30 3.70 - 10.20	2.971 0.660 - 3.991	13.64	13.05	12.51	99
22+25+50+50	1.35	1.53	3.06 *	3.06 *	-	9.00 3.70 - 10.20	2.824 0.660 - 4.004	12.96	12.40	11.88	99
22+25+50+60	1.29	1.46	2.93 *	3.52	-	9.20 3.70 - 10.20	2.927 0.660 - 3.987	13.43	12.85	12.31	99
22+25+50+71	1.23	1.40	2.80 *	3.97	-	9.40 3.70 - 10.20	3.071 0.660 - 3.991	14.10	13.49	12.93	99
22+25+60+60	1.24	1.41	3.38	3.38	-	9.40 3.70 - 10.20	3.040 0.660 - 3.970	13.96	13.35	12.79	99
22+35+35+35	1.54	2.45	2.45	2.45	-	8.90 3.70 - 10.10	2.526 0.660 - 4.016	11.59	11.09	10.63	99
22+35+35+42	1.46	2.32	2.32	2.79 *	-	8.90 3.70 - 10.20	2.670 0.660 - 4.010	12.26	11.73	11.24	99
22+35+35+50	1.39	2.22	2.22	3.17 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	12.86	12.30	11.79	99
22+35+35+60	1.32	2.10	2.10	3.59	-	9.10 3.70 - 10.20	2.873 0.660 - 3.993	13.19	12.62	12.09	99
22+35+35+71	1.26	2.00	2.00	4.05	-	9.30 3.70 - 10.20	3.017 0.660 - 3.997	13.85	13.25	12.70	99
22+35+42+42	1.40	2.23	2.68 *	2.68 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	11.76	99
22+35+42+50	1.34	2.14	2.57 *	3.05 *	-	9.10 3.70 - 10.20	2.844 0.660 - 4.004	13.06	12.49	11.97	99
22+35+42+60	1.27	2.03	2.43 *	3.47	-	9.20 3.70 - 10.20	2.957 0.660 - 3.987	13.58	12.99	12.45	99
22+35+42+71	1.22	1.94	2.32 *	3.93	-	9.40 3.70 - 10.20	3.071 0.660 - 3.991	14.10	13.49	12.93	99
22+35+50+50	1.29	2.05	2.93 *	2.93 *	-	9.20 3.70 - 10.20	2.944 0.660 - 4.004	13.52	12.93	12.39	99
22+35+50+60	1.24	1.97	2.81 *	3.38	-	9.40 3.70 - 10.20	3.057 0.660 - 3.987	14.04	13.43	12.87	99
22+42+42+42	1.35	2.58	2.58 *	2.58 *	-	9.10 3.70 - 10.20	2.828 0.660 - 3.998	12.98	12.42	11.90	99
22+42+42+50	1.30	2.48	2.48 *	2.95 *	-	9.20 3.70 - 10.20	2.928 0.660 - 3.998	13.44	12.86	12.32	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
22+42+42+60	1.25	2.38	2.38 *	3.40	-	9.40 3.70 - 10.20	3.031 0.660 - 3.981	13.92	13.31	12.76	99
22+42+50+50	1.25	2.38	2.84 *	2.84 *	-	9.30 3.70 - 10.20	3.028 0.660 - 3.998	13.90	13.30	12.75	99
22+50+50+50	1.20	2.73	2.73 *	2.73 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	14.13	13.52	12.96	99
25+25+25+25	2.15	2.15	2.15	2.15	-	8.60 3.70 - 9.90	1.936 0.660 - 4.016	8.89	8.50	8.15	99
25+25+25+35	1.98	1.98	1.98	2.77	-	8.70 3.70 - 10.00	2.156 0.660 - 4.016	9.90	9.47	9.08	99
25+25+25+42	1.88	1.88	1.88	3.16 *	-	8.80 3.70 - 10.00	2.300 0.660 - 4.010	10.56	10.10	9.68	99
25+25+25+50	1.78	1.78	1.78	3.56 *	-	8.90 3.70 - 10.10	2.470 0.660 - 4.010	11.34	10.85	10.40	99
25+25+25+60	1.67	1.67	1.67	4.00	-	9.00 3.70 - 10.20	2.673 0.660 - 3.993	12.27	11.74	11.25	99
25+25+25+71	1.54	1.54	1.54	4.38	-	9.00 3.70 - 10.20	2.797 0.660 - 3.997	12.84	12.28	11.77	99
25+25+35+35	1.83	1.83	2.57	2.57	-	8.80 3.70 - 10.10	2.376 0.660 - 4.016	10.90	10.43	10.00	99
25+25+35+42	1.75	1.75	2.45	2.94 *	-	8.90 3.70 - 10.10	2.520 0.660 - 4.010	11.57	11.07	10.61	99
25+25+35+50	1.67	1.67	2.33	3.33 *	-	9.00 3.70 - 10.20	2.690 0.660 - 4.010	12.35	11.81	11.32	99
25+25+35+60	1.55	1.55	2.17	3.72	-	9.00 3.70 - 10.20	2.783 0.660 - 3.993	12.78	12.22	11.71	99
25+25+35+71	1.47	1.47	2.06	4.19	-	9.20 3.70 - 10.20	2.927 0.660 - 3.997	13.43	12.85	12.31	99
25+25+42+42	1.66	1.66	2.79 *	2.79 *	-	8.90 3.70 - 10.20	2.664 0.660 - 4.004	12.23	11.70	11.21	99
25+25+42+50	1.58	1.58	2.66 *	3.17 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	11.76	99
25+25+42+60	1.50	1.50	2.51 *	3.59	-	9.10 3.70 - 10.20	2.867 0.660 - 3.987	13.16	12.59	12.07	99
25+25+42+71	1.43	1.43	2.40 *	4.05	-	9.30 3.70 - 10.20	3.011 0.660 - 3.991	13.82	13.22	12.67	99
25+25+50+50	1.52	1.52	3.03 *	3.03 *	-	9.10 3.70 - 10.20	2.854 0.660 - 4.004	13.10	12.53	12.01	99
25+25+50+60	1.45	1.45	2.91 *	3.49	-	9.30 3.70 - 10.20	2.967 0.660 - 3.987	13.62	13.03	12.49	99
25+25+50+71	1.37	1.37	2.75 *	3.90	-	9.40 3.70 - 10.20	3.071 0.660 - 3.991	14.10	13.49	12.93	99
25+25+60+60	1.38	1.38	3.32	3.32	-	9.40 3.70 - 10.20	3.050 0.660 - 3.970	14.00	13.39	12.83	99
25+35+35+35	1.71	2.40	2.40	2.40	-	8.90 3.70 - 10.10	2.586 0.660 - 4.016	11.88	11.36	10.89	99
25+35+35+42	1.64	2.30	2.30	2.76 *	-	9.00 3.70 - 10.20	2.730 0.660 - 4.010	12.54	11.99	11.49	99
25+35+35+50	1.55	2.17	2.17	3.10 *	-	9.00 3.70 - 10.20	2.800 0.660 - 4.010	12.86	12.30	11.79	99
25+35+35+60	1.48	2.08	2.08	3.56	-	9.20 3.70 - 10.20	2.913 0.660 - 3.993	13.37	12.79	12.26	99
25+35+35+71	1.42	1.98	1.98	4.02	-	9.40 3.70 - 10.20	3.047 0.660 - 3.997	13.99	13.38	12.82	99
25+35+42+42	1.56	2.19	2.63 *	2.63 *	-	9.00 3.70 - 10.20	2.794 0.660 - 4.004	12.83	12.27	11.76	99
25+35+42+50	1.50	2.10	2.51 *	2.99 *	-	9.10 3.70 - 10.20	2.884 0.660 - 4.004	13.25	12.67	12.14	99
25+35+42+60	1.44	2.01	2.41 *	3.44	-	9.30 3.70 - 10.20	2.987 0.660 - 3.987	13.72	13.12	12.57	99
25+35+50+50	1.45	2.03	2.91 *	2.91 *	-	9.30 3.70 - 10.20	2.984 0.660 - 4.004	13.70	13.10	12.55	99
25+35+50+60	1.38	1.94	2.76 *	3.32	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	14.08	13.47	12.91	99
25+42+42+42	1.51	2.53	2.53 *	2.53 *	-	9.10 3.70 - 10.20	2.868 0.660 - 3.998	13.17	12.60	12.08	99
25+42+42+50	1.45	2.43	2.43 *	2.89 *	-	9.20 3.70 - 10.20	2.968 0.660 - 3.998	13.62	13.03	12.49	99
25+42+42+60	1.39	2.34	2.34 *	3.34	-	9.40 3.70 - 10.20	3.061 0.660 - 3.981	14.05	13.44	12.88	99
25+42+50+50	1.41	2.36	2.81 *	2.81 *	-	9.40 3.70 - 10.20	3.068 0.660 - 3.998	14.08	13.47	12.91	99
35+35+35+35	2.25	2.25	2.25	2.25	-	9.00 3.70 - 10.20	2.806 0.660 - 4.016	12.88	12.32	11.81	99
35+35+35+42	2.14	2.14	2.14	2.57 *	-	9.00 3.70 - 10.20	2.830 0.660 - 4.010	13.00	12.43	11.91	99
35+35+35+50	2.08	2.08	2.08	2.97 *	-	9.20 3.70 - 10.20	2.930 0.660 - 4.010	13.46	12.87	12.33	99
35+35+35+60	1.97	1.97	1.97	3.38	-	9.30 3.70 - 10.20	3.033 0.660 - 3.993	13.93	13.32	12.77	99
35+35+42+42	2.09	2.09	2.51 *	2.51 *	-	9.20 3.70 - 10.20	2.904 0.660 - 4.004	13.33	12.75	12.22	99
35+35+42+50	2.01	2.01	2.41 *	2.87 *	-	9.30 3.70 - 10.20	3.004 0.660 - 4.004	13.79	13.19	12.64	99
35+35+42+60	1.91	1.91	2.30 *	3.28	-	9.40 3.70 - 10.20	3.067 0.660 - 3.987	14.08	13.47	12.91	99
35+35+50+50	1.94	1.94	2.76 *	2.76 *	-	9.40 3.70 - 10.20	3.084 0.660 - 4.004	14.16	13.54	12.98	99
35+42+42+42	2.02	2.43	2.43 *	2.43 *	-	9.30 3.70 - 10.20	2.988 0.660 - 3.998	13.72	13.12	12.57	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
35+42+42+50	1.95	2.34	2.34 *	2.78 *	-	9.40 3.70 - 10.20	3.078 0.660 - 3.998	14.13	13.52	12.96	99
42+42+42+42	2.35	2.35	2.35 *	2.35 *	-	9.40 3.70 - 10.20	3.072 0.660 - 3.992	14.10	13.49	12.93	99
15+15+15+15+15	1.40	1.40	1.40	1.40	1.40	7.00 3.90 - 8.90	1.975 0.640 - 4.035	9.06	8.67	8.31	99
15+15+15+15+18	1.42	1.42	1.42	1.42	1.71	7.40 3.90 - 9.32	2.046 0.640 - 4.056	9.40	8.99	8.62	99
15+15+15+15+20	1.41	1.41	1.41	1.41	1.88	7.50 3.90 - 9.60	2.113 0.640 - 4.083	9.70	9.28	8.89	99
15+15+15+15+22	1.43	1.43	1.43	1.43	2.09	7.80 3.90 - 9.88	2.156 0.640 - 4.096	9.90	9.47	9.08	99
15+15+15+15+25	1.43	1.43	1.43	1.43	2.38	8.10 3.90 - 10.30	2.236 0.640 - 4.126	10.27	9.82	9.41	99
15+15+15+15+35	1.43	1.43	1.43	1.43	3.33	9.03 3.90 - 11.00	2.496 0.640 - 4.176	11.46	10.96	10.50	99
15+15+15+15+42	1.42	1.42	1.42	1.42	3.97 *	9.63 3.90 - 11.00	2.650 0.640 - 4.170	12.17	11.64	11.16	99
15+15+15+15+50	1.34	1.34	1.34	1.34	4.45 *	9.80 3.90 - 11.00	2.700 0.640 - 4.170	12.40	11.86	11.37	99
15+15+15+15+60	1.23	1.23	1.23	1.23	4.90	9.80 3.90 - 11.00	2.683 0.640 - 4.153	12.32	11.78	11.29	99
15+15+15+15+71	1.12	1.12	1.12	1.12	5.31	9.80 3.90 - 11.00	2.687 0.640 - 4.157	12.34	11.80	11.31	99
15+15+15+18+18	1.44	1.44	1.44	1.73	1.73	7.80 3.90 - 9.74	2.117 0.640 - 4.077	9.72	9.30	8.91	99
15+15+15+18+20	1.43	1.43	1.43	1.71	1.90	7.90 3.90 - 10.02	2.184 0.640 - 4.104	10.03	9.59	9.19	99
15+15+15+18+22	1.45	1.45	1.45	1.74	2.12	8.20 3.90 - 10.30	2.227 0.640 - 4.117	10.22	9.78	9.37	99
15+15+15+18+25	1.45	1.45	1.45	1.74	2.41	8.50 3.90 - 10.72	2.317 0.640 - 4.147	10.64	10.18	9.76	99
15+15+15+18+35	1.44	1.44	1.44	1.72	3.35	9.39 3.90 - 11.00	2.557 0.640 - 4.167	11.74	11.23	10.76	99
15+15+15+18+42	1.41	1.41	1.41	1.70	3.96 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
15+15+15+18+50	1.31	1.31	1.31	1.58	4.38 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
15+15+15+18+60	1.21	1.21	1.21	1.45	4.83	9.90 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+15+15+18+71	1.11	1.11	1.11	1.33	5.25	9.90 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
15+15+15+20+20	1.41	1.41	1.41	1.88	1.88	8.00 3.90 - 10.30	2.241 0.640 - 4.131	10.29	9.84	9.43	99
15+15+15+20+22	1.43	1.43	1.43	1.91	2.10	8.30 3.90 - 10.58	2.294 0.640 - 4.144	10.53	10.07	9.65	99
15+15+15+20+25	1.43	1.43	1.43	1.91	2.39	8.60 3.90 - 11.00	2.374 0.640 - 4.174	10.90	10.43	10.00	99
15+15+15+20+35	1.42	1.42	1.42	1.89	3.31	9.46 3.90 - 11.00	2.614 0.640 - 4.174	12.00	11.48	11.00	99
15+15+15+20+42	1.37	1.37	1.37	1.83	3.85 *	9.80 3.90 - 11.00	2.698 0.640 - 4.168	12.39	11.85	11.36	99
15+15+15+20+50	1.28	1.28	1.28	1.70	4.26 *	9.80 3.90 - 11.00	2.698 0.640 - 4.168	12.39	11.85	11.36	99
15+15+15+20+60	1.18	1.18	1.18	1.57	4.70	9.80 3.90 - 11.00	2.681 0.640 - 4.151	12.31	11.77	11.28	99
15+15+15+20+71	1.08	1.08	1.08	1.44	5.12	9.80 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
15+15+15+22+22	1.45	1.45	1.45	2.13	2.13	8.60 3.90 - 10.86	2.337 0.640 - 4.157	10.73	10.26	9.83	99
15+15+15+22+25	1.45	1.45	1.45	2.12	2.41	8.87 3.90 - 11.00	2.417 0.640 - 4.167	11.09	10.61	10.17	99
15+15+15+22+35	1.43	1.43	1.43	2.10	3.34	9.73 3.90 - 11.00	2.647 0.640 - 4.167	12.15	11.62	11.14	99
15+15+15+22+42	1.36	1.36	1.36	2.00	3.81 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
15+15+15+22+50	1.27	1.27	1.27	1.86	4.23 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
15+15+15+22+60	1.17	1.17	1.17	1.71	4.68	9.90 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+15+15+22+71	1.08	1.08	1.08	1.58	5.09	9.90 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
15+15+15+25+25	1.44	1.44	1.44	2.40	2.40	9.13 3.90 - 11.00	2.487 0.640 - 4.167	11.42	10.92	10.47	99
15+15+15+25+35	1.41	1.41	1.41	2.36	3.30	9.90 3.90 - 11.00	2.697 0.640 - 4.167	12.38	11.84	11.35	99
15+15+15+25+42	1.33	1.33	1.33	2.21	3.71 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
15+15+15+25+50	1.24	1.24	1.24	2.06	4.13 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
15+15+15+25+60	1.14	1.14	1.14	1.90	4.57	9.90 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+15+15+25+71	1.05	1.05	1.05	1.76	4.99	9.90 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
15+15+15+35+35	1.29	1.29	1.29	3.01	3.01	9.90 3.90 - 11.00	2.697 0.640 - 4.167	12.38	11.84	11.35	99
15+15+15+35+42	1.22	1.22	1.22	2.84	3.41 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
15+15+15+35+50	1.14	1.14	1.14	2.67	3.81 *	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+15+35+60	1.06	1.06	1.06	2.48	4.24	9.90 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+15+15+35+71	0.98	0.98	0.98	2.29	4.65	9.90 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
15+15+15+42+42	1.15	1.15	1.15	3.22 *	3.22 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
15+15+15+42+50	1.08	1.08	1.08	3.04 *	3.61 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
15+15+15+42+60	1.01	1.01	1.01	2.83 *	4.04	9.90 3.90 - 11.00	2.668 0.640 - 4.138	12.25	11.72	11.23	99
15+15+15+42+71	0.94	0.94	0.94	2.63 *	4.45	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
15+15+15+50+50	1.02	1.02	1.02	3.41 *	3.41 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
15+15+15+50+60	0.96	0.96	0.96	3.19 *	3.83	9.90 3.90 - 11.00	2.668 0.640 - 4.138	12.25	11.72	11.23	99
15+15+15+50+71	0.89	0.89	0.89	2.98 *	4.23	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
15+15+15+60+60	0.90	0.90	0.90	3.60	3.60	9.90 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
15+15+18+18+18	1.46	1.46	1.76	1.76	1.76	8.20 3.90 - 10.16	2.198 0.640 - 4.098	10.09	9.65	9.25	99
15+15+18+18+20	1.45	1.45	1.74	1.74	1.93	8.30 3.90 - 10.44	2.255 0.640 - 4.125	10.35	9.90	9.49	99
15+15+18+18+22	1.47	1.47	1.76	1.76	2.15	8.60 3.90 - 10.72	2.308 0.640 - 4.138	10.60	10.14	9.72	99
15+15+18+18+25	1.47	1.47	1.76	1.76	2.44	8.89 3.90 - 11.00	2.378 0.640 - 4.158	10.91	10.44	10.01	99
15+15+18+18+35	1.45	1.45	1.74	1.74	3.38	9.74 3.90 - 11.00	2.618 0.640 - 4.158	12.02	11.50	11.02	99
15+15+18+18+42	1.39	1.39	1.67	1.67	3.89 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+18+18+50	1.29	1.29	1.55	1.55	4.31 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+18+18+60	1.19	1.19	1.43	1.43	4.76	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+18+18+71	1.09	1.09	1.31	1.31	5.18	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99
15+15+18+20+20	1.43	1.43	1.72	1.91	1.91	8.40 3.90 - 10.72	2.322 0.640 - 4.152	10.66	10.20	9.78	99
15+15+18+20+22	1.45	1.45	1.74	1.93	2.13	8.70 3.90 - 11.00	2.365 0.640 - 4.165	10.86	10.39	9.96	99
15+15+18+20+25	1.45	1.45	1.73	1.93	2.41	8.96 3.90 - 11.00	2.435 0.640 - 4.165	11.18	10.69	10.24	99
15+15+18+20+35	1.43	1.43	1.71	1.90	3.33	9.81 3.90 - 11.00	2.675 0.640 - 4.165	12.28	11.75	11.26	99
15+15+18+20+42	1.35	1.35	1.62	1.80	3.78 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	12.35	11.81	11.32	99
15+15+18+20+50	1.26	1.26	1.51	1.68	4.19 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	12.35	11.81	11.32	99
15+15+18+20+60	1.16	1.16	1.39	1.55	4.64	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
15+15+18+20+71	1.07	1.07	1.28	1.42	5.06	9.90 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+18+22+22	1.46	1.46	1.76	2.15	2.15	8.97 3.90 - 11.00	2.408 0.640 - 4.158	11.06	10.58	10.14	99
15+15+18+22+25	1.46	1.46	1.75	2.14	2.43	9.23 3.90 - 11.00	2.478 0.640 - 4.158	11.37	10.88	10.43	99
15+15+18+22+35	1.43	1.43	1.71	2.10	3.33	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99
15+15+18+22+42	1.34	1.34	1.61	1.96	3.75 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+18+22+50	1.25	1.25	1.50	1.83	4.17 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+18+22+60	1.15	1.15	1.38	1.69	4.62	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+18+22+71	1.06	1.06	1.28	1.56	5.04	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99
15+15+18+25+25	1.45	1.45	1.74	2.42	2.42	9.49 3.90 - 11.00	2.548 0.640 - 4.158	11.70	11.19	10.72	99
15+15+18+25+35	1.39	1.39	1.67	2.31	3.24	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99
15+15+18+25+42	1.30	1.30	1.57	2.17	3.65 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+18+25+50	1.22	1.22	1.46	2.03	4.07 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+18+25+60	1.13	1.13	1.35	1.88	4.51	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+18+25+71	1.04	1.04	1.25	1.74	4.93	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99
15+15+18+35+35	1.27	1.27	1.53	2.97	2.97	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99
15+15+18+35+42	1.20	1.20	1.44	2.80	3.36 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+18+35+50	1.13	1.13	1.35	2.63	3.76 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+18+35+60	1.05	1.05	1.26	2.45	4.20	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+18+35+71	0.97	0.97	1.17	2.27	4.61	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+18+42+42	1.14	1.14	1.36	3.18 *	3.18 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+18+42+50	1.07	1.07	1.29	3.00 *	3.57 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+18+42+60	1.00	1.00	1.20	2.80 *	4.00	10.00 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
15+15+18+42+71	0.93	0.93	1.12	2.61 *	4.41	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+15+18+50+50	1.01	1.01	1.22	3.38 *	3.38 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+18+50+60	0.95	0.95	1.14	3.16 *	3.80	10.00 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
15+15+18+50+71	0.89	0.89	1.07	2.96 *	4.20	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+15+18+60+60	0.89	0.89	1.07	3.57	3.57	10.00 3.90 - 11.00	2.642 0.640 - 4.112	12.13	11.60	11.12	99
15+15+20+20+20	1.42	1.42	1.89	1.89	1.89	8.50 3.90 - 11.00	2.379 0.640 - 4.179	10.93	10.45	10.01	99
15+15+20+20+22	1.43	1.43	1.91	1.91	2.10	8.77 3.90 - 11.00	2.422 0.640 - 4.172	11.12	10.64	10.20	99
15+15+20+20+25	1.43	1.43	1.90	1.90	2.38	9.03 3.90 - 11.00	2.492 0.640 - 4.172	11.44	10.94	10.48	99
15+15+20+20+35	1.40	1.40	1.87	1.87	3.27	9.80 3.90 - 11.00	2.702 0.640 - 4.172	12.41	11.87	11.38	99
15+15+20+20+42	1.31	1.31	1.75	1.75	3.68 *	9.80 3.90 - 11.00	2.696 0.640 - 4.166	12.38	11.84	11.35	99
15+15+20+20+50	1.23	1.23	1.63	1.63	4.08 *	9.80 3.90 - 11.00	2.696 0.640 - 4.166	12.38	11.84	11.35	99
15+15+20+20+60	1.13	1.13	1.51	1.51	4.52	9.80 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+15+20+20+71	1.04	1.04	1.39	1.39	4.93	9.80 3.90 - 11.00	2.683 0.640 - 4.153	12.32	11.78	11.29	99
15+15+20+22+22	1.44	1.44	1.92	2.12	2.12	9.04 3.90 - 11.00	2.455 0.640 - 4.165	11.27	10.78	10.33	99
15+15+20+22+25	1.44	1.44	1.92	2.11	2.40	9.30 3.90 - 11.00	2.535 0.640 - 4.165	11.64	11.13	10.67	99
15+15+20+22+35	1.39	1.39	1.85	2.04	3.24	9.90 3.90 - 11.00	2.695 0.640 - 4.165	12.38	11.84	11.35	99
15+15+20+22+42	1.30	1.30	1.74	1.91	3.65 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	12.35	11.81	11.32	99
15+15+20+22+50	1.22	1.22	1.62	1.79	4.06 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	12.35	11.81	11.32	99
15+15+20+22+60	1.13	1.13	1.50	1.65	4.50	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
15+15+20+22+71	1.04	1.04	1.38	1.52	4.92	9.90 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+20+25+25	1.43	1.43	1.91	2.39	2.39	9.56 3.90 - 11.00	2.605 0.640 - 4.165	11.96	11.44	10.96	99
15+15+20+25+35	1.35	1.35	1.80	2.25	3.15	9.90 3.90 - 11.00	2.695 0.640 - 4.165	12.38	11.84	11.35	99
15+15+20+25+42	1.27	1.27	1.69	2.12	3.55 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	12.35	11.81	11.32	99
15+15+20+25+50	1.19	1.19	1.58	1.98	3.96 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	12.35	11.81	11.32	99
15+15+20+25+60	1.10	1.10	1.47	1.83	4.40	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
15+15+20+25+71	1.02	1.02	1.36	1.70	4.81	9.90 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+20+35+35	1.24	1.24	1.65	2.89	2.89	9.90 3.90 - 11.00	2.695 0.640 - 4.165	12.38	11.84	11.35	99
15+15+20+35+42	1.17	1.17	1.56	2.73	3.27 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	12.35	11.81	11.32	99
15+15+20+35+50	1.10	1.10	1.47	2.57	3.67 *	9.90 3.90 - 11.00	2.689 0.640 - 4.159	12.35	11.81	11.32	99
15+15+20+35+60	1.02	1.02	1.37	2.39	4.10	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
15+15+20+35+71	0.95	0.95	1.27	2.22	4.51	9.90 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+20+42+42	1.11	1.11	1.48	3.10 *	3.10 *	9.90 3.90 - 11.00	2.683 0.640 - 4.153	12.32	11.78	11.29	99
15+15+20+42+50	1.05	1.05	1.39	2.93 *	3.49 *	9.90 3.90 - 11.00	2.683 0.640 - 4.153	12.32	11.78	11.29	99
15+15+20+42+60	0.98	0.98	1.30	2.74 *	3.91	9.90 3.90 - 11.00	2.666 0.640 - 4.136	12.24	11.71	11.22	99
15+15+20+42+71	0.91	0.91	1.21	2.55 *	4.31	9.90 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
15+15+20+50+50	0.99	0.99	1.32	3.30 *	3.30 *	9.90 3.90 - 11.00	2.683 0.640 - 4.153	12.32	11.78	11.29	99
15+15+20+50+60	0.93	0.93	1.24	3.09 *	3.71	9.90 3.90 - 11.00	2.666 0.640 - 4.136	12.24	11.71	11.22	99
15+15+20+50+71	0.87	0.87	1.16	2.89 *	4.11	9.90 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
15+15+20+60+60	0.87	0.87	1.16	3.49	3.49	9.90 3.90 - 11.00	2.649 0.640 - 4.119	12.16	11.63	11.15	99
15+15+22+22+22	1.45	1.45	2.13	2.13	2.13	9.31 3.90 - 11.00	2.498 0.640 - 4.158	11.47	10.97	10.51	99
15+15+22+22+25	1.45	1.45	2.13	2.13	2.42	9.57 3.90 - 11.00	2.568 0.640 - 4.158	11.79	11.28	10.81	99
15+15+22+22+35	1.38	1.38	2.02	2.02	3.21	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+22+22+42	1.29	1.29	1.90	1.90	3.62 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+22+22+50	1.21	1.21	1.77	1.77	4.03 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+22+22+60	1.12	1.12	1.64	1.64	4.48	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+22+22+71	1.03	1.03	1.52	1.52	4.90	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99
15+15+22+25+25	1.45	1.45	2.12	2.41	2.41	9.83 3.90 - 11.00	2.638 0.640 - 4.158	12.12	11.59	11.11	99
15+15+22+25+35	1.34	1.34	1.96	2.23	3.13	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99
15+15+22+25+42	1.26	1.26	1.85	2.10	3.53 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+22+25+50	1.18	1.18	1.73	1.97	3.94 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+22+25+60	1.09	1.09	1.61	1.82	4.38	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+22+25+71	1.01	1.01	1.49	1.69	4.80	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99
15+15+22+35+35	1.23	1.23	1.80	2.87	2.87	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99
15+15+22+35+42	1.16	1.16	1.71	2.71	3.26 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+22+35+50	1.09	1.09	1.61	2.55	3.65 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+22+35+60	1.02	1.02	1.50	2.38	4.08	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+22+35+71	0.95	0.95	1.39	2.22	4.49	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99
15+15+22+42+42	1.10	1.10	1.62	3.09 *	3.09 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+22+42+50	1.04	1.04	1.53	2.92 *	3.47 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+22+42+60	0.97	0.97	1.43	2.73 *	3.90	10.00 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
15+15+22+42+71	0.91	0.91	1.33	2.55 *	4.30	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+15+22+50+50	0.99	0.99	1.45	3.29 *	3.29 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+22+50+60	0.93	0.93	1.36	3.09 *	3.70	10.00 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
15+15+22+60+60	0.87	0.87	1.28	3.49	3.49	10.00 3.90 - 11.00	2.642 0.640 - 4.112	12.13	11.60	11.12	99
15+15+25+25+25	1.43	1.43	2.38	2.38	2.38	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99
15+15+25+25+35	1.30	1.30	2.17	2.17	3.04	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99
15+15+25+25+42	1.23	1.23	2.05	2.05	3.44 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+25+25+50	1.15	1.15	1.92	1.92	3.85 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+25+25+60	1.07	1.07	1.79	1.79	4.29	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+25+25+71	0.99	0.99	1.66	1.66	4.70	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99
15+15+25+35+35	1.20	1.20	2.00	2.80	2.80	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99
15+15+25+35+42	1.14	1.14	1.89	2.65	3.18 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+25+35+50	1.07	1.07	1.79	2.50	3.57 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+25+35+60	1.00	1.00	1.67	2.33	4.00	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+25+35+71	0.93	0.93	1.55	2.17	4.41	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99
15+15+25+42+42	1.08	1.08	1.80	3.02 *	3.02 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+25+42+50	1.02	1.02	1.70	2.86 *	3.40 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+25+42+60	0.96	0.96	1.59	2.68 *	3.82	10.00 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
15+15+25+42+71	0.89	0.89	1.49	2.50 *	4.23	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+15+25+50+50	0.97	0.97	1.61	3.23 *	3.23 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+25+50+60	0.91	0.91	1.52	3.03 *	3.64	10.00 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
15+15+35+35+35	1.11	1.11	2.59	2.59	2.59	10.00 3.90 - 11.00	2.688 0.640 - 4.158	12.35	11.81	11.32	99
15+15+35+35+42	1.06	1.06	2.46	2.46	2.96 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+35+35+50	1.00	1.00	2.33	2.33	3.33 *	10.00 3.90 - 11.00	2.682 0.640 - 4.152	12.32	11.78	11.29	99
15+15+35+35+60	0.94	0.94	2.19	2.19	3.75	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
15+15+35+35+71	0.88	0.88	2.05	2.05	4.15	10.00 3.90 - 11.00	2.669 0.640 - 4.139	12.25	11.72	11.23	99
15+15+35+42+42	1.01	1.01	2.35	2.82 *	2.82 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+15+35+42+50	0.96	0.96	2.23	2.68 *	3.18 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+35+42+60	0.90	0.90	2.10	2.51 *	3.59	10.00 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
15+15+35+50+50	0.91	0.91	2.12	3.03 *	3.03 *	10.00 3.90 - 11.00	2.676 0.640 - 4.146	12.28	11.75	11.26	99
15+15+42+42+42	0.96	0.96	2.69 *	2.69 *	2.69 *	10.00 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
15+15+42+42+50	0.91	0.91	2.56 *	2.56 *	3.05 *	10.00 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
15+15+42+50+50	0.87	0.87	2.44 *	2.91 *	2.91 *	10.00 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
15+18+18+18+18	1.48	1.78	1.78	1.78	1.78	8.60 3.90 - 10.58	2.269 0.640 - 4.119	10.41	9.96	9.55	99
15+18+18+18+20	1.47	1.76	1.76	1.76	1.96	8.70 3.90 - 10.86	2.326 0.640 - 4.146	10.68	10.22	9.79	99
15+18+18+18+22	1.48	1.78	1.78	1.78	2.17	8.99 3.90 - 11.00	2.369 0.640 - 4.149	10.87	10.40	9.97	99
15+18+18+18+25	1.47	1.77	1.77	1.77	2.46	9.24 3.90 - 11.00	2.439 0.640 - 4.149	11.20	10.71	10.26	99
15+18+18+18+42	1.36	1.64	1.64	1.64	3.82 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+18+18+50	1.27	1.53	1.53	1.53	4.24 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+18+18+60	1.17	1.41	1.41	1.41	4.70	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+18+18+71	1.08	1.30	1.30	1.30	5.12	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+18+18+20+20	1.45	1.74	1.74	1.93	1.93	8.79 3.90 - 11.00	2.383 0.640 - 4.163	10.95	10.47	10.03	99
15+18+18+20+22	1.46	1.75	1.75	1.95	2.14	9.06 3.90 - 11.00	2.426 0.640 - 4.156	11.13	10.65	10.21	99
15+18+18+20+25	1.45	1.75	1.75	1.94	2.42	9.31 3.90 - 11.00	2.496 0.640 - 4.156	11.46	10.96	10.50	99
15+18+18+20+35	1.42	1.70	1.70	1.89	3.30	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+18+18+20+42	1.33	1.59	1.59	1.77	3.72 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+18+18+20+50	1.24	1.49	1.49	1.65	4.13 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+18+18+20+60	1.15	1.37	1.37	1.53	4.58	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+18+18+20+71	1.06	1.27	1.27	1.41	5.00	10.00 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+18+22+22	1.47	1.77	1.77	2.16	2.16	9.33 3.90 - 11.00	2.469 0.640 - 4.149	11.33	10.84	10.39	99
15+18+18+22+25	1.47	1.76	1.76	2.15	2.45	9.59 3.90 - 11.00	2.539 0.640 - 4.149	11.66	11.15	10.69	99
15+18+18+22+35	1.40	1.68	1.68	2.06	3.27	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+18+22+42	1.32	1.58	1.58	1.93	3.69 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+18+22+50	1.23	1.48	1.48	1.81	4.11 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+18+22+60	1.14	1.37	1.37	1.67	4.56	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+18+22+71	1.05	1.26	1.26	1.54	4.98	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+18+18+25+25	1.46	1.75	1.75	2.44	2.44	9.84 3.90 - 11.00	2.609 0.640 - 4.149	11.98	11.46	10.98	99
15+18+18+25+35	1.36	1.64	1.64	2.27	3.18	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+18+25+42	1.28	1.54	1.54	2.14	3.59 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+18+25+50	1.20	1.44	1.44	2.00	4.01 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+18+25+60	1.11	1.34	1.34	1.86	4.46	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+18+25+71	1.03	1.24	1.24	1.72	4.88	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+18+18+35+35	1.25	1.50	1.50	2.92	2.92	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+18+35+42	1.18	1.42	1.42	2.76	3.31 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+18+35+50	1.11	1.34	1.34	2.60	3.71 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+18+35+60	1.04	1.25	1.25	2.42	4.15	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+18+35+71	0.96	1.16	1.16	2.25	4.57	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+18+18+42+42	1.12	1.35	1.35	3.14 *	3.14 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+18+42+50	1.06	1.27	1.27	2.97 *	3.53 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+18+42+60	0.99	1.19	1.19	2.77 *	3.96	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+18+18+42+71	0.92	1.11	1.11	2.59 *	4.37	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
15+18+18+50+50	1.00	1.20	1.20	3.34 *	3.34 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+18+50+60	0.94	1.13	1.13	3.14 *	3.76	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+18+18+50+71	0.88	1.06	1.06	2.94 *	4.17	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
15+18+18+60+60	0.89	1.06	1.06	3.54	3.54	10.10 3.90 - 11.00	2.633 0.640 - 4.103	12.09	11.56	11.08	99
15+18+20+20+20	1.43	1.71	1.91	1.91	1.91	8.86 3.90 - 11.00	2.440 0.640 - 4.170	11.21	10.72	10.27	99
15+18+20+20+22	1.44	1.73	1.92	1.92	2.11	9.13 3.90 - 11.00	2.483 0.640 - 4.163	11.40	10.90	10.45	99
15+18+20+20+25	1.44	1.72	1.92	1.92	2.40	9.39 3.90 - 11.00	2.553 0.640 - 4.163	11.72	11.21	10.74	99
15+18+20+20+35	1.38	1.65	1.83	1.83	3.21	9.90 3.90 - 11.00	2.693 0.640 - 4.163	12.37	11.83	11.34	99
15+18+20+20+42	1.29	1.55	1.72	1.72	3.62 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	12.34	11.80	11.31	99
15+18+20+20+50	1.21	1.45	1.61	1.61	4.02 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	12.34	11.80	11.31	99
15+18+20+20+60	1.12	1.34	1.49	1.49	4.47	9.90 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
15+18+20+20+71	1.03	1.24	1.38	1.38	4.88	9.90 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+18+20+22+22	1.45	1.74	1.94	2.13	2.13	9.40 3.90 - 11.00	2.526 0.640 - 4.156	11.59	11.09	10.63	99
15+18+20+22+25	1.45	1.74	1.93	2.13	2.42	9.66 3.90 - 11.00	2.596 0.640 - 4.156	11.92	11.40	10.93	99
15+18+20+22+35	1.36	1.64	1.82	2.00	3.18	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+18+20+22+42	1.28	1.54	1.71	1.88	3.59 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+18+20+22+50	1.20	1.44	1.60	1.76	4.00 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+18+20+22+60	1.11	1.33	1.48	1.63	4.44	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+18+20+22+71	1.03	1.23	1.37	1.51	4.86	10.00 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+20+25+25	1.44	1.73	1.92	2.41	2.41	9.91 3.90 - 11.00	2.666 0.640 - 4.156	12.24	11.71	11.22	99
15+18+20+25+35	1.33	1.59	1.77	2.21	3.10	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+18+20+25+42	1.25	1.50	1.67	2.08	3.50 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+18+20+25+50	1.17	1.41	1.56	1.95	3.91 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+18+20+25+60	1.09	1.30	1.45	1.81	4.35	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+18+20+25+71	1.01	1.21	1.34	1.68	4.77	10.00 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+20+35+35	1.22	1.46	1.63	2.85	2.85	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+18+20+35+42	1.15	1.38	1.54	2.69	3.23 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+18+20+35+50	1.09	1.30	1.45	2.54	3.62 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+18+20+35+60	1.01	1.22	1.35	2.36	4.05	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+18+20+35+71	0.94	1.13	1.26	2.20	4.47	10.00 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+20+42+42	1.09	1.31	1.46	3.07 *	3.07 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+18+20+42+50	1.03	1.24	1.38	2.90 *	3.45 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+18+20+42+60	0.97	1.16	1.29	2.71 *	3.87	10.00 3.90 - 11.00	2.657 0.640 - 4.127	12.20	11.67	11.18	99
15+18+20+42+71	0.90	1.08	1.20	2.53 *	4.28	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
15+18+20+50+50	0.98	1.18	1.31	3.27 *	3.27 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+18+20+50+60	0.92	1.10	1.23	3.07 *	3.68	10.00 3.90 - 11.00	2.657 0.640 - 4.127	12.20	11.67	11.18	99
15+18+22+22+22	1.47	1.76	2.15	2.15	2.15	9.67 3.90 - 11.00	2.559 0.640 - 4.149	11.75	11.24	10.77	99
15+18+22+22+25	1.46	1.75	2.14	2.14	2.43	9.93 3.90 - 11.00	2.629 0.640 - 4.149	12.08	11.55	11.07	99
15+18+22+22+35	1.35	1.62	1.98	1.98	3.16	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+22+22+42	1.27	1.53	1.87	1.87	3.56 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+22+22+50	1.19	1.43	1.75	1.75	3.98 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+22+22+60	1.11	1.33	1.62	1.62	4.42	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+22+22+71	1.02	1.23	1.50	1.50	4.85	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+18+22+25+25	1.44	1.73	2.12	2.40	2.40	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+22+25+35	1.32	1.58	1.93	2.20	3.07	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+22+25+42	1.24	1.49	1.82	2.07	3.48 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+18+22+25+50	1.17	1.40	1.71	1.94	3.88 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+22+25+60	1.08	1.30	1.59	1.80	4.33	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+22+25+71	1.00	1.20	1.47	1.67	4.75	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+18+22+35+35	1.21	1.45	1.78	2.83	2.83	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+22+35+42	1.15	1.38	1.68	2.68	3.21 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+22+35+50	1.08	1.30	1.59	2.53	3.61 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+22+35+60	1.01	1.21	1.48	2.36	4.04	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+22+35+71	0.94	1.13	1.38	2.20	4.45	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+18+22+42+42	1.09	1.31	1.60	3.05 *	3.05 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+22+42+50	1.03	1.24	1.51	2.89 *	3.44 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+22+42+60	0.96	1.16	1.42	2.70 *	3.86	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+18+22+42+71	0.90	1.08	1.32	2.53 *	4.27	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
15+18+22+50+50	0.98	1.17	1.43	3.26 *	3.26 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+22+50+60	0.92	1.10	1.35	3.06 *	3.67	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+18+25+25+25	1.40	1.68	2.34	2.34	2.34	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+25+25+35	1.28	1.54	2.14	2.14	3.00	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+25+25+42	1.21	1.45	2.02	2.02	3.39 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+25+25+50	1.14	1.37	1.90	1.90	3.80 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+25+25+60	1.06	1.27	1.77	1.77	4.24	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+25+25+71	0.98	1.18	1.64	1.64	4.66	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+18+25+35+35	1.18	1.42	1.97	2.76	2.76	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+25+35+42	1.12	1.35	1.87	2.62	3.14 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+25+35+50	1.06	1.27	1.77	2.47	3.53 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+25+35+60	0.99	1.19	1.65	2.31	3.96	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+25+35+71	0.92	1.11	1.54	2.16	4.37	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+18+25+42+42	1.07	1.28	1.78	2.99 *	2.99 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+25+42+50	1.01	1.21	1.68	2.83 *	3.37 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+25+42+60	0.95	1.14	1.58	2.65 *	3.79	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+18+25+42+71	0.89	1.06	1.48	2.48 *	4.19	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
15+18+25+50+50	0.96	1.15	1.60	3.20 *	3.20 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+25+50+60	0.90	1.08	1.50	3.01 *	3.61	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+18+35+35+35	1.10	1.32	2.56	2.56	2.56	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+18+35+35+42	1.04	1.25	2.44	2.44	2.93 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+35+35+50	0.99	1.19	2.31	2.31	3.30 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+18+35+35+60	0.93	1.12	2.17	2.17	3.72	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+18+35+42+42	1.00	1.20	2.33	2.79 *	2.79 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+35+42+50	0.95	1.14	2.21	2.65 *	3.16 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+35+42+60	0.89	1.07	2.08	2.50 *	3.56	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+18+35+50+50	0.90	1.08	2.10	3.01 *	3.01 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+18+42+42+42	0.95	1.14	2.67 *	2.67 *	2.67 *	10.10 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
15+18+42+42+50	0.91	1.09	2.54 *	2.54 *	3.02 *	10.10 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
15+20+20+20+20	1.41	1.88	1.88	1.88	1.88	8.93 3.90 - 11.00	2.497 0.640 - 4.177	11.47	10.97	10.51	99
15+20+20+20+22	1.42	1.90	1.90	1.90	2.09	9.20 3.90 - 11.00	2.540 0.640 - 4.170	11.67	11.16	10.70	99
15+20+20+20+25	1.42	1.89	1.89	1.89	2.37	9.46 3.90 - 11.00	2.610 0.640 - 4.170	11.98	11.46	10.98	99
15+20+20+20+35	1.34	1.78	1.78	1.78	3.12	9.80 3.90 - 11.00	2.700 0.640 - 4.170	12.40	11.86	11.37	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+20+20+42	1.26	1.68	1.68	1.68	3.52 *	9.80 3.90 - 11.00	2.694 0.640 - 4.164	12.37	11.83	11.34	99
15+20+20+20+50	1.18	1.57	1.57	1.57	3.92 *	9.80 3.90 - 11.00	2.694 0.640 - 4.164	12.37	11.83	11.34	99
15+20+20+20+60	1.09	1.45	1.45	1.45	4.36	9.80 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
15+20+20+20+71	1.01	1.34	1.34	1.34	4.77	9.80 3.90 - 11.00	2.681 0.640 - 4.151	12.31	11.77	11.28	99
15+20+20+22+22	1.43	1.91	1.91	2.10	2.10	9.47 3.90 - 11.00	2.573 0.640 - 4.163	11.81	11.30	10.83	99
15+20+20+22+25	1.43	1.91	1.91	2.10	2.38	9.73 3.90 - 11.00	2.643 0.640 - 4.163	12.14	11.61	11.13	99
15+20+20+22+35	1.33	1.77	1.77	1.94	3.09	9.90 3.90 - 11.00	2.693 0.640 - 4.163	12.37	11.83	11.34	99
15+20+20+22+42	1.25	1.66	1.66	1.83	3.49 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	12.34	11.80	11.31	99
15+20+20+22+50	1.17	1.56	1.56	1.71	3.90 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	12.34	11.80	11.31	99
15+20+20+22+60	1.08	1.45	1.45	1.59	4.34	9.90 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
15+20+20+22+71	1.00	1.34	1.34	1.47	4.75	9.90 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+20+25+25	1.41	1.89	1.89	2.36	2.36	9.90 3.90 - 11.00	2.693 0.640 - 4.163	12.37	11.83	11.34	99
15+20+20+25+35	1.29	1.72	1.72	2.15	3.01	9.90 3.90 - 11.00	2.693 0.640 - 4.163	12.37	11.83	11.34	99
15+20+20+25+42	1.22	1.62	1.62	2.03	3.41 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	12.34	11.80	11.31	99
15+20+20+25+50	1.14	1.52	1.52	1.90	3.81 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	12.34	11.80	11.31	99
15+20+20+25+60	1.06	1.41	1.41	1.77	4.24	9.90 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
15+20+20+25+71	0.98	1.31	1.31	1.64	4.65	9.90 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+20+35+35	1.19	1.58	1.58	2.77	2.77	9.90 3.90 - 11.00	2.693 0.640 - 4.163	12.37	11.83	11.34	99
15+20+20+35+42	1.13	1.50	1.50	2.63	3.15 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	12.34	11.80	11.31	99
15+20+20+35+50	1.06	1.41	1.41	2.48	3.54 *	9.90 3.90 - 11.00	2.687 0.640 - 4.157	12.34	11.80	11.31	99
15+20+20+35+60	0.99	1.32	1.32	2.31	3.96	9.90 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
15+20+20+35+71	0.92	1.23	1.23	2.15	4.37	9.90 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+20+42+42	1.07	1.42	1.42	2.99 *	2.99 *	9.90 3.90 - 11.00	2.681 0.640 - 4.151	12.31	11.77	11.28	99
15+20+20+42+50	1.01	1.35	1.35	2.83 *	3.37 *	9.90 3.90 - 11.00	2.681 0.640 - 4.151	12.31	11.77	11.28	99
15+20+20+42+60	0.95	1.26	1.26	2.65 *	3.78	9.90 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
15+20+20+42+71	0.88	1.18	1.18	2.48 *	4.18	9.90 3.90 - 11.00	2.668 0.640 - 4.138	12.25	11.72	11.23	99
15+20+20+50+50	0.96	1.28	1.28	3.19 *	3.19 *	9.90 3.90 - 11.00	2.681 0.640 - 4.151	12.31	11.77	11.28	99
15+20+20+50+60	0.90	1.20	1.20	3.00 *	3.60	9.90 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
15+20+22+22+22	1.45	1.93	2.12	2.12	2.12	9.74 3.90 - 11.00	2.616 0.640 - 4.156	12.01	11.49	11.01	99
15+20+22+22+35	1.32	1.75	1.93	1.93	3.07	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+20+22+22+42	1.24	1.65	1.82	1.82	3.47 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+22+22+50	1.16	1.55	1.71	1.71	3.88 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+22+22+60	1.08	1.44	1.58	1.58	4.32	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+20+22+22+71	1.00	1.33	1.47	1.47	4.73	10.00 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+20+22+25+25	1.40	1.87	2.06	2.34	2.34	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+20+22+25+35	1.28	1.71	1.88	2.14	2.99	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+20+22+25+42	1.21	1.61	1.77	2.02	3.39 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+22+25+50	1.14	1.52	1.67	1.89	3.79 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+22+25+60	1.06	1.41	1.55	1.76	4.23	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+20+22+25+71	0.98	1.31	1.44	1.63	4.64	10.00 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+20+22+35+35	1.18	1.57	1.73	2.76	2.76	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+20+22+35+42	1.12	1.49	1.64	2.61	3.13 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+22+35+50	1.06	1.41	1.55	2.46	3.52 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+22+35+60	0.99	1.32	1.45	2.30	3.95	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+20+22+35+71	0.92	1.23	1.35	2.15	4.36	10.00 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+20+22+42+42	1.06	1.42	1.56	2.98 *	2.98 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+22+42+50	1.01	1.34	1.48	2.82 *	3.36 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+22+42+60	0.94	1.26	1.38	2.64 *	3.77 *	10.00 3.90 - 11.00	2.657 0.640 - 4.127	12.20	11.67	11.18	99
15+20+22+42+71	0.88	1.18	1.29	2.47 *	4.18 *	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
15+20+22+50+50	0.96	1.27	1.40	3.18 *	3.18 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+22+50+60	0.90	1.20	1.32	2.99 *	3.59 *	10.00 3.90 - 11.00	2.657 0.640 - 4.127	12.20	11.67	11.18	99
15+20+25+25+25	1.36	1.82	2.27	2.27	2.27	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+20+25+25+35	1.25	1.67	2.08	2.08	2.92	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+20+25+25+42	1.18	1.57	1.97	1.97	3.31 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+25+25+50	1.11	1.48	1.85	1.85	3.70 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+25+25+60	1.03	1.38	1.72	1.72	4.14 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+20+25+25+71	0.96	1.28	1.60	1.60	4.55 *	10.00 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+20+25+35+35	1.15	1.54	1.92	2.69	2.69	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+20+25+35+42	1.09	1.46	1.82	2.55	3.07 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+25+35+50	1.03	1.38	1.72	2.41	3.45 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+25+35+60	0.97	1.29	1.61	2.26	3.87 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+20+25+35+71	0.90	1.20	1.51	2.11	4.28 *	10.00 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+20+25+42+42	1.04	1.39	1.74	2.92 *	2.92 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+25+42+50	0.99	1.32	1.64	2.76 *	3.29 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+25+42+60	0.93	1.23	1.54	2.59 *	3.70 *	10.00 3.90 - 11.00	2.657 0.640 - 4.127	12.20	11.67	11.18	99
15+20+25+50+50	0.94	1.25	1.56	3.13 *	3.13 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+25+50+60	0.88	1.18	1.47	2.94 *	3.53 *	10.00 3.90 - 11.00	2.657 0.640 - 4.127	12.20	11.67	11.18	99
15+20+35+35+35	1.07	1.43	2.50	2.50	2.50	10.00 3.90 - 11.00	2.686 0.640 - 4.156	12.34	11.80	11.31	99
15+20+35+35+42	1.02	1.36	2.38	2.38	2.86 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+35+35+50	0.97	1.29	2.26	2.26	3.23 *	10.00 3.90 - 11.00	2.680 0.640 - 4.150	12.31	11.77	11.28	99
15+20+35+35+60	0.91	1.21	2.12	2.12	3.64 *	10.00 3.90 - 11.00	2.663 0.640 - 4.133	12.23	11.70	11.21	99
15+20+35+42+42	0.97	1.30	2.27	2.73 *	2.73 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+35+42+50	0.93	1.23	2.16	2.59 *	3.09 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+35+42+60	0.87	1.16	2.03	2.44 *	3.49 *	10.00 3.90 - 11.00	2.657 0.640 - 4.127	12.20	11.67	11.18	99
15+20+35+50+50	0.88	1.18	2.06	2.94 *	2.94 *	10.00 3.90 - 11.00	2.674 0.640 - 4.144	12.27	11.74	11.25	99
15+20+42+42+42	0.93	1.24	2.61 *	2.61 *	2.61 *	10.00 3.90 - 11.00	2.668 0.640 - 4.138	12.25	11.72	11.23	99
15+20+42+42+50	0.89	1.18	2.49 *	2.49 *	2.96 *	10.00 3.90 - 11.00	2.668 0.640 - 4.138	12.25	11.72	11.23	99
15+22+22+22+22	1.46	2.14	2.14	2.14	2.14	10.01 3.90 - 11.00	2.659 0.640 - 4.149	12.21	11.68	11.19	99
15+22+22+22+25	1.43	2.10	2.10	2.10	2.38	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+22+22+22+35	1.31	1.92	1.92	1.92	3.05	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+22+22+22+42	1.23	1.81	1.81	1.81	3.45 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+22+22+50	1.16	1.70	1.70	1.70	3.85 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+22+22+60	1.07	1.58	1.58	1.58	4.30 *	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+22+22+22+71	1.00	1.46	1.46	1.46	4.72 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+22+22+25+25	1.39	2.04	2.04	2.32	2.32	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+22+22+25+35	1.27	1.87	1.87	2.12	2.97	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+22+22+25+42	1.20	1.76	1.76	2.00	3.37 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+22+25+50	1.13	1.66	1.66	1.88	3.77 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+22+25+60	1.05	1.54	1.54	1.75	4.21 *	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+22+22+25+71	0.98	1.43	1.43	1.63	4.63 *	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15+22+22+35+35	1.17	1.72	1.72	2.74	2.74	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+22+22+35+42	1.11	1.63	1.63	2.60	3.12 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+22+35+50	1.05	1.54	1.54	2.45	3.51 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+22+35+60	0.98	1.44	1.44	2.30	3.94	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+22+22+35+71	0.92	1.35	1.35	2.14	4.35	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+22+22+42+42	1.06	1.55	1.55	2.97 *	2.97 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+22+22+42+50	1.00	1.47	1.47	2.81 *	3.34 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+22+22+42+60	0.94	1.38	1.38	2.63 *	3.76	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+22+22+42+71	0.88	1.29	1.29	2.47 *	4.17	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
15+22+22+50+50	0.95	1.40	1.40	3.18 *	3.18 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+22+22+50+60	0.90	1.31	1.31	2.99 *	3.59	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+22+25+25+25	1.35	1.98	2.25	2.25	2.25	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+22+25+25+35	1.24	1.82	2.07	2.07	2.90	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+22+25+25+42	1.17	1.72	1.96	1.96	3.29 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+25+25+50	1.11	1.62	1.84	1.84	3.69 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+25+25+60	1.03	1.51	1.72	1.72	4.12	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+22+25+25+71	0.96	1.41	1.60	1.60	4.54	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+22+25+35+35	1.15	1.68	1.91	2.68	2.68	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+22+25+35+42	1.09	1.60	1.82	2.54	3.05 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+25+35+50	1.03	1.51	1.72	2.40	3.44 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+25+35+60	0.96	1.42	1.61	2.25	3.86	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+22+25+35+71	0.90	1.32	1.50	2.10	4.27	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+22+25+42+42	1.04	1.52	1.73	2.91 *	2.91 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+22+25+42+50	0.98	1.44	1.64	2.75 *	3.28 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+22+25+42+60	0.92	1.35	1.54	2.59 *	3.70	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+22+25+50+50	0.94	1.37	1.56	3.12 *	3.12 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+22+25+50+60	0.88	1.29	1.47	2.94 *	3.52	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+22+35+35+35	1.07	1.56	2.49	2.49	2.49	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+22+35+35+42	1.02	1.49	2.37	2.37	2.85 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+35+35+50	0.96	1.42	2.25	2.25	3.22 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+22+35+35+60	0.91	1.33	2.12	2.12	3.63	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+22+35+42+42	0.97	1.42	2.27	2.72 *	2.72 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+22+35+42+50	0.92	1.35	2.16	2.59 *	3.08 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+22+35+50+50	0.88	1.29	2.06	2.94 *	2.94 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+22+42+42+42	0.93	1.36	2.60 *	2.60 *	2.60 *	10.10 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
15+22+42+42+50	0.89	1.30	2.48 *	2.48 *	2.95 *	10.10 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
15+25+25+25+25	1.32	2.20	2.20	2.20	2.20	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+25+25+25+35	1.21	2.02	2.02	2.02	2.83	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+25+25+25+42	1.15	1.91	1.91	1.91	3.21 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+25+25+25+50	1.08	1.80	1.80	1.80	3.61 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+25+25+25+60	1.01	1.68	1.68	1.68	4.04	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+25+25+25+71	0.94	1.57	1.57	1.57	4.45	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+25+25+35+35	1.12	1.87	1.87	2.62	2.62	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+25+25+35+42	1.07	1.78	1.78	2.49	2.99 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+25+25+35+50	1.01	1.68	1.68	2.36	3.37 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
15+25+25+35+60	0.95	1.58	1.58	2.21	3.79	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+25+25+35+71	0.89	1.48	1.48	2.07	4.19	10.10 3.90 - 11.00	2.660 0.640 - 4.130	12.21	11.68	11.19	99
15+25+25+42+42	1.02	1.69	1.69	2.85 *	2.85 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+25+25+42+50	0.96	1.61	1.61	2.70 *	3.22 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+25+25+42+60	0.91	1.51	1.51	2.54 *	3.63	10.10 3.90 - 11.00	2.650 0.640 - 4.120	12.17	11.64	11.16	99
15+25+25+50+50	0.92	1.53	1.53	3.06 *	3.06 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+25+35+35+35	1.04	1.74	2.44	2.44	2.44	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+25+35+35+42	1.00	1.66	2.33	2.33	2.79 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+25+35+35+50	0.95	1.58	2.21	2.21	3.16 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+25+35+35+60	0.89	1.49	2.08	2.08	3.56	10.10 3.90 - 11.00	2.656 0.640 - 4.126	12.19	11.66	11.17	99
15+25+35+42+42	0.95	1.59	2.22	2.67 *	2.67 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+25+35+42+50	0.91	1.51	2.12	2.54 *	3.02 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
15+25+42+42+42	0.91	1.52	2.56 *	2.56 *	2.56 *	10.10 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
15+35+35+35+35	0.98	2.28	2.28	2.28	2.28	10.10 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
15+35+35+35+42	0.94	2.18	2.18	2.18	2.62 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+35+35+35+50	0.89	2.08	2.08	2.08	2.97 *	10.10 3.90 - 11.00	2.673 0.640 - 4.143	12.27	11.74	11.25	99
15+35+35+42+42	0.90	2.09	2.09	2.51 *	2.51 *	10.10 3.90 - 11.00	2.667 0.640 - 4.137	12.24	11.71	11.22	99
18+18+18+18+18	1.80	1.80	1.80	1.80	1.80	9.00 3.90 - 11.00	2.340 0.640 - 4.140	10.75	10.28	9.85	99
18+18+18+18+20	1.77	1.77	1.77	1.77	1.97	9.07 3.90 - 11.00	2.397 0.640 - 4.147	11.01	10.53	10.09	99
18+18+18+18+22	1.79	1.79	1.79	1.79	2.19	9.34 3.90 - 11.00	2.430 0.640 - 4.140	11.16	10.67	10.23	99
18+18+18+18+25	1.78	1.78	1.78	1.78	2.47	9.60 3.90 - 11.00	2.510 0.640 - 4.140	11.52	11.02	10.56	99
18+18+18+18+35	1.72	1.72	1.72	1.72	3.34	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+18+18+42	1.61	1.61	1.61	1.61	3.76 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+18+18+50	1.50	1.50	1.50	1.50	4.18 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+18+18+60	1.39	1.39	1.39	1.39	4.64	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+18+18+71	1.28	1.28	1.28	1.28	5.06	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+18+18+20+20	1.75	1.75	1.75	1.94	1.94	9.14 3.90 - 11.00	2.444 0.640 - 4.154	11.22	10.73	10.28	99
18+18+18+20+22	1.76	1.76	1.76	1.96	2.16	9.41 3.90 - 11.00	2.487 0.640 - 4.147	11.42	10.92	10.47	99
18+18+18+20+25	1.76	1.76	1.76	1.95	2.44	9.67 3.90 - 11.00	2.557 0.640 - 4.147	11.74	11.23	10.76	99
18+18+18+20+35	1.67	1.67	1.67	1.85	3.24	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+18+18+20+42	1.57	1.57	1.57	1.74	3.66 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+18+18+20+50	1.47	1.47	1.47	1.63	4.07 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+18+18+20+60	1.36	1.36	1.36	1.51	4.52	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+18+18+20+71	1.25	1.25	1.25	1.39	4.95	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+18+22+22	1.78	1.78	1.78	2.18	2.18	9.69 3.90 - 11.00	2.530 0.640 - 4.140	11.62	11.11	10.65	99
18+18+18+22+25	1.77	1.77	1.77	2.17	2.46	9.94 3.90 - 11.00	2.600 0.640 - 4.140	11.94	11.42	10.94	99
18+18+18+22+35	1.65	1.65	1.65	2.02	3.22	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+18+22+42	1.56	1.56	1.56	1.90	3.63 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+18+22+50	1.46	1.46	1.46	1.78	4.05 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+18+22+60	1.35	1.35	1.35	1.65	4.50	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+18+22+71	1.25	1.25	1.25	1.53	4.93	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+18+18+25+25	1.77	1.77	1.77	2.45	2.45	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+18+25+35	1.61	1.61	1.61	2.24	3.13	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+18+25+42	1.52	1.52	1.52	2.11	3.54 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+18+25+50	1.42	1.42	1.42	1.98	3.95 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+18+25+60	1.32	1.32	1.32	1.83	4.40	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+18+25+71	1.22	1.22	1.22	1.70	4.83	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+18+18+35+35	1.48	1.48	1.48	2.88	2.88	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+18+35+42	1.40	1.40	1.40	2.73	3.27 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+18+35+50	1.32	1.32	1.32	2.57	3.67 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+18+35+60	1.23	1.23	1.23	2.40	4.11	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+18+35+71	1.15	1.15	1.15	2.23	4.53	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+18+18+42+42	1.33	1.33	1.33	3.10 *	3.10 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+18+42+50	1.26	1.26	1.26	2.93 *	3.49 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+18+42+60	1.18	1.18	1.18	2.75 *	3.92	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+18+18+42+71	1.10	1.10	1.10	2.57 *	4.34	10.20 3.90 - 11.00	2.645 0.640 - 4.115	12.15	11.62	11.14	99
18+18+18+50+50	1.19	1.19	1.19	3.31 *	3.31 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+18+50+60	1.12	1.12	1.12	3.11 *	3.73	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+18+20+20+20	1.73	1.73	1.92	1.92	1.92	9.21 3.90 - 11.00	2.501 0.640 - 4.161	11.48	10.98	10.52	99
18+18+20+20+22	1.74	1.74	1.94	1.94	2.13	9.49 3.90 - 11.00	2.544 0.640 - 4.154	11.68	11.17	10.70	99
18+18+20+20+25	1.74	1.74	1.93	1.93	2.41	9.74 3.90 - 11.00	2.614 0.640 - 4.154	12.00	11.48	11.00	99
18+18+20+20+35	1.62	1.62	1.80	1.80	3.15	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
18+18+20+20+42	1.53	1.53	1.69	1.69	3.56 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
18+18+20+20+50	1.43	1.43	1.59	1.59	3.97 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
18+18+20+20+60	1.32	1.32	1.47	1.47	4.41	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
18+18+20+20+71	1.22	1.22	1.36	1.36	4.83	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+18+20+22+22	1.76	1.76	1.95	2.15	2.15	9.76 3.90 - 11.00	2.587 0.640 - 4.147	11.88	11.36	10.89	99
18+18+20+22+25	1.75	1.75	1.94	2.14	2.43	10.01 3.90 - 11.00	2.657 0.640 - 4.147	12.20	11.67	11.18	99
18+18+20+22+35	1.61	1.61	1.79	1.97	3.13	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+18+20+22+42	1.52	1.52	1.68	1.85	3.54 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+18+20+22+50	1.42	1.42	1.58	1.74	3.95 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+18+20+22+60	1.32	1.32	1.46	1.61	4.39	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+18+20+22+71	1.22	1.22	1.36	1.49	4.81	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+20+25+25	1.72	1.72	1.91	2.38	2.38	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+18+20+25+35	1.57	1.57	1.74	2.18	3.05	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+18+20+25+42	1.48	1.48	1.64	2.05	3.45 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+18+20+25+50	1.39	1.39	1.54	1.93	3.85 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+18+20+25+60	1.29	1.29	1.43	1.79	4.30	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+18+20+25+71	1.20	1.20	1.33	1.66	4.72	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+20+35+35	1.44	1.44	1.60	2.81	2.81	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+18+20+35+42	1.37	1.37	1.52	2.66	3.19 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+18+20+35+50	1.29	1.29	1.43	2.51	3.58 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+18+20+35+60	1.20	1.20	1.34	2.34	4.01	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+18+20+35+71	1.12	1.12	1.25	2.18	4.43	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+20+42+42	1.30	1.30	1.44	3.03 *	3.03 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+18+20+42+50	1.23	1.23	1.36	2.87 *	3.41 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+18+20+42+60	1.15	1.15	1.28	2.68 *	3.84	10.10 3.90 - 11.00	2.648 0.640 - 4.118	12.16	11.63	11.15	99
18+18+20+42+71	1.08	1.08	1.20	2.51 *	4.24	10.10 3.90 - 11.00	2.652 0.640 - 4.122	12.18	11.65	11.16	99
18+18+20+50+50	1.17	1.17	1.29	3.24 *	3.24 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+18+20+50+60	1.10	1.10	1.22	3.04 *	3.65	10.10 3.90 - 11.00	2.648 0.640 - 4.118	12.16	11.63	11.15	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
18+18+22+22+22	1.77	1.77	2.16	2.16	2.16	10.03 3.90 - 11.00	2.620 0.640 - 4.140	12.03	11.51	11.03	99
18+18+22+22+25	1.75	1.75	2.14	2.14	2.43	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+22+22+35	1.60	1.60	1.95	1.95	3.10	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+22+22+42	1.50	1.50	1.84	1.84	3.51 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+22+22+50	1.41	1.41	1.73	1.73	3.92 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+22+22+60	1.31	1.31	1.60	1.60	4.37	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+22+22+71	1.22	1.22	1.49	1.49	4.80	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+18+22+25+25	1.70	1.70	2.08	2.36	2.36	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+22+25+35	1.56	1.56	1.90	2.16	3.03	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+22+25+42	1.47	1.47	1.80	2.04	3.43 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+22+25+50	1.38	1.38	1.69	1.92	3.83 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+22+25+60	1.28	1.28	1.57	1.78	4.28	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+22+25+71	1.19	1.19	1.46	1.66	4.70	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+18+22+35+35	1.43	1.43	1.75	2.79	2.79	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+22+35+42	1.36	1.36	1.66	2.64	3.17 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+22+35+50	1.28	1.28	1.57	2.50	3.57 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+22+35+60	1.20	1.20	1.47	2.33	4.00	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+22+35+71	1.12	1.12	1.37	2.18	4.42	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+18+22+42+42	1.29	1.29	1.58	3.02 *	3.02 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+22+42+50	1.22	1.22	1.50	2.86 *	3.40 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+22+42+60	1.15	1.15	1.40	2.68 *	3.83	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+18+22+42+71	1.07	1.07	1.31	2.51 *	4.24	10.20 3.90 - 11.00	2.645 0.640 - 4.115	12.15	11.62	11.14	99
18+18+22+50+50	1.16	1.16	1.42	3.23 *	3.23 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+22+50+60	1.09	1.09	1.34	3.04 *	3.64	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+18+25+25+25	1.65	1.65	2.30	2.30	2.30	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+25+25+35	1.52	1.52	2.11	2.11	2.95	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+25+25+42	1.43	1.43	1.99	1.99	3.35 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+25+25+50	1.35	1.35	1.88	1.88	3.75 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+25+25+60	1.26	1.26	1.75	1.75	4.19	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+25+25+71	1.17	1.17	1.62	1.62	4.61	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+18+25+35+35	1.40	1.40	1.95	2.73	2.73	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+25+35+42	1.33	1.33	1.85	2.59	3.10 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+25+35+50	1.26	1.26	1.75	2.45	3.49 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+25+35+60	1.18	1.18	1.63	2.29	3.92	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+25+35+71	1.10	1.10	1.53	2.14	4.34	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+18+25+42+42	1.27	1.27	1.76	2.95 *	2.95 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+25+42+50	1.20	1.20	1.67	2.80 *	3.33 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+25+42+60	1.13	1.13	1.56	2.63 *	3.75	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+18+25+50+50	1.14	1.14	1.58	3.17 *	3.17 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+25+50+60	1.07	1.07	1.49	2.98 *	3.58	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+18+35+35+35	1.30	1.30	2.53	2.53	2.53	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+18+35+35+42	1.24	1.24	2.41	2.41	2.89 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+35+35+50	1.18	1.18	2.29	2.29	3.27 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+18+35+35+60	1.11	1.11	2.15	2.15	3.69	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+18+35+42+42	1.18	1.18	2.30	2.76 *	2.76 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+18+35+42+50	1.13	1.13	2.19	2.63 *	3.13 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+35+50+50	1.07	1.07	2.09	2.98 *	2.98 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+18+42+42+42	1.13	1.13	2.64 *	2.64 *	2.64 *	10.20 3.90 - 11.00	2.652 0.640 - 4.122	12.18	11.65	11.16	99
18+18+42+42+50	1.08	1.08	2.52 *	2.52 *	3.00 *	10.20 3.90 - 11.00	2.652 0.640 - 4.122	12.18	11.65	11.16	99
18+20+20+20+20	1.71	1.90	1.90	1.90	1.90	9.29 3.90 - 11.00	2.558 0.640 - 4.168	11.74	11.23	10.76	99
18+20+20+20+22	1.72	1.91	1.91	1.91	2.10	9.56 3.90 - 11.00	2.601 0.640 - 4.161	11.94	11.42	10.94	99
18+20+20+20+25	1.71	1.90	1.90	1.90	2.38	9.81 3.90 - 11.00	2.671 0.640 - 4.161	12.26	11.73	11.24	99
18+20+20+20+35	1.58	1.75	1.75	1.75	3.07	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
18+20+20+20+42	1.49	1.65	1.65	1.65	3.47 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
18+20+20+20+50	1.39	1.55	1.55	1.55	3.87 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
18+20+20+20+60	1.29	1.43	1.43	1.43	4.30	9.90 3.90 - 11.00	2.668 0.640 - 4.138	12.25	11.72	11.23	99
18+20+20+20+71	1.20	1.33	1.33	1.33	4.72	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
18+20+20+22+22	1.73	1.93	1.93	2.12	2.12	9.83 3.90 - 11.00	2.634 0.640 - 4.154	12.10	11.57	11.09	99
18+20+20+22+25	1.71	1.90	1.90	2.10	2.38	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
18+20+20+22+35	1.57	1.74	1.74	1.91	3.04	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
18+20+20+22+42	1.48	1.64	1.64	1.80	3.44 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
18+20+20+22+50	1.38	1.54	1.54	1.69	3.85 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
18+20+20+22+60	1.29	1.43	1.43	1.57	4.29	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
18+20+20+22+71	1.19	1.32	1.32	1.46	4.70	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+20+25+25	1.67	1.85	1.85	2.31	2.31	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
18+20+20+25+35	1.53	1.69	1.69	2.12	2.97	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
18+20+20+25+42	1.44	1.60	1.60	2.00	3.36 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
18+20+20+25+50	1.35	1.50	1.50	1.88	3.76 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
18+20+20+25+60	1.26	1.40	1.40	1.75	4.20	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
18+20+20+25+71	1.17	1.30	1.30	1.62	4.61	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+20+35+35	1.41	1.56	1.56	2.73	2.73	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
18+20+20+35+42	1.33	1.48	1.48	2.59	3.11 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
18+20+20+35+50	1.26	1.40	1.40	2.45	3.50 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
18+20+20+35+60	1.18	1.31	1.31	2.29	3.92	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
18+20+20+35+71	1.10	1.22	1.22	2.13	4.33	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+20+42+42	1.27	1.41	1.41	2.96 *	2.96 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
18+20+20+42+50	1.20	1.33	1.33	2.80 *	3.33 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
18+20+20+42+60	1.13	1.25	1.25	2.63 *	3.75	10.00 3.90 - 11.00	2.655 0.640 - 4.125	12.19	11.66	11.17	99
18+20+20+42+71	1.05	1.17	1.17	2.46 *	4.15	10.00 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
18+20+20+50+50	1.14	1.27	1.27	3.16 *	3.16 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
18+20+20+50+60	1.07	1.19	1.19	2.98 *	3.57	10.00 3.90 - 11.00	2.655 0.640 - 4.125	12.19	11.66	11.17	99
18+20+22+22+25	1.70	1.89	2.08	2.08	2.36	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+20+22+22+35	1.55	1.73	1.90	1.90	3.02	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+20+22+22+42	1.47	1.63	1.79	1.79	3.42 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+22+22+50	1.38	1.53	1.68	1.68	3.83 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+22+22+60	1.28	1.42	1.56	1.56	4.27	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+20+22+22+71	1.19	1.32	1.45	1.45	4.69	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+20+22+25+25	1.65	1.84	2.02	2.30	2.30	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+20+22+25+35	1.52	1.68	1.85	2.10	2.95	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+20+22+25+42	1.43	1.59	1.75	1.99	3.34 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+20+22+25+50	1.35	1.50	1.65	1.87	3.74 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+22+25+60	1.25	1.39	1.53	1.74	4.18	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+20+22+25+71	1.17	1.29	1.42	1.62	4.60	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+20+22+35+35	1.40	1.55	1.71	2.72	2.72	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+20+22+35+42	1.33	1.47	1.62	2.58	3.10 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+22+35+50	1.25	1.39	1.53	2.44	3.48 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+22+35+60	1.17	1.30	1.43	2.28	3.91	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+20+22+35+71	1.10	1.22	1.34	2.13	4.32	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+20+22+42+42	1.26	1.40	1.54	2.95 *	2.95 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+22+42+50	1.20	1.33	1.46	2.79 *	3.32 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+22+42+60	1.12	1.25	1.37	2.62 *	3.74	10.10 3.90 - 11.00	2.648 0.640 - 4.118	12.16	11.63	11.15	99
18+20+22+50+50	1.14	1.26	1.39	3.16 *	3.16 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+22+50+60	1.07	1.19	1.31	2.97 *	3.56	10.10 3.90 - 11.00	2.648 0.640 - 4.118	12.16	11.63	11.15	99
18+20+25+25+25	1.61	1.79	2.23	2.23	2.23	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+20+25+25+35	1.48	1.64	2.05	2.05	2.87	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+20+25+25+42	1.40	1.55	1.94	1.94	3.26 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+25+25+50	1.32	1.46	1.83	1.83	3.66 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+25+25+60	1.23	1.36	1.71	1.71	4.09	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+20+25+25+71	1.14	1.27	1.59	1.59	4.51	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+20+25+35+35	1.37	1.52	1.90	2.66	2.66	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+20+25+35+42	1.30	1.44	1.80	2.53	3.03 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+25+35+50	1.23	1.36	1.71	2.39	3.41 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+25+35+60	1.15	1.28	1.60	2.24	3.84	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+20+25+35+71	1.08	1.20	1.49	2.09	4.24	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+20+25+42+42	1.24	1.37	1.72	2.89 *	2.89 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+25+42+50	1.17	1.30	1.63	2.74 *	3.26 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+25+42+60	1.10	1.22	1.53	2.57 *	3.67	10.10 3.90 - 11.00	2.648 0.640 - 4.118	12.16	11.63	11.15	99
18+20+25+50+50	1.12	1.24	1.55	3.10 *	3.10 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+35+35+35	1.27	1.41	2.47	2.47	2.47	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
18+20+35+35+42	1.21	1.35	2.36	2.36	2.83 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+35+35+50	1.15	1.28	2.24	2.24	3.20 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
18+20+35+35+60	1.08	1.20	2.10	2.10	3.61	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
18+20+35+42+42	1.16	1.29	2.25	2.70 *	2.70 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+35+42+50	1.10	1.22	2.14	2.57 *	3.06 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
18+20+42+42+42	1.11	1.23	2.59 *	2.59 *	2.59 *	10.10 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
18+20+42+42+50	1.06	1.17	2.47 *	2.47 *	2.94 *	10.10 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
18+22+22+22+22	1.73	2.12	2.12	2.12	2.12	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+22+22+22+25	1.68	2.06	2.06	2.06	2.34	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+22+22+22+35	1.54	1.89	1.89	1.89	3.00	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+22+22+22+42	1.46	1.78	1.78	1.78	3.40 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+22+22+50	1.37	1.67	1.67	1.67	3.81 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+22+22+60	1.28	1.56	1.56	1.56	4.25	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+22+22+22+71	1.18	1.45	1.45	1.45	4.67	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+22+22+25+25	1.64	2.00	2.00	2.28	2.28	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+22+22+25+35	1.50	1.84	1.84	2.09	2.93	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
18+22+22+25+42	1.42	1.74	1.74	1.98	3.32 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+22+25+50	1.34	1.64	1.64	1.86	3.72 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+22+25+60	1.25	1.53	1.53	1.73	4.16	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+22+22+25+71	1.16	1.42	1.42	1.61	4.58	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+22+22+35+35	1.39	1.70	1.70	2.70	2.70	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+22+22+35+42	1.32	1.61	1.61	2.57	3.08 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+22+35+50	1.25	1.53	1.53	2.43	3.47 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+22+35+60	1.17	1.43	1.43	2.27	3.90	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+22+22+35+71	1.09	1.34	1.34	2.13	4.31	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+22+22+42+42	1.26	1.54	1.54	2.93 *	2.93 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+22+22+42+50	1.19	1.46	1.46	2.78 *	3.31 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+22+22+42+60	1.12	1.37	1.37	2.61 *	3.73	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+22+22+50+50	1.13	1.39	1.39	3.15 *	3.15 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+22+22+50+60	1.07	1.30	1.30	2.97 *	3.56	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+22+25+25+25	1.60	1.95	2.22	2.22	2.22	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+22+25+25+35	1.47	1.80	2.04	2.04	2.86	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+22+25+25+42	1.39	1.70	1.93	1.93	3.25 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+25+25+50	1.31	1.60	1.82	1.82	3.64 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+25+25+60	1.22	1.50	1.70	1.70	4.08	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+22+25+25+71	1.14	1.39	1.58	1.58	4.50	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+22+25+35+35	1.36	1.66	1.89	2.64	2.64	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+22+25+35+42	1.29	1.58	1.80	2.51	3.02 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+25+35+50	1.22	1.50	1.70	2.38	3.40 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+25+35+60	1.15	1.40	1.59	2.23	3.83	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+22+25+35+71	1.07	1.31	1.49	2.09	4.24	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+22+25+42+42	1.23	1.51	1.71	2.88 *	2.88 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+22+25+42+50	1.17	1.43	1.62	2.73 *	3.25 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+22+25+42+60	1.10	1.34	1.53	2.57 *	3.66	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+22+25+50+50	1.11	1.36	1.55	3.09 *	3.09 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+22+35+35+35	1.27	1.55	2.46	2.46	2.46	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+22+35+35+42	1.21	1.48	2.35	2.35	2.82 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+35+35+50	1.15	1.40	2.23	2.23	3.19 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+22+35+35+60	1.08	1.32	2.10	2.10	3.60	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+22+35+42+42	1.15	1.41	2.25	2.69 *	2.69 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+22+35+42+50	1.10	1.34	2.14	2.57 *	3.05 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+22+42+42+42	1.11	1.35	2.58 *	2.58 *	2.58 *	10.20 3.90 - 11.00	2.652 0.640 - 4.122	12.18	11.65	11.16	99
18+25+25+25+25	1.56	2.16	2.16	2.16	2.16	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+25+25+25+35	1.43	1.99	1.99	1.99	2.79	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+25+25+25+42	1.36	1.89	1.89	1.89	3.17 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+25+25+25+50	1.28	1.78	1.78	1.78	3.57 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+25+25+25+60	1.20	1.67	1.67	1.67	4.00	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+25+25+25+71	1.12	1.55	1.55	1.55	4.42	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
18+25+25+35+35	1.33	1.85	1.85	2.59	2.59	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+25+25+35+42	1.27	1.76	1.76	2.46	2.95 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+25+25+35+50	1.20	1.67	1.67	2.33	3.33 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
18+25+25+35+60	1.13	1.56	1.56	2.19	3.75	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
18+25+25+42+42	1.21	1.68	1.68	2.82 *	2.82 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+25+25+42+50	1.15	1.59	1.59	2.68 *	3.19 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+25+25+42+60	1.08	1.50	1.50	2.52 *	3.60	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
18+25+25+50+50	1.09	1.52	1.52	3.04 *	3.04 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+25+35+35+35	1.24	1.72	2.41	2.41	2.41	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+25+35+35+42	1.18	1.65	2.30	2.30	2.76 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+25+35+35+50	1.13	1.56	2.19	2.19	3.13 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+25+35+42+42	1.13	1.57	2.20	2.64 *	2.64 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+25+35+42+50	1.08	1.50	2.10	2.52 *	3.00 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
18+25+42+42+42	1.09	1.51	2.53 *	2.53 *	2.53 *	10.20 3.90 - 11.00	2.652 0.640 - 4.122	12.18	11.65	11.16	99
18+35+35+35+35	1.16	2.26	2.26	2.26	2.26	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
18+35+35+35+42	1.11	2.16	2.16	2.16	2.60 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
18+35+35+42+42	1.07	2.08	2.08	2.49 *	2.49 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
20+20+20+20+20	1.87	1.87	1.87	1.87	1.87	9.36 3.90 - 11.00	2.615 0.640 - 4.175	12.00	11.48	11.00	99
20+20+20+20+22	1.89	1.89	1.89	1.89	2.08	9.63 3.90 - 11.00	2.648 0.640 - 4.168	12.16	11.63	11.15	99
20+20+20+20+25	1.87	1.87	1.87	1.87	2.33	9.80 3.90 - 11.00	2.698 0.640 - 4.168	12.39	11.85	11.36	99
20+20+20+20+35	1.70	1.70	1.70	1.70	2.98	9.80 3.90 - 11.00	2.698 0.640 - 4.168	12.39	11.85	11.36	99
20+20+20+20+42	1.61	1.61	1.61	1.61	3.37 *	9.80 3.90 - 11.00	2.692 0.640 - 4.162	12.36	11.82	11.33	99
20+20+20+20+50	1.51	1.51	1.51	1.51	3.77 *	9.80 3.90 - 11.00	2.692 0.640 - 4.162	12.36	11.82	11.33	99
20+20+20+20+60	1.40	1.40	1.40	1.40	4.20	9.80 3.90 - 11.00	2.675 0.640 - 4.145	12.28	11.75	11.26	99
20+20+20+20+71	1.30	1.30	1.30	1.30	4.61	9.80 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
20+20+20+22+25	1.85	1.85	1.85	2.04	2.31	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
20+20+20+22+35	1.69	1.69	1.69	1.86	2.96	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
20+20+20+22+42	1.60	1.60	1.60	1.76	3.35 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
20+20+20+22+50	1.50	1.50	1.50	1.65	3.75 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
20+20+20+22+60	1.39	1.39	1.39	1.53	4.18	9.90 3.90 - 11.00	2.668 0.640 - 4.138	12.25	11.72	11.23	99
20+20+20+22+71	1.29	1.29	1.29	1.42	4.59	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+20+25+25	1.80	1.80	1.80	2.25	2.25	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
20+20+20+25+35	1.65	1.65	1.65	2.06	2.89	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
20+20+20+25+42	1.56	1.56	1.56	1.95	3.27 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
20+20+20+25+50	1.47	1.47	1.47	1.83	3.67 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
20+20+20+25+60	1.37	1.37	1.37	1.71	4.10	9.90 3.90 - 11.00	2.668 0.640 - 4.138	12.25	11.72	11.23	99
20+20+20+25+71	1.27	1.27	1.27	1.59	4.51	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+20+35+35	1.52	1.52	1.52	2.67	2.67	9.90 3.90 - 11.00	2.691 0.640 - 4.161	12.36	11.82	11.33	99
20+20+20+35+42	1.45	1.45	1.45	2.53	3.04 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
20+20+20+35+50	1.37	1.37	1.37	2.39	3.41 *	9.90 3.90 - 11.00	2.685 0.640 - 4.155	12.33	11.79	11.30	99
20+20+20+35+60	1.28	1.28	1.28	2.24	3.83	9.90 3.90 - 11.00	2.668 0.640 - 4.138	12.25	11.72	11.23	99
20+20+20+35+71	1.19	1.19	1.19	2.09	4.23	9.90 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+20+42+42	1.38	1.38	1.38	2.89 *	2.89 *	9.90 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
20+20+20+42+50	1.30	1.30	1.30	2.74 *	3.26 *	9.90 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
20+20+20+42+60	1.22	1.22	1.22	2.57 *	3.67	9.90 3.90 - 11.00	2.662 0.640 - 4.132	12.22	11.69	11.20	99
20+20+20+50+50	1.24	1.24	1.24	3.09 *	3.09 *	9.90 3.90 - 11.00	2.679 0.640 - 4.149	12.31	11.77	11.28	99
20+20+20+50+60	1.16	1.16	1.16	2.91 *	3.49	9.90 3.90 - 11.00	2.662 0.640 - 4.132	12.22	11.69	11.20	99
20+20+22+22+22	1.89	1.89	2.08	2.08	2.08	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+20+22+22+25	1.83	1.83	2.02	2.02	2.29	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
20+20+22+22+35	1.68	1.68	1.85	1.85	2.94	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
20+20+22+22+42	1.59	1.59	1.75	1.75	3.33 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+22+22+50	1.49	1.49	1.64	1.64	3.73 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+22+22+60	1.39	1.39	1.53	1.53	4.17	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
20+20+22+22+71	1.29	1.29	1.42	1.42	4.58	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+20+22+25+25	1.79	1.79	1.96	2.23	2.23	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
20+20+22+25+35	1.64	1.64	1.80	2.05	2.87	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
20+20+22+25+42	1.55	1.55	1.71	1.94	3.26 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+22+25+50	1.46	1.46	1.61	1.82	3.65 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+22+25+60	1.36	1.36	1.50	1.70	4.08	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
20+20+22+25+71	1.27	1.27	1.39	1.58	4.49	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+20+22+35+35	1.52	1.52	1.67	2.65	2.65	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
20+20+22+35+42	1.44	1.44	1.58	2.52	3.02 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+22+35+50	1.36	1.36	1.50	2.38	3.40 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+22+35+60	1.27	1.27	1.40	2.23	3.82	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
20+20+22+35+71	1.19	1.19	1.31	2.08	4.23	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+20+22+42+42	1.37	1.37	1.51	2.88 *	2.88 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+22+42+50	1.30	1.30	1.43	2.73 *	3.25 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+22+42+60	1.22	1.22	1.34	2.56 *	3.66	10.00 3.90 - 11.00	2.655 0.640 - 4.125	12.19	11.66	11.17	99
20+20+22+50+50	1.23	1.23	1.36	3.09 *	3.09 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+22+50+60	1.16	1.16	1.28	2.91 *	3.49	10.00 3.90 - 11.00	2.655 0.640 - 4.125	12.19	11.66	11.17	99
20+20+25+25+25	1.74	1.74	2.17	2.17	2.17	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
20+20+25+25+35	1.60	1.60	2.00	2.00	2.80	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
20+20+25+25+42	1.52	1.52	1.89	1.89	3.18 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+25+25+50	1.43	1.43	1.79	1.79	3.57 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+25+25+60	1.33	1.33	1.67	1.67	4.00	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
20+20+25+25+71	1.24	1.24	1.55	1.55	4.41	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+20+25+35+35	1.48	1.48	1.85	2.59	2.59	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
20+20+25+35+42	1.41	1.41	1.76	2.46	2.96 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+25+35+50	1.33	1.33	1.67	2.33	3.33 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+25+35+60	1.25	1.25	1.56	2.19	3.75	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
20+20+25+35+71	1.17	1.17	1.46	2.05	4.15	10.00 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+20+25+42+42	1.34	1.34	1.68	2.82 *	2.82 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+25+42+50	1.27	1.27	1.59	2.68 *	3.18 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+25+42+60	1.20	1.20	1.50	2.51 *	3.59	10.00 3.90 - 11.00	2.655 0.640 - 4.125	12.19	11.66	11.17	99
20+20+25+50+50	1.21	1.21	1.52	3.03 *	3.03 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+35+35+35	1.38	1.38	2.41	2.41	2.41	10.00 3.90 - 11.00	2.684 0.640 - 4.154	12.33	11.79	11.30	99
20+20+35+35+42	1.32	1.32	2.30	2.30	2.76 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+35+35+50	1.25	1.25	2.19	2.19	3.13 *	10.00 3.90 - 11.00	2.678 0.640 - 4.148	12.29	11.76	11.27	99
20+20+35+35+60	1.18	1.18	2.06	2.06	3.53	10.00 3.90 - 11.00	2.661 0.640 - 4.131	12.22	11.69	11.20	99
20+20+35+42+42	1.26	1.26	2.20	2.64 *	2.64 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+35+42+50	1.20	1.20	2.10	2.51 *	2.99 *	10.00 3.90 - 11.00	2.672 0.640 - 4.142	12.26	11.73	11.24	99
20+20+42+42+42	1.20	1.20	2.53 *	2.53 *	2.53 *	10.00 3.90 - 11.00	2.666 0.640 - 4.136	12.24	11.71	11.22	99
20+22+22+22+22	1.87	2.06	2.06	2.06	2.06	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+22+22+22+25	1.82	2.00	2.00	2.00	2.27	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+22+22+22+35	1.67	1.84	1.84	1.84	2.92	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+22+22+22+42	1.58	1.74	1.74	1.74	3.31 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+22+22+50	1.49	1.63	1.63	1.63	3.71 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+22+22+60	1.38	1.52	1.52	1.52	4.15	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
20+22+22+22+71	1.29	1.42	1.42	1.42	4.57	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
20+22+22+25+25	1.77	1.95	1.95	2.21	2.21	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+22+22+25+35	1.63	1.79	1.79	2.04	2.85	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+22+22+25+42	1.54	1.70	1.70	1.93	3.24 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+22+25+50	1.45	1.60	1.60	1.82	3.63 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+22+25+60	1.36	1.49	1.49	1.69	4.07	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
20+22+22+25+71	1.26	1.39	1.39	1.58	4.48	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
20+22+22+35+35	1.51	1.66	1.66	2.64	2.64	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+22+22+35+42	1.43	1.58	1.58	2.51	3.01 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+22+35+50	1.36	1.49	1.49	2.37	3.39 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+22+35+60	1.27	1.40	1.40	2.22	3.81	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
20+22+22+35+71	1.19	1.31	1.31	2.08	4.22	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
20+22+22+42+42	1.36	1.50	1.50	2.87 *	2.87 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+22+22+42+50	1.29	1.42	1.42	2.72 *	3.24 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+22+22+42+60	1.22	1.34	1.34	2.56 *	3.65	10.10 3.90 - 11.00	2.648 0.640 - 4.118	12.16	11.63	11.15	99
20+22+22+50+50	1.23	1.35	1.35	3.08 *	3.08 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+22+25+25+25	1.73	1.90	2.16	2.16	2.16	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+22+25+25+35	1.59	1.75	1.99	1.99	2.78	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+22+25+25+42	1.51	1.66	1.88	1.88	3.17 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+25+25+50	1.42	1.56	1.78	1.78	3.56 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+25+25+60	1.33	1.46	1.66	1.66	3.99	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
20+22+25+25+71	1.24	1.36	1.55	1.55	4.40	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
20+22+25+35+35	1.47	1.62	1.84	2.58	2.58	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+22+25+35+42	1.40	1.54	1.75	2.45	2.95 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+25+35+50	1.33	1.46	1.66	2.33	3.32 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+25+35+60	1.25	1.37	1.56	2.18	3.74	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
20+22+25+42+42	1.34	1.47	1.67	2.81 *	2.81 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+22+25+42+50	1.27	1.40	1.59	2.67 *	3.18 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+22+25+42+60	1.20	1.31	1.49	2.51 *	3.59	10.10 3.90 - 11.00	2.648 0.640 - 4.118	12.16	11.63	11.15	99
20+22+25+50+50	1.21	1.33	1.51	3.02 *	3.02 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+22+35+35+35	1.37	1.51	2.40	2.40	2.40	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+22+35+35+42	1.31	1.44	2.30	2.30	2.75 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+35+35+50	1.25	1.37	2.18	2.18	3.12 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+22+35+35+60	1.17	1.29	2.06	2.06	3.52	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
20+22+35+42+42	1.25	1.38	2.20	2.63 *	2.63 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+22+35+42+50	1.20	1.31	2.09	2.51 *	2.99 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+22+42+42+42	1.20	1.32	2.53 *	2.53 *	2.53 *	10.10 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
20+25+25+25+25	1.68	2.10	2.10	2.10	2.10	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+25+25+25+35	1.55	1.94	1.94	1.94	2.72	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+25+25+25+42	1.47	1.84	1.84	1.84	3.10 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
20+25+25+25+50	1.39	1.74	1.74	1.74	3.48 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+25+25+25+60	1.30	1.63	1.63	1.63	3.91	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
20+25+25+25+71	1.22	1.52	1.52	1.52	4.32	10.10 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
20+25+25+35+35	1.44	1.80	1.80	2.53	2.53	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+25+25+35+42	1.37	1.72	1.72	2.40	2.89 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+25+25+35+50	1.30	1.63	1.63	2.28	3.26 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+25+25+35+60	1.22	1.53	1.53	2.14	3.67	10.10 3.90 - 11.00	2.654 0.640 - 4.124	12.19	11.66	11.17	99
20+25+25+42+42	1.31	1.64	1.64	2.75 *	2.75 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+25+25+42+50	1.25	1.56	1.56	2.62 *	3.12 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+25+25+42+60	1.17	1.47	1.47	2.47 *	3.52	10.10 3.90 - 11.00	2.648 0.640 - 4.118	12.16	11.63	11.15	99
20+25+25+50+50	1.19	1.49	1.49	2.97 *	2.97 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+25+35+35+35	1.35	1.68	2.36	2.36	2.36	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+25+35+35+42	1.29	1.61	2.25	2.25	2.70 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+25+35+35+50	1.22	1.53	2.14	2.14	3.06 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
20+25+35+42+42	1.23	1.54	2.16	2.59 *	2.59 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+25+35+42+50	1.17	1.47	2.06	2.47 *	2.94 *	10.10 3.90 - 11.00	2.665 0.640 - 4.135	12.23	11.70	11.21	99
20+25+42+42+42	1.18	1.48	2.48 *	2.48 *	2.48 *	10.10 3.90 - 11.00	2.659 0.640 - 4.129	12.21	11.68	11.19	99
20+35+35+35+35	1.26	2.21	2.21	2.21	2.21	10.10 3.90 - 11.00	2.677 0.640 - 4.147	12.29	11.76	11.27	99
20+35+35+35+42	1.21	2.12	2.12	2.12	2.54 *	10.10 3.90 - 11.00	2.671 0.640 - 4.141	12.26	11.73	11.24	99
22+22+22+22+22	2.04	2.04	2.04	2.04	2.04	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+22+22+25	1.99	1.99	1.99	1.99	2.26	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+22+22+35	1.82	1.82	1.82	1.82	2.90	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+22+22+42	1.73	1.73	1.73	1.73	3.30 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+22+22+50	1.63	1.63	1.63	1.63	3.70 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+22+22+60	1.52	1.52	1.52	1.52	4.14	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
22+22+22+22+71	1.41	1.41	1.41	1.41	4.55	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
22+22+22+25+25	1.93	1.93	1.93	2.20	2.20	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+22+25+35	1.78	1.78	1.78	2.02	2.83	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+22+25+42	1.69	1.69	1.69	1.92	3.22 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+22+25+50	1.59	1.59	1.59	1.81	3.62 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+22+25+60	1.49	1.49	1.49	1.69	4.05	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
22+22+22+25+71	1.39	1.39	1.39	1.57	4.47	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
22+22+22+35+35	1.65	1.65	1.65	2.63	2.63	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+22+35+42	1.57	1.57	1.57	2.50	3.00 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+22+35+50	1.49	1.49	1.49	2.36	3.38 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+22+35+60	1.39	1.39	1.39	2.22	3.80	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
22+22+22+35+71	1.30	1.30	1.30	2.08	4.21	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
22+22+22+42+42	1.50	1.50	1.50	2.86 *	2.86 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+22+22+42+50	1.42	1.42	1.42	2.71 *	3.23 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+22+22+42+60	1.34	1.34	1.34	2.55 *	3.64	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
22+22+22+50+50	1.35	1.35	1.35	3.07 *	3.07 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+22+25+25+25	1.89	1.89	2.14	2.14	2.14	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+25+25+35	1.74	1.74	1.98	1.98	2.77	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+25+25+42	1.65	1.65	1.88	1.88	3.15 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+25+25+50	1.56	1.56	1.77	1.77	3.54 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
22+22+25+25+60	1.46	1.46	1.66	1.66	3.97	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
22+22+25+25+71	1.36	1.36	1.55	1.55	4.39	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
22+22+25+35+35	1.61	1.61	1.83	2.57	2.57	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+25+35+42	1.54	1.54	1.75	2.45	2.93 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+25+35+50	1.46	1.46	1.66	2.32	3.31 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+25+35+60	1.37	1.37	1.55	2.18	3.73	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
22+22+25+42+42	1.47	1.47	1.67	2.80 *	2.80 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+22+25+42+50	1.39	1.39	1.58	2.66 *	3.17 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+22+25+42+60	1.31	1.31	1.49	2.51 *	3.58	10.20 3.90 - 11.00	2.641 0.640 - 4.111	12.13	11.60	11.12	99
22+22+25+50+50	1.33	1.33	1.51	3.02 *	3.02 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+22+35+35+35	1.51	1.51	2.40	2.40	2.40	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+22+35+35+42	1.44	1.44	2.29	2.29	2.75 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+35+35+50	1.37	1.37	2.18	2.18	3.11 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+22+35+42+42	1.38	1.38	2.19	2.63 *	2.63 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+22+35+42+50	1.31	1.31	2.09	2.51 *	2.98 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+22+42+42+42	1.32	1.32	2.52 *	2.52 *	2.52 *	10.20 3.90 - 11.00	2.652 0.640 - 4.122	12.18	11.65	11.16	99
22+25+25+25+25	1.84	2.09	2.09	2.09	2.09	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+25+25+25+35	1.70	1.93	1.93	1.93	2.70	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+25+25+25+42	1.61	1.83	1.83	1.83	3.08 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+25+25+25+50	1.53	1.73	1.73	1.73	3.47 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+25+25+25+60	1.43	1.62	1.62	1.62	3.90	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
22+25+25+25+71	1.34	1.52	1.52	1.52	4.31	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
22+25+25+35+35	1.58	1.80	1.80	2.51	2.51	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+25+25+35+42	1.51	1.71	1.71	2.40	2.88 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+25+25+35+50	1.43	1.62	1.62	2.27	3.25 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+25+25+35+60	1.34	1.53	1.53	2.14	3.66	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
22+25+25+42+42	1.44	1.63	1.63	2.75 *	2.75 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+25+25+42+50	1.37	1.55	1.55	2.61 *	3.11 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+25+25+50+50	1.30	1.48	1.48	2.97 *	2.97 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+25+35+35+35	1.48	1.68	2.35	2.35	2.35	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+25+35+35+42	1.41	1.60	2.25	2.25	2.69 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+25+35+35+50	1.34	1.53	2.14	2.14	3.05 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
22+25+35+42+42	1.35	1.54	2.15	2.58 *	2.58 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
22+35+35+35+35	1.39	2.20	2.20	2.20	2.20	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
22+35+35+35+42	1.33	2.11	2.11	2.11	2.53 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
25+25+25+25+25	2.04	2.04	2.04	2.04	2.04	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
25+25+25+25+35	1.89	1.89	1.89	1.89	2.64	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
25+25+25+25+42	1.80	1.80	1.80	1.80	3.02 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
25+25+25+25+50	1.70	1.70	1.70	1.70	3.40 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
25+25+25+25+60	1.59	1.59	1.59	1.59	3.83	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99
25+25+25+25+71	1.49	1.49	1.49	1.49	4.24	10.20 3.90 - 11.00	2.651 0.640 - 4.121	12.17	11.64	11.16	99
25+25+25+35+35	1.76	1.76	1.76	2.46	2.46	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
25+25+25+35+42	1.68	1.68	1.68	2.35	2.82 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
25+25+25+35+50	1.59	1.59	1.59	2.23	3.19 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
25+25+25+35+60	1.50	1.50	1.50	2.10	3.60	10.20 3.90 - 11.00	2.647 0.640 - 4.117	12.15	11.62	11.14	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total		220	230	240	
25+25+25+42+42	1.60	1.60	1.60	2.69 *	2.69 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
25+25+25+42+50	1.53	1.53	1.53	2.57 *	3.05 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
25+25+35+35+35	1.65	1.65	2.30	2.30	2.30	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
25+25+35+35+42	1.57	1.57	2.20	2.20	2.64 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
25+25+35+35+50	1.50	1.50	2.10	2.10	3.00 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99
25+25+35+42+42	1.51	1.51	2.11	2.53 *	2.53 *	10.20 3.90 - 11.00	2.658 0.640 - 4.128	12.20	11.67	11.18	99
25+35+35+35+35	1.55	2.16	2.16	2.16	2.16	10.20 3.90 - 11.00	2.670 0.640 - 4.140	12.26	11.73	11.24	99
25+35+35+35+42	1.48	2.08	2.08	2.08	2.49 *	10.20 3.90 - 11.00	2.664 0.640 - 4.134	12.23	11.70	11.21	99

MXZ-5F102VF MXZ-5F102VF2 COOLING

* In case of MSZ-AP/AY42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3 or more units
MSZ-AP42VG	90%
MSZ-AY42VG	90%
MSZ-AP50VG	80%
MSZ-AY50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG2 + MSZ-LN25VG2 + MSZ-AP42VG

- MSZ-LN18VG2 :Rated capacity is 1.67kW.
- MSZ-LN25VG2 :Rated capacity is 2.32kW.
- MSZ-AP42VG : Rated capacity is 3.51kW. (=3.90*0.9)

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15	1.70	-	-	-	-	1.70	0.590	2.71	2.59	2.48	99
18	3.30	-	-	-	-	3.30	0.750	3.44	3.29	3.15	99
20	2.20	-	-	-	-	2.20	0.620	2.84	2.72	2.61	99
22	3.30	-	-	-	-	3.30	0.750	3.44	3.29	3.15	99
25	3.60	-	-	-	-	3.60	0.800	3.67	3.51	3.36	99
35	4.00	-	-	-	-	4.00	0.890	4.09	3.91	3.75	99
42	5.40	-	-	-	-	5.40	1.250	5.74		5.26	99
50	7.20	-	-	-	-	7.20	1.930	8.87	8.48	8.13	99
60	7.90	-	-	-	-	7.90	2.200	10.10	9.66	9.26	99
71	8.60	-	-	-	-	8.60	2.560	11.75	11.24	10.77	99
15+15	3.30	3.30	-	-	-	6.60	1.386	6.37	6.09	5.84	99
15+18	3.00	3.60	-	-	-	6.60	1.377	6.33	6.05	5.80	99
15+20	2.83	3.77	-	-	-	6.60	1.384	6.36	6.08	5.83	99
15+22	2.68	3.92	-	-	-	6.60	1.377	6.33	6.05	5.80	99
15+25	2.48	4.13	-	-	-	6.60	1.377	6.33	6.05	5.80	99
15+35	2.16	5.04	-	-	-	7.20	1.547	7.10	6.79	6.51	99
15+42	1.97	5.53	-	-	-	7.50	1.651	7.58	7.25	6.95	99
15+50	1.80	6.00	-	-	-	7.80	1.771	8.13	7.78	7.46	99
15+60	1.68	6.72	-	-	-	8.40	2.004	9.20	8.80	8.43	99
15+71	1.59	7.51	-	-	-	9.10	2.338	10.74	10.27	9.84	99
18+18	3.30	3.30	-	-	-	6.60	1.368	6.28	6.01	5.76	99
18+20	3.13	3.47	-	-	-	6.60	1.375	6.31	6.04	5.79	99
18+22	2.97	3.63	-	-	-	6.60	1.368	6.28	6.01	5.76	99
18+25	2.76	3.84	-	-	-	6.60	1.368	6.28	6.01	5.76	99
18+35	2.48	4.82	-	-	-	7.30	1.588	7.29	6.97	6.68	99
18+42	2.28	5.32	-	-	-	7.60	1.692	7.77	7.43	7.12	99
18+50	2.09	5.81	-	-	-	7.90	1.812	8.32	7.96	7.63	99
18+60	1.98	6.62	-	-	-	8.60	2.095	9.62	9.20	8.82	99
18+71	1.88	7.42	-	-	-	9.30	2.379	10.93	10.45	10.01	99
20+20	3.30	3.30	-	-	-	6.60	1.382	6.35	6.07	5.82	99
20+22	3.14	3.46	-	-	-	6.60	1.375	6.31	6.04	5.79	99
20+25	2.98	3.72	-	-	-	6.70	1.405	6.45	6.17	5.91	99
20+35	2.69	4.71	-	-	-	7.40	1.625	7.46	7.14	6.84	99
20+42	2.48	5.22	-	-	-	7.70	1.729	7.94	7.59	7.27	99
20+50	2.29	5.71	-	-	-	8.00	1.849	8.49	8.12	7.78	99
20+60	2.18	6.53	-	-	-	8.70	2.172	9.97	9.54	9.14	99
20+71	2.07	7.33	-	-	-	9.40	2.426	11.13	10.65	10.21	99
22+22	3.30	3.30	-	-	-	6.60	1.368	6.28	6.01	5.76	99
22+25	3.23	3.67	-	-	-	6.90	1.458	6.69	6.40	6.13	99
22+35	2.89	4.61	-	-	-	7.50	1.648	7.57	7.24	6.94	99
22+42	2.68	5.12	-	-	-	7.80	1.752	8.04	7.69	7.37	99
22+50	2.48	5.63	-	-	-	8.10	1.912	8.78	8.40	8.05	99
22+60	2.39	6.51	-	-	-	8.90	2.225	10.21	9.77	9.36	99
22+71	2.27	7.33	-	-	-	9.60	2.449	11.25	10.76	10.31	99
25+25	3.60	3.60	-	-	-	7.20	1.538	7.06	6.75	6.47	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
25+35	3.17	4.43	-	-	-	7.60 3.00 - 9.30	1.698 0.720 - 2.868	7.80	7.46	7.15	99
25+42	2.95	4.95	-	-	-	7.90 3.00 - 9.70	1.792 0.720 - 2.922	8.23	7.87	7.54	99
25+50	2.80	5.60	-	-	-	8.40 3.00 - 10.20	2.012 0.710 - 3.032	9.24	8.84	8.47	99
25+60	2.68	6.42	-	-	-	9.10 3.00 - 11.00	2.315 0.690 - 3.145	10.63	10.17	9.75	99
25+71	2.55	7.25	-	-	-	9.80 3.00 - 11.00	2.499 0.690 - 3.149	11.47	10.97	10.51	99
35+35	4.00	4.00	-	-	-	8.00 3.00 - 9.80	1.848 0.720 - 2.958	8.49	8.12	7.78	99
35+42	3.86	4.64	-	-	-	8.50 3.00 - 10.40	2.082 0.710 - 3.062	9.56	9.14	8.76	99
35+50	3.75	5.35	-	-	-	9.10 3.00 - 11.00	2.332 0.690 - 3.162	10.71	10.24	9.81	99
35+60	3.57	6.13	-	-	-	9.70 3.00 - 11.00	2.485 0.690 - 3.145	11.41	10.91	10.46	99
35+71	3.37	6.83	-	-	-	10.20 3.00 - 11.00	2.609 0.690 - 3.149	11.98	11.46	10.98	99
42+42	4.50	4.50	-	-	-	9.00 3.00 - 11.00	2.306 0.690 - 3.156	10.59	10.13	9.71	99
42+50	4.34	5.16	-	-	-	9.50 3.00 - 11.00	2.446 0.690 - 3.156	11.23	10.74	10.29	99
42+71	3.83	6.47	-	-	-	10.30 3.00 - 11.00	2.643 0.690 - 3.143	12.14	11.61	11.13	99
50+50	5.00	5.00	-	-	-	10.00 3.00 - 11.00	2.576 0.690 - 3.156	11.82	11.31	10.84	99
50+60	4.68	5.62	-	-	-	10.30 3.00 - 11.00	2.629 0.690 - 3.139	12.08	11.55	11.07	99
50+71	4.34	6.16	-	-	-	10.50 3.00 - 11.00	2.693 0.690 - 3.143	12.37	11.83	11.34	99
60+60	5.25	5.25	-	-	-	10.50 3.00 - 11.00	2.672 0.690 - 3.122	12.26	11.73	11.24	99
60+71	4.81	5.69	-	-	-	10.50 3.00 - 11.00	2.676 0.690 - 3.126	12.28	11.75	11.26	99
71+71	5.25	5.25	-	-	-	10.50 3.00 - 11.00	2.680 0.690 - 3.130	12.31	11.77	11.28	99
15+15+15	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.719 0.530 - 3.879	7.89	7.55	7.24	99
15+15+18	2.72	2.72	3.26	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870	7.85	7.51	7.20	99
15+15+20	2.61	2.61	3.48	-	-	8.70 3.20 - 10.60	1.717 0.530 - 3.877	7.88	7.54	7.23	99
15+15+22	2.51	2.51	3.68	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870	7.85	7.51	7.20	99
15+15+25	2.37	2.37	3.95	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870	7.85	7.51	7.20	99
15+15+35	2.01	2.01	4.68	-	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870	7.85	7.51	7.20	99
15+15+42	1.85	1.85	5.19	-	-	8.90 3.20 - 11.30	1.814 0.530 - 3.864	8.33	7.97	7.64	99
15+15+50	1.73	1.73	5.75	-	-	9.20 3.10 - 11.80	2.034 0.560 - 3.864	9.34	8.93	8.56	99
15+15+60	1.58	1.58	6.33	-	-	9.50 2.90 - 12.10	2.327 0.610 - 3.847	10.68	10.22	9.79	99
15+15+71	1.47	1.47	6.96	-	-	9.90 2.70 - 12.50	2.671 0.660 - 3.851	12.26	11.73	11.24	99
15+18+18	2.56	3.07	3.07	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99
15+18+20	2.46	2.95	3.28	-	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868	7.84	7.50	7.19	99
15+18+22	2.37	2.85	3.48	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99
15+18+25	2.25	2.70	3.75	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99
15+18+35	1.94	2.33	4.53	-	-	8.80 3.20 - 10.80	1.741 0.530 - 3.861	8.00	7.65	7.33	99
15+18+42	1.80	2.16	5.04	-	-	9.00 3.20 - 11.60	1.865 0.530 - 3.855	8.56	8.19	7.85	99
15+18+50	1.68	2.02	5.60	-	-	9.30 3.00 - 11.90	2.115 0.570 - 3.855	9.71	9.29	8.90	99
15+18+60	1.55	1.86	6.19	-	-	9.60 2.80 - 12.20	2.408 0.620 - 3.838	11.06	10.58	10.14	99
15+18+71	1.44	1.73	6.83	-	-	10.00 2.60 - 12.60	2.762 0.680 - 3.842	12.68	12.13	11.62	99
15+20+20	2.37	3.16	3.16	-	-	8.70 3.20 - 10.60	1.715 0.530 - 3.875	7.87	7.53	7.22	99
15+20+22	2.29	3.05	3.36	-	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868	7.84	7.50	7.19	99
15+20+25	2.18	2.90	3.63	-	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868	7.84	7.50	7.19	99
15+20+35	1.89	2.51	4.40	-	-	8.80 3.20 - 11.00	1.788 0.530 - 3.868	8.21	7.85	7.52	99
15+20+42	1.77	2.36	4.96	-	-	9.10 3.20 - 11.70	1.932 0.540 - 3.862	8.87	8.48	8.13	99
15+20+50	1.64	2.19	5.47	-	-	9.30 3.00 - 11.90	2.182 0.580 - 3.862	10.02	9.58	9.18	99
15+20+60	1.53	2.04	6.13	-	-	9.70 2.80 - 12.30	2.485 0.630 - 3.845	11.41	10.91	10.46	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
15+20+71	1.42	1.89	6.70	-	-	10.00 2.60 - 12.60	2.799 0.680 - 3.849	12.85	12.29	11.78	99	
15+22+22	2.21	3.24	3.24	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99	
15+22+25	2.10	3.09	3.51	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99	
15+22+35	1.85	2.72	4.33	-	-	8.90 3.20 - 11.30	1.811 0.530 - 3.861	8.31	7.95	7.62	99	
15+22+42	1.73	2.53	4.84	-	-	9.10 3.10 - 11.70	1.995 0.550 - 3.855	9.16	8.76	8.40	99	
15+22+50	1.62	2.38	5.40	-	-	9.40 3.00 - 12.00	2.245 0.590 - 3.855	10.31	9.86	9.45	99	
15+22+60	1.50	2.20	6.00	-	-	9.70 2.80 - 12.30	2.538 0.640 - 3.838	11.66	11.15	10.69	99	
15+22+71	1.39	2.04	6.57	-	-	10.00 2.70 - 12.60	2.792 0.680 - 3.842	12.82	12.26	11.75	99	
15+25+25	2.01	3.35	3.35	-	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99	
15+25+35	1.80	3.00	4.20	-	-	9.00 3.20 - 11.60	1.871 0.530 - 3.861	8.59	8.22	7.88	99	
15+25+42	1.68	2.80	4.71	-	-	9.20 3.10 - 11.80	2.085 0.570 - 3.855	9.58	9.16	8.78	99	
15+25+50	1.58	2.64	5.28	-	-	9.50 2.90 - 12.10	2.335 0.610 - 3.855	10.72	10.25	9.82	99	
15+25+60	1.47	2.45	5.88	-	-	9.80 2.70 - 12.40	2.628 0.660 - 3.838	12.06	11.54	11.06	99	
15+25+71	1.35	2.25	6.40	-	-	10.00 2.80 - 12.60	2.792 0.680 - 3.842	12.82	12.26	11.75	99	
15+35+35	1.64	3.83	3.83	-	-	9.30 3.00 - 11.90	2.181 0.580 - 3.861	10.02	9.58	9.18	99	
15+35+42	1.57	3.65	4.38	-	-	9.60 2.90 - 12.20	2.395 0.620 - 3.855	11.00	10.52	10.08	99	
15+35+50	1.47	3.43	4.90	-	-	9.80 2.70 - 12.40	2.645 0.660 - 3.855	12.15	11.62	11.14	99	
15+35+60	1.36	3.18	5.45	-	-	10.00 2.70 - 12.60	2.788 0.680 - 3.838	12.80	12.24	11.73	99	
15+35+71	1.24	2.89	5.87	-	-	10.00 3.10 - 12.60	2.792 0.680 - 3.842	12.82	12.26	11.75	99	
15+42+42	1.48	4.16	4.16	-	-	9.80 2.70 - 12.40	2.609 0.650 - 3.849	11.98	11.46	10.98	99	
15+42+50	1.40	3.93	4.67	-	-	10.00 2.70 - 12.60	2.799 0.680 - 3.849	12.85	12.29	11.78	99	
15+42+60	1.28	3.59	5.13	-	-	10.00 2.90 - 12.60	2.782 0.680 - 3.832	12.78	12.22	11.71	99	
15+42+71	1.17	3.28	5.55	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	11.73	99	
15+50+50	1.30	4.35	4.35	-	-	10.00 2.90 - 12.60	2.799 0.680 - 3.849	12.85	12.29	11.78	99	
15+50+60	1.20	4.00	4.80	-	-	10.00 3.20 - 12.60	2.782 0.680 - 3.832	12.78	12.22	11.71	99	
15+50+71	1.10	3.68	5.22	-	-	10.00 3.20 - 12.60	2.786 0.680 - 3.836	12.80	12.24	11.73	99	
15+60+60	1.11	4.44	4.44	-	-	10.00 3.20 - 12.60	2.765 0.680 - 3.815	12.69	12.14	11.63	99	
15+60+71	1.03	4.11	4.86	-	-	10.00 3.20 - 12.60	2.769 0.680 - 3.819	12.71	12.16	11.65	99	
15+71+71	0.96	4.52	4.52	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	11.67	99	
18+18+18	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99	
18+18+20	2.80	2.80	3.11	-	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859	7.80	7.46	7.15	99	
18+18+22	2.70	2.70	3.30	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99	
18+18+25	2.57	2.57	3.57	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99	
18+18+35	2.26	2.26	4.39	-	-	8.90 3.20 - 11.20	1.782 0.530 - 3.852	8.19	7.83	7.50	99	
18+18+42	2.10	2.10	4.90	-	-	9.10 3.10 - 11.70	1.946 0.550 - 3.846	8.94	8.55	8.19	99	
18+18+50	1.97	1.97	5.47	-	-	9.40 3.00 - 12.00	2.196 0.590 - 3.846	10.08	9.64	9.24	99	
18+18+60	1.82	1.82	6.06	-	-	9.70 2.80 - 12.30	2.499 0.640 - 3.829	11.47	10.97	10.51	99	
18+18+71	1.68	1.68	6.64	-	-	10.00 2.70 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
18+20+20	2.70	3.00	3.00	-	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866	7.83	7.49	7.18	99	
18+20+22	2.61	2.90	3.19	-	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859	7.80	7.46	7.15	99	
18+20+25	2.49	2.76	3.45	-	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859	7.80	7.46	7.15	99	
18+20+35	2.19	2.44	4.27	-	-	8.90 3.20 - 11.40	1.829 0.530 - 3.859	8.40	8.03	7.70	99	
18+20+42	2.07	2.30	4.83	-	-	9.20 3.10 - 11.80	2.023 0.560 - 3.853	9.28	8.88	8.51	99	
18+20+50	1.92	2.14	5.34	-	-	9.40 2.90 - 12.00	2.273 0.600 - 3.853	10.43	9.98	9.56	99	
18+20+60	1.80	2.00	6.00	-	-	9.80 2.70 - 12.40	2.566 0.650 - 3.836	11.78	11.27	10.80	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
18+20+71	1.65	1.83	6.51	-	-	10.00 2.70 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
18+22+22	2.53	3.09	3.09	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99	
18+22+25	2.41	2.94	3.35	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99	
18+22+35	2.16	2.64	4.20	-	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852	8.55	8.18	7.84	99	
18+22+42	2.02	2.47	4.71	-	-	9.20 3.10 - 11.80	2.076 0.570 - 3.846	9.53	9.12	8.74	99	
18+22+50	1.90	2.32	5.28	-	-	9.50 2.90 - 12.10	2.326 0.610 - 3.846	10.68	10.22	9.79	99	
18+22+60	1.76	2.16	5.88	-	-	9.80 2.70 - 12.40	2.619 0.660 - 3.829	12.02	11.50	11.02	99	
18+22+71	1.62	1.98	6.40	-	-	10.00 2.80 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
18+25+25	2.33	3.24	3.24	-	-	8.80 3.20 - 10.80	1.732 0.530 - 3.852	7.96	7.61	7.29	99	
18+25+35	2.10	2.92	4.08	-	-	9.10 3.10 - 11.70	1.952 0.550 - 3.852	8.96	8.57	8.21	99	
18+25+42	1.97	2.74	4.60	-	-	9.30 3.00 - 11.90	2.166 0.580 - 3.846	9.94	9.51	9.11	99	
18+25+50	1.86	2.58	5.16	-	-	9.60 2.80 - 12.20	2.416 0.620 - 3.846	11.09	10.61	10.17	99	
18+25+60	1.73	2.40	5.77	-	-	9.90 2.60 - 12.50	2.719 0.670 - 3.829	12.48	11.94	11.44	99	
18+25+71	1.58	2.19	6.23	-	-	10.00 2.90 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
18+35+35	1.92	3.74	3.74	-	-	9.40 2.90 - 12.00	2.272 0.600 - 3.852	10.43	9.98	9.56	99	
18+35+42	1.84	3.57	4.29	-	-	9.70 2.80 - 12.30	2.486 0.630 - 3.846	11.42	10.92	10.47	99	
18+35+50	1.73	3.36	4.81	-	-	9.90 2.60 - 12.50	2.736 0.670 - 3.846	12.57	12.02	11.52	99	
18+35+60	1.59	3.10	5.31	-	-	10.00 2.80 - 12.60	2.779 0.680 - 3.829	12.75	12.20	11.69	99	
18+35+71	1.45	2.82	5.73	-	-	10.00 3.10 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
18+42+50	1.64	3.82	4.55	-	-	10.00 2.70 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
18+42+60	1.50	3.50	5.00	-	-	10.00 3.00 - 12.60	2.773 0.680 - 3.823	12.73	12.18	11.67	99	
18+42+71	1.37	3.21	5.42	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	11.69	99	
18+50+50	1.53	4.24	4.24	-	-	10.00 3.00 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
18+50+60	1.41	3.91	4.69	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	11.67	99	
18+50+71	1.29	3.60	5.11	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	11.69	99	
18+60+60	1.30	4.35	4.35	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	11.60	99	
18+60+71	1.21	4.03	4.77	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	11.62	99	
18+71+71	1.13	4.44	4.44	-	-	10.00 3.20 - 12.60	2.764 0.680 - 3.814	12.69	12.14	11.63	99	
20+20+20	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.713 0.530 - 3.873	7.86	7.52	7.21	99	
20+20+22	2.81	2.81	3.09	-	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866	7.83	7.49	7.18	99	
20+20+25	2.68	2.68	3.35	-	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866	7.83	7.49	7.18	99	
20+20+35	2.40	2.40	4.20	-	-	9.00 3.20 - 11.60	1.876 0.530 - 3.866	8.61	8.24	7.90	99	
20+20+42	2.24	2.24	4.71	-	-	9.20 3.10 - 11.80	2.090 0.570 - 3.860	9.60	9.18	8.80	99	
20+20+50	2.11	2.11	5.28	-	-	9.50 2.90 - 12.10	2.340 0.610 - 3.860	10.75	10.28	9.85	99	
20+20+60	1.96	1.96	5.88	-	-	9.80 2.70 - 12.40	2.633 0.660 - 3.843	12.09	11.56	11.08	99	
20+20+71	1.80	1.80	6.40	-	-	10.00 2.80 - 12.60	2.797 0.680 - 3.847	12.84	12.28	11.77	99	
20+22+22	2.72	2.99	2.99	-	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859	7.80	7.46	7.15	99	
20+22+25	2.60	2.86	3.25	-	-	8.70 3.20 - 10.70	1.719 0.530 - 3.859	7.89	7.55	7.24	99	
20+22+35	2.36	2.60	4.14	-	-	9.10 3.20 - 11.70	1.929 0.540 - 3.859	8.86	8.47	8.12	99	
20+22+42	2.21	2.44	4.65	-	-	9.30 3.00 - 11.90	2.143 0.580 - 3.853	9.84	9.41	9.02	99	
20+22+50	2.09	2.30	5.22	-	-	9.60 2.90 - 12.20	2.393 0.620 - 3.853	10.99	10.51	10.07	99	
20+22+71	1.77	1.95	6.28	-	-	10.00 2.80 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
20+25+25	2.51	3.14	3.14	-	-	8.80 3.20 - 11.00	1.779 0.530 - 3.859	8.17	7.81	7.48	99	
20+25+35	2.30	2.88	4.03	-	-	9.20 3.10 - 11.80	2.029 0.560 - 3.859	9.32	8.91	8.54	99	
20+25+42	2.16	2.70	4.54	-	-	9.40 3.00 - 12.00	2.243 0.590 - 3.853	10.30	9.85	9.44	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
20+25+50	2.04	2.55	5.11	-	-	9.70 2.80 - 12.30	2.493 0.630 - 3.853	11.45	10.95	10.49	99	
20+25+60	1.90	2.38	5.71	-	-	10.00 2.60 - 12.60	2.786 0.680 - 3.836	12.80	12.24	11.73	99	
20+25+71	1.72	2.16	6.12	-	-	10.00 2.90 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
20+35+35	2.11	3.69	3.69	-	-	9.50 2.90 - 12.10	2.339 0.610 - 3.859	10.74	10.27	9.84	99	
20+35+42	2.00	3.50	4.20	-	-	9.70 2.80 - 12.30	2.553 0.640 - 3.853	11.72	11.21	10.74	99	
20+35+50	1.90	3.33	4.76	-	-	10.00 2.60 - 12.60	2.803 0.680 - 3.853	12.87	12.31	11.80	99	
20+35+60	1.74	3.04	5.22	-	-	10.00 2.90 - 12.60	2.786 0.680 - 3.836	12.80	12.24	11.73	99	
20+35+71	1.59	2.78	5.63	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
20+42+42	1.92	4.04	4.04	-	-	10.00 2.60 - 12.60	2.767 0.680 - 3.847	12.70	12.15	11.64	99	
20+42+50	1.79	3.75	4.46	-	-	10.00 2.80 - 12.60	2.797 0.680 - 3.847	12.84	12.28	11.77	99	
20+42+60	1.64	3.44	4.92	-	-	10.00 3.10 - 12.60	2.780 0.680 - 3.830	12.77	12.21	11.70	99	
20+42+71	1.50	3.16	5.34	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	11.72	99	
20+50+50	1.67	4.17	4.17	-	-	10.00 3.00 - 12.60	2.797 0.680 - 3.847	12.84	12.28	11.77	99	
20+50+60	1.54	3.85	4.62	-	-	10.00 3.20 - 12.60	2.780 0.680 - 3.830	12.77	12.21	11.70	99	
20+50+71	1.42	3.55	5.04	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	11.72	99	
20+60+60	1.43	4.29	4.29	-	-	10.00 3.20 - 12.60	2.763 0.680 - 3.813	12.68	12.13	11.62	99	
20+60+71	1.32	3.97	4.70	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	11.64	99	
20+71+71	1.23	4.38	4.38	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	11.66	99	
22+22+22	2.90	2.90	2.90	-	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99	
22+22+25	2.81	2.81	3.19	-	-	8.80 3.20 - 10.90	1.752 0.530 - 3.852	8.04	7.69	7.37	99	
22+22+35	2.53	2.53	4.03	-	-	9.10 3.10 - 11.70	1.992 0.550 - 3.852	9.15	8.75	8.39	99	
22+22+42	2.40	2.40	4.59	-	-	9.40 3.00 - 12.00	2.196 0.590 - 3.846	10.08	9.64	9.24	99	
22+22+50	2.25	2.25	5.11	-	-	9.60 2.80 - 12.20	2.456 0.630 - 3.846	11.28	10.79	10.34	99	
22+22+60	2.12	2.12	5.77	-	-	10.00 2.60 - 12.60	2.749 0.680 - 3.829	12.62	12.07	11.57	99	
22+22+71	1.91	1.91	6.17	-	-	10.00 2.90 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
22+25+25	2.72	3.09	3.09	-	-	8.90 3.20 - 11.30	1.802 0.530 - 3.852	8.27	7.91	7.58	99	
22+25+35	2.47	2.80	3.93	-	-	9.20 3.10 - 11.80	2.082 0.570 - 3.852	9.56	9.14	8.76	99	
22+25+42	2.35	2.67	4.48	-	-	9.50 2.90 - 12.10	2.296 0.600 - 3.846	10.54	10.08	9.66	99	
22+25+50	2.20	2.50	5.00	-	-	9.70 2.80 - 12.30	2.546 0.640 - 3.846	11.69	11.18	10.71	99	
22+25+60	2.06	2.34	5.61	-	-	10.00 2.70 - 12.60	2.779 0.680 - 3.829	12.75	12.20	11.69	99	
22+25+71	1.86	2.12	6.02	-	-	10.00 3.00 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
22+35+35	2.30	3.65	3.65	-	-	9.60 2.90 - 12.20	2.392 0.620 - 3.852	10.99	10.51	10.07	99	
22+35+42	2.18	3.46	4.16	-	-	9.80 2.70 - 12.40	2.606 0.650 - 3.846	11.96	11.44	10.96	99	
22+35+50	2.06	3.27	4.67	-	-	10.00 2.70 - 12.60	2.796 0.680 - 3.846	12.84	12.28	11.77	99	
22+35+60	1.88	2.99	5.13	-	-	10.00 2.90 - 12.60	2.779 0.680 - 3.829	12.75	12.20	11.69	99	
22+35+71	1.72	2.73	5.55	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
22+42+42	2.08	3.96	3.96	-	-	10.00 2.60 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
22+42+50	1.93	3.68	4.39	-	-	10.00 2.90 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
22+42+60	1.77	3.39	4.84	-	-	10.00 3.10 - 12.60	2.773 0.680 - 3.823	12.73	12.18	11.67	99	
22+42+71	1.63	3.11	5.26	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	11.69	99	
22+50+50	1.80	4.10	4.10	-	-	10.00 3.10 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
22+50+60	1.67	3.79	4.55	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	11.67	99	
22+50+71	1.54	3.50	4.97	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	11.69	99	
22+60+60	1.55	4.23	4.23	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	11.60	99	
22+60+71	1.44	3.92	4.64	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	11.62	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
22+71+71	1.34	4.33	4.33	-	-	10.00 3.20 - 12.60	2.764 0.680 - 3.814	12.69	12.14	11.63	99	
25+25+25	3.00	3.00	3.00	-	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852	8.55	8.18	7.84	99	
25+25+35	2.74	2.74	3.83	-	-	9.30 3.00 - 11.90	2.172 0.580 - 3.852	9.97	9.54	9.14	99	
25+25+42	2.61	2.61	4.38	-	-	9.60 2.90 - 12.20	2.386 0.620 - 3.846	10.96	10.48	10.04	99	
25+25+50	2.45	2.45	4.90	-	-	9.80 2.70 - 12.40	2.636 0.660 - 3.846	12.11	11.58	11.10	99	
25+25+60	2.27	2.27	5.45	-	-	10.00 2.70 - 12.60	2.779 0.680 - 3.829	12.75	12.20	11.69	99	
25+25+71	2.07	2.07	5.87	-	-	10.00 3.10 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
25+35+35	2.55	3.57	3.57	-	-	9.70 2.80 - 12.30	2.492 0.630 - 3.852	11.44	10.94	10.48	99	
25+35+50	2.27	3.18	4.55	-	-	10.00 2.70 - 12.60	2.796 0.680 - 3.846	12.84	12.28	11.77	99	
25+35+60	2.08	2.92	5.00	-	-	10.00 3.00 - 12.60	2.779 0.680 - 3.829	12.75	12.20	11.69	99	
25+35+71	1.91	2.67	5.42	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
25+42+42	2.29	3.85	3.85	-	-	10.00 2.70 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
25+42+50	2.14	3.59	4.27	-	-	10.00 2.90 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
25+42+60	1.97	3.31	4.72	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	11.67	99	
25+42+71	1.81	3.04	5.14	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	11.69	99	
25+50+50	2.00	4.00	4.00	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
25+50+60	1.85	3.70	4.44	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	11.67	99	
25+50+71	1.71	3.42	4.86	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	11.69	99	
25+60+60	1.72	4.14	4.14	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	11.60	99	
25+60+71	1.60	3.85	4.55	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	11.62	99	
25+71+71	1.50	4.25	4.25	-	-	10.00 3.20 - 12.60	2.764 0.680 - 3.814	12.69	12.14	11.63	99	
35+35+35	3.33	3.33	3.33	-	-	10.00 2.60 - 12.60	2.802 0.680 - 3.852	12.87	12.31	11.80	99	
35+35+42	3.13	3.13	3.75	-	-	10.00 2.80 - 12.60	2.796 0.680 - 3.846	12.84	12.28	11.77	99	
35+35+50	2.92	2.92	4.17	-	-	10.00 3.00 - 12.60	2.796 0.680 - 3.846	12.84	12.28	11.77	99	
35+35+60	2.69	2.69	4.62	-	-	10.00 3.20 - 12.60	2.779 0.680 - 3.829	12.75	12.20	11.69	99	
35+35+71	2.48	2.48	5.04	-	-	10.00 3.20 - 12.60	2.783 0.680 - 3.833	12.78	12.22	11.71	99	
35+42+42	2.94	3.53	3.53	-	-	10.00 3.00 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
35+42+50	2.76	3.31	3.94	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
35+42+60	2.55	3.07	4.38	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	11.67	99	
35+42+71	2.36	2.84	4.80	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	11.69	99	
35+50+50	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.790 0.680 - 3.840	12.81	12.25	11.74	99	
35+50+60	2.41	3.45	4.14	-	-	10.00 3.20 - 12.60	2.773 0.680 - 3.823	12.73	12.18	11.67	99	
35+50+71	2.24	3.21	4.55	-	-	10.00 3.20 - 12.60	2.777 0.680 - 3.827	12.75	12.20	11.69	99	
35+60+60	2.26	3.87	3.87	-	-	10.00 3.20 - 12.60	2.756 0.680 - 3.806	12.65	12.10	11.60	99	
35+60+71	2.11	3.61	4.28	-	-	10.00 3.20 - 12.60	2.760 0.680 - 3.810	12.67	12.12	11.62	99	
42+42+42	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	11.72	99	
42+42+50	3.13	3.13	3.73	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	11.72	99	
42+42+60	2.92	2.92	4.17	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	11.64	99	
42+42+71	2.71	2.71	4.58	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	11.66	99	
42+50+50	2.96	3.52	3.52	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	11.72	99	
42+50+60	2.76	3.29	3.95	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	11.64	99	
42+50+71	2.58	3.07	4.36	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	11.66	99	
42+60+60	2.59	3.70	3.70	-	-	10.00 3.20 - 12.60	2.750 0.680 - 3.800	12.63	12.08	11.58	99	
50+50+50	3.33	3.33	3.33	-	-	10.00 3.20 - 12.60	2.784 0.680 - 3.834	12.79	12.23	11.72	99	
50+50+60	3.13	3.13	3.75	-	-	10.00 3.20 - 12.60	2.767 0.680 - 3.817	12.70	12.15	11.64	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
50+50+71	2.92	2.92	4.15	-	-	10.00 3.20 - 12.60	2.771 0.680 - 3.821	12.72	12.17	11.66	99	
50+60+60	2.94	3.53	3.53	-	-	10.00 3.20 - 12.60	2.750 0.680 - 3.800	12.63	12.08	11.58	99	
15+15+15+15	2.15	2.15	2.15	2.15	-	8.60 3.40 - 11.60	1.872 0.590 - 3.862	8.59	8.22	7.88	99	
15+15+15+18	2.14	2.14	2.14	2.57	-	9.00 3.40 - 12.00	1.973 0.590 - 3.853	9.05	8.66	8.30	99	
15+15+15+20	2.08	2.08	2.08	2.77	-	9.00 3.40 - 12.30	2.060 0.590 - 3.860	9.46	9.05	8.67	99	
15+15+15+22	2.08	2.08	2.08	3.05	-	9.30 3.40 - 12.60	2.123 0.590 - 3.853	9.74	9.32	8.93	99	
15+15+15+25	2.04	2.04	2.04	3.39	-	9.50 3.40 - 13.00	2.243 0.590 - 3.853	10.30	9.85	9.44	99	
15+15+15+35	1.82	1.82	1.82	4.24	-	9.70 3.40 - 13.30	2.313 0.590 - 3.853	10.62	10.16	9.74	99	
15+15+15+42	1.67	1.67	1.67	4.68	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	10.59	10.13	9.71	99	
15+15+15+50	1.53	1.53	1.53	5.11	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	10.59	10.13	9.71	99	
15+15+15+60	1.40	1.40	1.40	5.60	-	9.80 3.40 - 13.30	2.330 0.590 - 3.830	10.70	10.23	9.80	99	
15+15+15+71	1.28	1.28	1.28	6.06	-	9.90 3.40 - 13.30	2.414 0.590 - 3.834	11.08	10.60	10.16	99	
15+15+18+18	2.11	2.11	2.54	2.54	-	9.30 3.40 - 12.50	2.084 0.590 - 3.844	9.57	9.15	8.77	99	
15+15+18+20	2.07	2.07	2.49	2.76	-	9.40 3.40 - 12.70	2.161 0.590 - 3.851	9.92	9.49	9.09	99	
15+15+18+22	2.06	2.06	2.47	3.02	-	9.60 3.40 - 13.00	2.234 0.590 - 3.844	10.26	9.81	9.40	99	
15+15+18+25	2.01	2.01	2.42	3.36	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	10.58	10.12	9.70	99	
15+15+18+35	1.77	1.77	2.13	4.13	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	10.58	10.12	9.70	99	
15+15+18+42	1.63	1.63	1.96	4.57	-	9.80 3.40 - 13.30	2.298 0.590 - 3.838	10.55	10.09	9.67	99	
15+15+18+50	1.50	1.50	1.80	5.00	-	9.80 3.40 - 13.30	2.298 0.590 - 3.838	10.55	10.09	9.67	99	
15+15+18+60	1.38	1.38	1.65	5.50	-	9.90 3.40 - 13.30	2.341 0.590 - 3.821	10.75	10.28	9.85	99	
15+15+18+71	1.26	1.26	1.51	5.97	-	10.00 3.40 - 13.30	2.425 0.590 - 3.825	11.13	10.65	10.21	99	
15+15+20+20	2.01	2.01	2.69	2.69	-	9.40 3.40 - 13.00	2.248 0.590 - 3.858	10.32	9.87	9.46	99	
15+15+20+22	2.02	2.02	2.69	2.96	-	9.70 3.40 - 13.30	2.311 0.590 - 3.851	10.61	10.15	9.73	99	
15+15+20+25	1.94	1.94	2.59	3.23	-	9.70 3.40 - 13.30	2.311 0.590 - 3.851	10.61	10.15	9.73	99	
15+15+20+35	1.71	1.71	2.28	3.99	-	9.70 3.40 - 13.30	2.311 0.590 - 3.851	10.61	10.15	9.73	99	
15+15+20+42	1.58	1.58	2.11	4.43	-	9.70 3.40 - 13.30	2.305 0.590 - 3.845	10.58	10.12	9.70	99	
15+15+20+50	1.46	1.46	1.94	4.85	-	9.70 3.40 - 13.30	2.305 0.590 - 3.845	10.58	10.12	9.70	99	
15+15+20+60	1.34	1.34	1.78	5.35	-	9.80 3.40 - 13.30	2.358 0.590 - 3.828	10.83	10.36	9.93	99	
15+15+20+71	1.24	1.24	1.65	5.87	-	10.00 3.40 - 13.30	2.442 0.590 - 3.832	11.21	10.72	10.27	99	
15+15+22+22	1.99	1.99	2.91	2.91	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	10.58	10.12	9.70	99	
15+15+22+25	1.91	1.91	2.80	3.18	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	10.58	10.12	9.70	99	
15+15+22+35	1.69	1.69	2.48	3.94	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	10.58	10.12	9.70	99	
15+15+22+42	1.56	1.56	2.29	4.38	-	9.80 3.40 - 13.30	2.298 0.590 - 3.838	10.55	10.09	9.67	99	
15+15+22+60	1.34	1.34	1.96	5.36	-	10.00 3.40 - 13.30	2.371 0.590 - 3.821	10.88	10.41	9.98	99	
15+15+22+71	1.23	1.23	1.81	5.83	-	10.10 3.40 - 13.30	2.455 0.590 - 3.825	11.27	10.78	10.33	99	
15+15+25+25	1.84	1.84	3.06	3.06	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	10.58	10.12	9.70	99	
15+15+25+35	1.63	1.63	2.72	3.81	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	10.58	10.12	9.70	99	
15+15+25+42	1.52	1.52	2.53	4.24	-	9.80 3.40 - 13.30	2.298 0.590 - 3.838	10.55	10.09	9.67	99	
15+15+25+50	1.41	1.41	2.36	4.71	-	9.90 3.40 - 13.30	2.338 0.590 - 3.838	10.74	10.27	9.84	99	
15+15+25+60	1.30	1.30	2.17	5.22	-	10.00 3.40 - 13.30	2.391 0.590 - 3.821	10.98	10.50	10.06	99	
15+15+25+71	1.20	1.20	2.00	5.69	-	10.10 3.40 - 13.30	2.475 0.590 - 3.825	11.36	10.87	10.42	99	
15+15+35+35	1.47	1.47	3.43	3.43	-	9.80 3.40 - 13.30	2.304 0.590 - 3.844	10.58	10.12	9.70	99	
15+15+35+42	1.39	1.39	3.24	3.89	-	9.90 3.40 - 13.30	2.348 0.590 - 3.838	10.78	10.31	9.88	99	
15+15+35+50	1.30	1.30	3.04	4.35	-	10.00 3.40 - 13.30	2.408 0.590 - 3.838	11.06	10.58	10.14	99	
15+15+35+60	1.21	1.21	2.83	4.85	-	10.10 3.40 - 13.30	2.461 0.590 - 3.821	11.30	10.81	10.36	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15+15+35+71	1.14	1.14	2.65	5.38	-	10.30 3.40 - 13.30	2.545 0.590 - 3.825	11.69	11.18	10.71	99
15+15+42+42	1.32	1.32	3.68	3.68	-	10.00 3.40 - 13.30	2.392 0.590 - 3.832	10.99	10.51	10.07	99
15+15+42+50	1.24	1.24	3.48	4.14	-	10.10 3.40 - 13.30	2.452 0.590 - 3.832	11.26	10.77	10.32	99
15+15+42+60	1.16	1.16	3.25	4.64	-	10.20 3.40 - 13.30	2.505 0.590 - 3.815	11.50	11.00	10.54	99
15+15+42+71	1.08	1.08	3.03	5.11	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	11.79	11.28	10.81	99
15+15+50+50	1.18	1.18	3.92	3.92	-	10.20 3.40 - 13.30	2.512 0.590 - 3.832	11.53	11.03	10.57	99
15+15+50+60	1.10	1.10	3.68	4.41	-	10.30 3.40 - 13.30	2.565 0.590 - 3.815	11.77	11.26	10.79	99
15+15+50+71	1.02	1.02	3.41	4.84	-	10.30 3.40 - 13.30	2.569 0.590 - 3.819	11.79	11.28	10.81	99
15+15+60+60	1.03	1.03	4.12	4.12	-	10.30 3.40 - 13.30	2.548 0.590 - 3.798	11.70	11.19	10.72	99
15+15+60+71	0.96	0.96	3.84	4.54	-	10.30 3.50 - 13.30	2.552 0.590 - 3.802	11.72	11.21	10.74	99
15+15+71+71	0.90	0.90	4.25	4.25	-	10.30 3.50 - 13.30	2.556 0.590 - 3.806	11.74	11.23	10.76	99
15+18+18+18	2.11	2.53	2.53	2.53	-	9.70 3.40 - 12.90	2.185 0.590 - 3.835	10.04	9.60	9.20	99
15+18+18+20	2.05	2.46	2.46	2.73	-	9.70 3.40 - 13.20	2.262 0.590 - 3.842	10.38	9.93	9.52	99
15+18+18+22	2.03	2.44	2.44	2.98	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99
15+18+18+25	1.95	2.34	2.34	3.26	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99
15+18+18+35	1.73	2.07	2.07	4.03	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99
15+18+18+42	1.60	1.92	1.92	4.47	-	9.90 3.40 - 13.30	2.289 0.590 - 3.829	10.51	10.05	9.63	99
15+18+18+50	1.47	1.76	1.76	4.90	-	9.90 3.40 - 13.30	2.299 0.590 - 3.829	10.56	10.10	9.68	99
15+18+18+60	1.35	1.62	1.62	5.41	-	10.00 3.40 - 13.30	2.352 0.590 - 3.812	10.80	10.33	9.90	99
15+18+18+71	1.25	1.50	1.50	5.94	-	10.20 3.40 - 13.30	2.436 0.590 - 3.816	11.19	10.70	10.25	99
15+18+20+20	1.99	2.39	2.66	2.66	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	10.60	10.14	9.72	99
15+18+20+22	1.96	2.35	2.61	2.87	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	10.57	10.11	9.69	99
15+18+20+25	1.88	2.26	2.51	3.14	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	10.57	10.11	9.69	99
15+18+20+35	1.67	2.00	2.23	3.90	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	10.57	10.11	9.69	99
15+18+20+42	1.55	1.86	2.06	4.33	-	9.80 3.40 - 13.30	2.296 0.590 - 3.836	10.54	10.08	9.66	99
15+18+20+50	1.43	1.71	1.90	4.76	-	9.80 3.40 - 13.30	2.316 0.590 - 3.836	10.63	10.17	9.75	99
15+18+20+60	1.33	1.59	1.77	5.31	-	10.00 3.40 - 13.30	2.369 0.590 - 3.819	10.87	10.40	9.97	99
15+18+20+71	1.22	1.47	1.63	5.78	-	10.10 3.40 - 13.30	2.453 0.590 - 3.823	11.26	10.77	10.32	99
15+18+22+22	1.93	2.31	2.83	2.83	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99
15+18+22+25	1.86	2.23	2.72	3.09	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99
15+18+22+35	1.65	1.98	2.42	3.85	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99
15+18+22+42	1.53	1.84	2.25	4.29	-	9.90 3.40 - 13.30	2.289 0.590 - 3.829	10.51	10.05	9.63	99
15+18+22+50	1.43	1.71	2.10	4.76	-	10.00 3.40 - 13.30	2.329 0.590 - 3.829	10.70	10.23	9.80	99
15+18+22+60	1.32	1.58	1.93	5.27	-	10.10 3.40 - 13.30	2.382 0.590 - 3.812	10.94	10.46	10.02	99
15+18+22+71	1.21	1.46	1.78	5.75	-	10.20 3.40 - 13.30	2.466 0.590 - 3.816	11.32	10.83	10.38	99
15+18+25+25	1.79	2.15	2.98	2.98	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99
15+18+25+35	1.60	1.92	2.66	3.73	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99
15+18+25+42	1.49	1.78	2.48	4.16	-	9.90 3.40 - 13.30	2.289 0.590 - 3.829	10.51	10.05	9.63	99
15+18+25+50	1.39	1.67	2.31	4.63	-	10.00 3.40 - 13.30	2.349 0.590 - 3.829	10.79	10.32	9.89	99
15+18+25+60	1.28	1.54	2.14	5.14	-	10.10 3.40 - 13.30	2.402 0.590 - 3.812	11.03	10.55	10.11	99
15+18+25+71	1.20	1.44	2.00	5.67	-	10.30 3.40 - 13.30	2.486 0.590 - 3.816	11.42	10.92	10.47	99
15+18+35+35	1.44	1.73	3.36	3.36	-	9.90 3.40 - 13.30	2.315 0.590 - 3.835	10.63	10.17	9.75	99
15+18+35+42	1.36	1.64	3.18	3.82	-	10.00 3.40 - 13.30	2.359 0.590 - 3.829	10.83	10.36	9.93	99
15+18+35+50	1.28	1.54	3.00	4.28	-	10.10 3.40 - 13.30	2.419 0.590 - 3.829	11.10	10.62	10.18	99
15+18+35+60	1.21	1.45	2.82	4.83	-	10.30 3.40 - 13.30	2.472 0.590 - 3.812	11.35	10.86	10.41	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
15+18+35+71	1.12	1.35	2.62	5.31	-	10.40 3.40 - 13.30	2.556 0.590 - 3.816	11.74	11.23	10.76	99	
15+18+42+42	1.29	1.55	3.63	3.63	-	10.10 3.40 - 13.30	2.403 0.590 - 3.823	11.03	10.55	10.11	99	
15+18+42+50	1.22	1.47	3.43	4.08	-	10.20 3.40 - 13.30	2.463 0.590 - 3.823	11.31	10.82	10.37	99	
15+18+42+60	1.14	1.37	3.20	4.58	-	10.30 3.40 - 13.30	2.516 0.590 - 3.806	11.55	11.05	10.59	99	
15+18+42+71	1.07	1.28	2.99	5.06	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99	
15+18+50+50	1.16	1.39	3.87	3.87	-	10.30 3.40 - 13.30	2.523 0.590 - 3.823	11.58	11.08	10.62	99	
15+18+50+60	1.09	1.31	3.64	4.36	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	11.74	11.23	10.76	99	
15+18+50+71	1.01	1.22	3.38	4.79	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99	
15+18+60+60	1.02	1.22	4.08	4.08	-	10.40 3.40 - 13.30	2.539 0.590 - 3.789	11.66	11.15	10.69	99	
15+18+60+71	0.95	1.14	3.80	4.50	-	10.40 3.50 - 13.30	2.543 0.590 - 3.793	11.68	11.17	10.70	99	
15+20+20+20	1.92	2.56	2.56	2.56	-	9.60 3.40 - 13.30	2.316 0.590 - 3.856	10.63	10.17	9.75	99	
15+20+20+22	1.89	2.52	2.52	2.77	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	10.60	10.14	9.72	99	
15+20+20+25	1.82	2.43	2.43	3.03	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	10.60	10.14	9.72	99	
15+20+20+35	1.62	2.16	2.16	3.77	-	9.70 3.40 - 13.30	2.309 0.590 - 3.849	10.60	10.14	9.72	99	
15+20+20+42	1.50	2.00	2.00	4.20	-	9.70 3.40 - 13.30	2.303 0.590 - 3.843	10.57	10.11	9.69	99	
15+20+20+50	1.40	1.87	1.87	4.67	-	9.80 3.40 - 13.30	2.343 0.590 - 3.843	10.76	10.29	9.86	99	
15+20+20+60	1.29	1.72	1.72	5.17	-	9.90 3.40 - 13.30	2.396 0.590 - 3.826	11.00	10.52	10.08	99	
15+20+20+71	1.19	1.59	1.59	5.63	-	10.00 3.40 - 13.30	2.480 0.590 - 3.830	11.39	10.89	10.44	99	
15+20+22+22	1.86	2.48	2.73	2.73	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	10.57	10.11	9.69	99	
15+20+22+25	1.79	2.39	2.63	2.99	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	10.57	10.11	9.69	99	
15+20+22+35	1.60	2.13	2.34	3.73	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	10.57	10.11	9.69	99	
15+20+22+42	1.48	1.98	2.18	4.16	-	9.80 3.40 - 13.30	2.296 0.590 - 3.836	10.54	10.08	9.66	99	
15+20+22+50	1.39	1.85	2.04	4.63	-	9.90 3.40 - 13.30	2.346 0.590 - 3.836	10.77	10.30	9.87	99	
15+20+22+60	1.28	1.71	1.88	5.13	-	10.00 3.40 - 13.30	2.399 0.590 - 3.819	11.02	10.54	10.10	99	
15+20+22+71	1.20	1.59	1.75	5.66	-	10.20 3.40 - 13.30	2.483 0.590 - 3.823	11.40	10.90	10.45	99	
15+20+25+25	1.73	2.31	2.88	2.88	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	10.57	10.11	9.69	99	
15+20+25+35	1.55	2.06	2.58	3.61	-	9.80 3.40 - 13.30	2.302 0.590 - 3.842	10.57	10.11	9.69	99	
15+20+25+50	1.35	1.80	2.25	4.50	-	9.90 3.40 - 13.30	2.366 0.590 - 3.836	10.86	10.39	9.96	99	
15+20+25+60	1.26	1.68	2.10	5.05	-	10.10 3.40 - 13.30	2.429 0.590 - 3.819	11.16	10.67	10.23	99	
15+20+25+71	1.17	1.56	1.95	5.53	-	10.20 3.40 - 13.30	2.503 0.590 - 3.823	11.49	10.99	10.53	99	
15+20+35+35	1.41	1.89	3.30	3.30	-	9.90 3.40 - 13.30	2.342 0.590 - 3.842	10.76	10.29	9.86	99	
15+20+35+42	1.34	1.79	3.13	3.75	-	10.00 3.40 - 13.30	2.386 0.590 - 3.836	10.96	10.48	10.04	99	
15+20+35+50	1.26	1.68	2.95	4.21	-	10.10 3.40 - 13.30	2.446 0.590 - 3.836	11.23	10.74	10.29	99	
15+20+35+60	1.18	1.57	2.75	4.71	-	10.20 3.40 - 13.30	2.499 0.590 - 3.819	11.47	10.97	10.51	99	
15+20+35+71	1.10	1.46	2.56	5.19	-	10.30 3.40 - 13.30	2.573 0.590 - 3.823	11.81	11.30	10.83	99	
15+20+42+42	1.26	1.68	3.53	3.53	-	10.00 3.40 - 13.30	2.430 0.590 - 3.830	11.16	10.67	10.23	99	
15+20+42+50	1.19	1.59	3.34	3.98	-	10.10 3.40 - 13.30	2.490 0.590 - 3.830	11.44	10.94	10.48	99	
15+20+42+60	1.13	1.50	3.16	4.51	-	10.30 3.40 - 13.30	2.543 0.590 - 3.813	11.68	11.17	10.70	99	
15+20+42+71	1.04	1.39	2.92	4.94	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	11.78	11.27	10.80	99	
15+20+50+50	1.13	1.51	3.78	3.78	-	10.20 3.40 - 13.30	2.540 0.590 - 3.830	11.67	11.16	10.70	99	
15+20+50+60	1.07	1.42	3.55	4.26	-	10.30 3.40 - 13.30	2.563 0.590 - 3.813	11.77	11.26	10.79	99	
15+20+50+71	0.99	1.32	3.30	4.69	-	10.30 3.40 - 13.30	2.567 0.590 - 3.817	11.78	11.27	10.80	99	
15+20+60+60	1.00	1.33	3.99	3.99	-	10.30 3.40 - 13.30	2.546 0.590 - 3.796	11.69	11.18	10.71	99	
15+20+60+71	0.93	1.24	3.72	4.41	-	10.30 3.50 - 13.30	2.550 0.590 - 3.800	11.71	11.20	10.73	99	
15+22+22+22	1.83	2.69	2.69	2.69	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
15+22+22+25	1.77	2.59	2.59	2.95	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99	
15+22+22+35	1.58	2.32	2.32	3.69	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99	
15+22+22+42	1.47	2.16	2.16	4.12	-	9.90 3.40 - 13.30	2.299 0.590 - 3.829	10.56	10.10	9.68	99	
15+22+22+50	1.38	2.02	2.02	4.59	-	10.00 3.40 - 13.30	2.359 0.590 - 3.829	10.83	10.36	9.93	99	
15+22+22+60	1.27	1.87	1.87	5.09	-	10.10 3.40 - 13.30	2.412 0.590 - 3.812	11.07	10.59	10.15	99	
15+22+22+71	1.19	1.74	1.74	5.63	-	10.30 3.40 - 13.30	2.496 0.590 - 3.816	11.46	10.96	10.50	99	
15+22+25+25	1.71	2.50	2.84	2.84	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99	
15+22+25+35	1.53	2.25	2.55	3.57	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99	
15+22+25+42	1.44	2.12	2.40	4.04	-	10.00 3.40 - 13.30	2.319 0.590 - 3.829	10.64	10.18	9.76	99	
15+22+25+50	1.35	1.98	2.25	4.51	-	10.10 3.40 - 13.30	2.379 0.590 - 3.829	10.93	10.45	10.01	99	
15+22+25+60	1.25	1.84	2.09	5.02	-	10.20 3.40 - 13.30	2.432 0.590 - 3.812	11.17	10.68	10.24	99	
15+22+25+71	1.16	1.70	1.94	5.50	-	10.30 3.40 - 13.30	2.516 0.590 - 3.816	11.55	11.05	10.59	99	
15+22+35+35	1.40	2.06	3.27	3.27	-	10.00 3.40 - 13.30	2.345 0.590 - 3.835	10.77	10.30	9.87	99	
15+22+35+42	1.33	1.95	3.10	3.72	-	10.10 3.40 - 13.30	2.389 0.590 - 3.829	10.97	10.49	10.05	99	
15+22+35+50	1.25	1.84	2.93	4.18	-	10.20 3.40 - 13.30	2.449 0.590 - 3.829	11.25	10.76	10.31	99	
15+22+35+60	1.17	1.72	2.73	4.68	-	10.30 3.40 - 13.30	2.502 0.590 - 3.812	11.49	10.99	10.53	99	
15+22+35+71	1.09	1.60	2.55	5.16	-	10.40 3.40 - 13.30	2.566 0.590 - 3.816	11.78	11.27	10.80	99	
15+22+42+42	1.26	1.85	3.54	3.54	-	10.20 3.40 - 13.30	2.433 0.590 - 3.823	11.18	10.69	10.24	99	
15+22+42+50	1.20	1.76	3.35	3.99	-	10.30 3.40 - 13.30	2.493 0.590 - 3.823	11.45	10.95	10.49	99	
15+22+42+60	1.12	1.65	3.14	4.49	-	10.40 3.40 - 13.30	2.546 0.590 - 3.806	11.69	11.18	10.71	99	
15+22+42+71	1.04	1.53	2.91	4.92	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99	
15+22+50+50	1.14	1.67	3.80	3.80	-	10.40 3.40 - 13.30	2.553 0.590 - 3.823	11.72	11.21	10.74	99	
15+22+50+60	1.06	1.56	3.54	4.24	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	11.74	11.23	10.76	99	
15+22+50+71	0.99	1.45	3.29	4.67	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99	
15+22+60+60	0.99	1.46	3.97	3.97	-	10.40 3.50 - 13.30	2.539 0.590 - 3.789	11.66	11.15	10.69	99	
15+22+60+71	0.93	1.36	3.71	4.40	-	10.40 3.50 - 13.30	2.543 0.590 - 3.793	11.68	11.17	10.70	99	
15+25+25+25	1.65	2.75	2.75	2.75	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99	
15+25+25+35	1.49	2.48	2.48	3.47	-	9.90 3.40 - 13.30	2.295 0.590 - 3.835	10.54	10.08	9.66	99	
15+25+25+42	1.40	2.34	2.34	3.93	-	10.00 3.40 - 13.30	2.339 0.590 - 3.829	10.74	10.27	9.84	99	
15+25+25+50	1.32	2.20	2.20	4.39	-	10.10 3.40 - 13.30	2.399 0.590 - 3.829	11.02	10.54	10.10	99	
15+25+25+60	1.22	2.04	2.04	4.90	-	10.20 3.40 - 13.30	2.452 0.590 - 3.812	11.26	10.77	10.32	99	
15+25+25+71	1.15	1.91	1.91	5.43	-	10.40 3.40 - 13.30	2.536 0.590 - 3.816	11.65	11.14	10.68	99	
15+25+35+35	1.36	2.27	3.18	3.18	-	10.00 3.40 - 13.30	2.365 0.590 - 3.835	10.86	10.39	9.96	99	
15+25+35+42	1.29	2.16	3.02	3.63	-	10.10 3.40 - 13.30	2.409 0.590 - 3.829	11.06	10.58	10.14	99	
15+25+35+50	1.22	2.04	2.86	4.08	-	10.20 3.40 - 13.30	2.469 0.590 - 3.829	11.33	10.84	10.39	99	
15+25+35+60	1.14	1.91	2.67	4.58	-	10.30 3.40 - 13.30	2.522 0.590 - 3.812	11.58	11.08	10.62	99	
15+25+35+71	1.07	1.78	2.49	5.06	-	10.40 3.40 - 13.30	2.566 0.590 - 3.816	11.78	11.27	10.80	99	
15+25+42+42	1.23	2.06	3.45	3.45	-	10.20 3.40 - 13.30	2.453 0.590 - 3.823	11.26	10.77	10.32	99	
15+25+42+50	1.17	1.95	3.28	3.90	-	10.30 3.40 - 13.30	2.513 0.590 - 3.823	11.54	11.04	10.58	99	
15+25+42+60	1.10	1.83	3.08	4.39	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	11.74	11.23	10.76	99	
15+25+42+71	1.02	1.70	2.85	4.83	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99	
15+25+50+50	1.11	1.86	3.71	3.71	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	11.81	11.30	10.83	99	
15+25+50+60	1.04	1.73	3.47	4.16	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	11.74	11.23	10.76	99	
15+25+50+71	0.97	1.61	3.23	4.59	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99	
15+25+60+60	0.98	1.63	3.90	3.90	-	10.40 3.50 - 13.30	2.539 0.590 - 3.789	11.66	11.15	10.69	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
15+25+60+71	0.91	1.52	3.65	4.32	-	10.40 3.50 - 13.30	2.543 0.590 - 3.793	11.68	11.17	10.70	99	
15+35+35+35	1.28	2.98	2.98	2.98	-	10.20 3.40 - 13.30	2.445 0.590 - 3.835	11.23	10.74	10.29	99	
15+35+35+42	1.20	2.81	2.81	3.37	-	10.20 3.40 - 13.30	2.489 0.590 - 3.829	11.43	10.93	10.47	99	
15+35+35+50	1.14	2.67	2.67	3.81	-	10.30 3.40 - 13.30	2.539 0.590 - 3.829	11.66	11.15	10.69	99	
15+35+35+60	1.08	2.51	2.51	4.30	-	10.40 3.40 - 13.30	2.562 0.590 - 3.812	11.76	11.25	10.78	99	
15+35+35+71	1.00	2.33	2.33	4.73	-	10.40 3.40 - 13.30	2.566 0.590 - 3.816	11.78	11.27	10.80	99	
15+35+42+42	1.15	2.69	3.23	3.23	-	10.30 3.40 - 13.30	2.533 0.590 - 3.823	11.63	11.12	10.66	99	
15+35+42+50	1.10	2.56	3.08	3.66	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	11.81	11.30	10.83	99	
15+35+42+60	1.03	2.39	2.87	4.11	-	10.40 3.40 - 13.30	2.556 0.590 - 3.806	11.74	11.23	10.76	99	
15+35+42+71	0.96	2.23	2.68	4.53	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99	
15+35+50+50	1.04	2.43	3.47	3.47	-	10.40 3.40 - 13.30	2.573 0.590 - 3.823	11.81	11.30	10.83	99	
15+35+50+60	0.98	2.28	3.25	3.90	-	10.40 3.50 - 13.30	2.556 0.590 - 3.806	11.74	11.23	10.76	99	
15+35+50+71	0.91	2.13	3.04	4.32	-	10.40 3.50 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99	
15+35+60+60	0.92	2.14	3.67	3.67	-	10.40 3.50 - 13.30	2.539 0.590 - 3.789	11.66	11.15	10.69	99	
15+42+42+42	1.11	3.10	3.10	3.10	-	10.40 3.40 - 13.30	2.567 0.590 - 3.817	11.78	11.27	10.80	99	
15+42+42+50	1.05	2.93	2.93	3.49	-	10.40 3.40 - 13.30	2.567 0.590 - 3.817	11.78	11.27	10.80	99	
15+42+42+60	0.98	2.75	2.75	3.92	-	10.40 3.50 - 13.30	2.550 0.590 - 3.800	11.71	11.20	10.73	99	
15+42+42+71	0.92	2.57	2.57	4.34	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	11.73	11.22	10.75	99	
15+42+50+50	0.99	2.78	3.31	3.31	-	10.40 3.50 - 13.30	2.567 0.590 - 3.817	11.78	11.27	10.80	99	
15+42+50+60	0.93	2.62	3.11	3.74	-	10.40 3.50 - 13.30	2.550 0.590 - 3.800	11.71	11.20	10.73	99	
15+50+50+50	0.95	3.15	3.15	3.15	-	10.40 3.50 - 13.30	2.567 0.590 - 3.817	11.78	11.27	10.80	99	
18+18+18+18	2.50	2.50	2.50	2.50	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+18+18+20	2.41	2.41	2.41	2.68	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
18+18+18+22	2.37	2.37	2.37	2.89	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+18+18+25	2.28	2.28	2.28	3.16	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+18+18+35	2.02	2.02	2.02	3.93	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+18+18+42	1.88	1.88	1.88	4.38	-	10.00 3.40 - 13.30	2.280 0.590 - 3.820	10.47	10.01	9.59	99	
18+18+18+50	1.75	1.75	1.75	4.86	-	10.10 3.40 - 13.30	2.310 0.590 - 3.820	10.60	10.14	9.72	99	
18+18+18+60	1.61	1.61	1.61	5.37	-	10.20 3.40 - 13.30	2.363 0.590 - 3.803	10.85	10.38	9.95	99	
18+18+18+71	1.48	1.48	1.48	5.85	-	10.30 3.40 - 13.30	2.447 0.590 - 3.807	11.24	10.75	10.30	99	
18+18+20+20	2.32	2.32	2.58	2.58	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	10.56	10.10	9.68	99	
18+18+20+22	2.28	2.28	2.54	2.79	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
18+18+20+25	2.20	2.20	2.44	3.06	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
18+18+20+35	1.96	1.96	2.18	3.81	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
18+18+20+42	1.82	1.82	2.02	4.24	-	9.90 3.40 - 13.30	2.287 0.590 - 3.827	10.50	10.04	9.62	99	
18+18+20+50	1.70	1.70	1.89	4.72	-	10.00 3.40 - 13.30	2.327 0.590 - 3.827	10.68	10.22	9.79	99	
18+18+20+60	1.57	1.57	1.74	5.22	-	10.10 3.40 - 13.30	2.390 0.590 - 3.810	10.98	10.50	10.06	99	
18+18+20+71	1.45	1.45	1.61	5.70	-	10.20 3.40 - 13.30	2.474 0.590 - 3.814	11.36	10.87	10.42	99	
18+18+22+22	2.25	2.25	2.75	2.75	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+18+22+25	2.17	2.17	2.65	3.01	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+18+22+35	1.94	1.94	2.37	3.76	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+18+22+42	1.80	1.80	2.20	4.20	-	10.00 3.40 - 13.30	2.280 0.590 - 3.820	10.47	10.01	9.59	99	
18+18+22+50	1.68	1.68	2.06	4.68	-	10.10 3.40 - 13.30	2.340 0.590 - 3.820	10.75	10.28	9.85	99	
18+18+22+60	1.56	1.56	1.90	5.19	-	10.20 3.40 - 13.30	2.393 0.590 - 3.803	10.99	10.51	10.07	99	
18+18+22+71	1.45	1.45	1.77	5.72	-	10.40 3.40 - 13.30	2.477 0.590 - 3.807	11.37	10.88	10.43	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
18+18+25+25	2.09	2.09	2.91	2.91	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+18+25+35	1.88	1.88	2.60	3.65	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+18+25+42	1.75	1.75	2.43	4.08	-	10.00 3.40 - 13.30	2.300 0.590 - 3.820	10.56	10.10	9.68	99	
18+18+25+50	1.64	1.64	2.27	4.55	-	10.10 3.40 - 13.30	2.360 0.590 - 3.820	10.83	10.36	9.93	99	
18+18+25+60	1.53	1.53	2.13	5.11	-	10.30 3.40 - 13.30	2.413 0.590 - 3.803	11.08	10.60	10.16	99	
18+18+25+71	1.42	1.42	1.97	5.59	-	10.40 3.40 - 13.30	2.497 0.590 - 3.807	11.47	10.97	10.51	99	
18+18+35+35	1.72	1.72	3.33	3.33	-	10.10 3.40 - 13.30	2.326 0.590 - 3.826	10.68	10.22	9.79	99	
18+18+35+42	1.62	1.62	3.16	3.79	-	10.20 3.40 - 13.30	2.370 0.590 - 3.820	10.88	10.41	9.98	99	
18+18+35+50	1.53	1.53	2.98	4.26	-	10.30 3.40 - 13.30	2.430 0.590 - 3.820	11.16	10.67	10.23	99	
18+18+35+60	1.43	1.43	2.78	4.76	-	10.40 3.40 - 13.30	2.483 0.590 - 3.803	11.40	10.90	10.45	99	
18+18+35+71	1.33	1.33	2.59	5.25	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99	
18+18+42+42	1.55	1.55	3.61	3.61	-	10.30 3.40 - 13.30	2.424 0.590 - 3.814	11.13	10.65	10.21	99	
18+18+42+50	1.46	1.46	3.41	4.06	-	10.40 3.40 - 13.30	2.474 0.590 - 3.814	11.36	10.87	10.42	99	
18+18+42+60	1.37	1.37	3.20	4.57	-	10.50 3.40 - 13.30	2.537 0.590 - 3.797	11.65	11.14	10.68	99	
18+18+42+71	1.27	1.27	2.96	5.00	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99	
18+18+50+50	1.39	1.39	3.86	3.86	-	10.50 3.40 - 13.30	2.534 0.590 - 3.814	11.64	11.13	10.67	99	
18+18+50+60	1.29	1.29	3.60	4.32	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99	
18+18+50+71	1.20	1.20	3.34	4.75	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99	
18+18+60+60	1.21	1.21	4.04	4.04	-	10.50 3.40 - 13.30	2.530 0.590 - 3.780	11.62	11.11	10.65	99	
18+18+60+71	1.13	1.13	3.77	4.46	-	10.50 3.50 - 13.30	2.534 0.590 - 3.784	11.64	11.13	10.67	99	
18+20+20+20	2.24	2.49	2.49	2.49	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	10.59	10.13	9.71	99	
18+20+20+22	2.21	2.45	2.45	2.70	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	10.56	10.10	9.68	99	
18+20+20+25	2.13	2.36	2.36	2.95	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	10.56	10.10	9.68	99	
18+20+20+35	1.90	2.11	2.11	3.69	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	10.56	10.10	9.68	99	
18+20+20+42	1.76	1.96	1.96	4.12	-	9.80 3.40 - 13.30	2.294 0.590 - 3.834	10.53	10.07	9.65	99	
18+20+20+50	1.65	1.83	1.83	4.58	-	9.90 3.40 - 13.30	2.354 0.590 - 3.834	10.81	10.34	9.91	99	
18+20+20+60	1.53	1.69	1.69	5.08	-	10.00 3.40 - 13.30	2.407 0.590 - 3.817	11.05	10.57	10.13	99	
18+20+20+71	1.42	1.58	1.58	5.61	-	10.20 3.40 - 13.30	2.491 0.590 - 3.821	11.44	10.94	10.48	99	
18+20+22+22	2.17	2.41	2.66	2.66	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
18+20+22+25	2.10	2.33	2.56	2.91	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
18+20+22+35	1.88	2.08	2.29	3.65	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
18+20+22+50	1.64	1.82	2.00	4.55	-	10.00 3.40 - 13.30	2.357 0.590 - 3.827	10.82	10.35	9.92	99	
18+20+22+60	1.53	1.70	1.87	5.10	-	10.20 3.40 - 13.30	2.420 0.590 - 3.810	11.11	10.63	10.19	99	
18+20+22+71	1.42	1.57	1.73	5.58	-	10.30 3.40 - 13.30	2.494 0.590 - 3.814	11.45	10.95	10.49	99	
18+20+25+25	2.03	2.25	2.81	2.81	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
18+20+25+35	1.82	2.02	2.53	3.54	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
18+20+25+42	1.71	1.90	2.38	4.00	-	10.00 3.40 - 13.30	2.327 0.590 - 3.827	10.68	10.22	9.79	99	
18+20+25+50	1.61	1.79	2.23	4.47	-	10.10 3.40 - 13.30	2.377 0.590 - 3.827	10.91	10.44	10.01	99	
18+20+25+60	1.49	1.66	2.07	4.98	-	10.20 3.40 - 13.30	2.440 0.590 - 3.810	11.21	10.72	10.27	99	
18+20+25+71	1.38	1.54	1.92	5.46	-	10.30 3.40 - 13.30	2.524 0.590 - 3.814	11.58	11.08	10.62	99	
18+20+35+35	1.67	1.85	3.24	3.24	-	10.00 3.40 - 13.30	2.353 0.590 - 3.833	10.80	10.33	9.90	99	
18+20+35+42	1.58	1.76	3.07	3.69	-	10.10 3.40 - 13.30	2.397 0.590 - 3.827	11.01	10.53	10.09	99	
18+20+35+50	1.49	1.66	2.90	4.15	-	10.20 3.40 - 13.30	2.457 0.590 - 3.827	11.28	10.79	10.34	99	
18+20+35+60	1.39	1.55	2.71	4.65	-	10.30 3.40 - 13.30	2.510 0.590 - 3.810	11.52	11.02	10.56	99	
18+20+35+71	1.30	1.44	2.53	5.13	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
18+20+42+42	1.50	1.67	3.51	3.51	-	10.20 3.40 - 13.30	2.441 0.590 - 3.821	11.21	10.72	10.27	99	
18+20+42+50	1.43	1.58	3.33	3.96	-	10.30 3.40 - 13.30	2.501 0.590 - 3.821	11.48	10.98	10.52	99	
18+20+42+60	1.34	1.49	3.12	4.46	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	11.73	11.22	10.75	99	
18+20+42+71	1.24	1.38	2.89	4.89	-	10.40 3.40 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99	
18+20+50+50	1.36	1.51	3.77	3.77	-	10.40 3.40 - 13.30	2.561 0.590 - 3.821	11.76	11.25	10.78	99	
18+20+50+60	1.26	1.41	3.51	4.22	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	11.73	11.22	10.75	99	
18+20+50+71	1.18	1.31	3.27	4.64	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99	
18+20+60+60	1.18	1.32	3.95	3.95	-	10.40 3.50 - 13.30	2.537 0.590 - 3.787	11.65	11.14	10.68	99	
18+20+60+71	1.11	1.23	3.69	4.37	-	10.40 3.50 - 13.30	2.541 0.590 - 3.791	11.67	11.16	10.70	99	
18+22+22+22	2.14	2.62	2.62	2.62	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+22+22+25	2.07	2.53	2.53	2.87	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+22+22+35	1.86	2.27	2.27	3.61	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+22+22+42	1.75	2.14	2.14	4.08	-	10.10 3.40 - 13.30	2.310 0.590 - 3.820	10.60	10.14	9.72	99	
18+22+22+50	1.64	2.00	2.00	4.55	-	10.20 3.40 - 13.30	2.370 0.590 - 3.820	10.88	10.41	9.98	99	
18+22+22+60	1.52	1.86	1.86	5.07	-	10.30 3.40 - 13.30	2.423 0.590 - 3.803	11.12	10.64	10.20	99	
18+22+22+71	1.41	1.72	1.72	5.55	-	10.40 3.40 - 13.30	2.507 0.590 - 3.807	11.51	11.01	10.55	99	
18+22+25+25	2.00	2.44	2.78	2.78	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+22+25+35	1.80	2.20	2.50	3.50	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+22+25+42	1.70	2.08	2.36	3.96	-	10.10 3.40 - 13.30	2.330 0.590 - 3.820	10.70	10.23	9.80	99	
18+22+25+50	1.60	1.95	2.22	4.43	-	10.20 3.40 - 13.30	2.390 0.590 - 3.820	10.98	10.50	10.06	99	
18+22+25+60	1.48	1.81	2.06	4.94	-	10.30 3.40 - 13.30	2.443 0.590 - 3.803	11.22	10.73	10.28	99	
18+22+25+71	1.39	1.70	1.93	5.48	-	10.50 3.40 - 13.30	2.527 0.590 - 3.807	11.60	11.10	10.64	99	
18+22+35+35	1.65	2.02	3.21	3.21	-	10.10 3.40 - 13.30	2.356 0.590 - 3.826	10.82	10.35	9.92	99	
18+22+35+42	1.57	1.92	3.05	3.66	-	10.20 3.40 - 13.30	2.400 0.590 - 3.820	11.02	10.54	10.10	99	
18+22+35+50	1.48	1.81	2.88	4.12	-	10.30 3.40 - 13.30	2.460 0.590 - 3.820	11.29	10.80	10.35	99	
18+22+35+60	1.39	1.69	2.70	4.62	-	10.40 3.40 - 13.30	2.513 0.590 - 3.803	11.54	11.04	10.58	99	
18+22+35+71	1.29	1.58	2.52	5.11	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99	
18+22+42+42	1.50	1.83	3.49	3.49	-	10.30 3.40 - 13.30	2.444 0.590 - 3.814	11.22	10.73	10.28	99	
18+22+42+50	1.42	1.73	3.31	3.94	-	10.40 3.40 - 13.30	2.504 0.590 - 3.814	11.50	11.00	10.54	99	
18+22+42+60	1.33	1.63	3.11	4.44	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99	
18+22+42+71	1.24	1.51	2.88	4.87	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99	
18+22+50+50	1.35	1.65	3.75	3.75	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99	
18+22+50+60	1.26	1.54	3.50	4.20	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99	
18+22+50+71	1.17	1.43	3.26	4.63	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99	
18+22+60+60	1.18	1.44	3.94	3.94	-	10.50 3.50 - 13.30	2.530 0.590 - 3.780	11.62	11.11	10.65	99	
18+22+60+71	1.11	1.35	3.68	4.36	-	10.50 3.50 - 13.30	2.534 0.590 - 3.784	11.64	11.13	10.67	99	
18+25+25+25	1.94	2.69	2.69	2.69	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
18+25+25+35	1.75	2.43	2.43	3.40	-	10.00 3.40 - 13.30	2.306 0.590 - 3.826	10.59	10.13	9.71	99	
18+25+25+42	1.65	2.30	2.30	3.86	-	10.10 3.40 - 13.30	2.350 0.590 - 3.820	10.79	10.32	9.89	99	
18+25+25+50	1.56	2.16	2.16	4.32	-	10.20 3.40 - 13.30	2.410 0.590 - 3.820	11.06	10.58	10.14	99	
18+25+25+60	1.46	2.03	2.03	4.88	-	10.40 3.40 - 13.30	2.463 0.590 - 3.803	11.31	10.82	10.37	99	
18+25+25+71	1.36	1.89	1.89	5.36	-	10.50 3.40 - 13.30	2.547 0.590 - 3.807	11.70	11.19	10.72	99	
18+25+35+35	1.62	2.26	3.16	3.16	-	10.20 3.40 - 13.30	2.376 0.590 - 3.826	10.90	10.43	10.00	99	
18+25+35+42	1.55	2.15	3.00	3.61	-	10.30 3.40 - 13.30	2.430 0.590 - 3.820	11.16	10.67	10.23	99	
18+25+35+50	1.46	2.03	2.84	4.06	-	10.40 3.40 - 13.30	2.480 0.590 - 3.820	11.39	10.89	10.44	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
18+25+35+60	1.37	1.90	2.66	4.57	-	10.50 3.40 - 13.30	2.543 0.590 - 3.803	11.68	11.17	10.70	99
18+25+35+71	1.27	1.76	2.47	5.00	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99
18+25+42+42	1.46	2.03	3.41	3.41	-	10.30 3.40 - 13.30	2.474 0.590 - 3.814	11.36	10.87	10.42	99
18+25+42+50	1.39	1.93	3.24	3.85	-	10.40 3.40 - 13.30	2.524 0.590 - 3.814	11.58	11.08	10.62	99
18+25+42+60	1.30	1.81	3.04	4.34	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99
18+25+42+71	1.21	1.68	2.83	4.78	-	10.50 3.40 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99
18+25+50+50	1.32	1.84	3.67	3.67	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
18+25+50+60	1.24	1.72	3.43	4.12	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99
18+25+50+71	1.15	1.60	3.20	4.55	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99
18+25+60+60	1.16	1.61	3.87	3.87	-	10.50 3.50 - 13.30	2.530 0.590 - 3.780	11.62	11.11	10.65	99
18+35+35+35	1.51	2.93	2.93	2.93	-	10.30 3.40 - 13.30	2.456 0.590 - 3.826	11.28	10.79	10.34	99
18+35+35+42	1.44	2.80	2.80	3.36	-	10.40 3.40 - 13.30	2.500 0.590 - 3.820	11.48	10.98	10.52	99
18+35+35+50	1.37	2.66	2.66	3.80	-	10.50 3.40 - 13.30	2.560 0.590 - 3.820	11.75	11.24	10.77	99
18+35+35+60	1.28	2.48	2.48	4.26	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	11.72	11.21	10.74	99
18+35+35+71	1.19	2.31	2.31	4.69	-	10.50 3.50 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99
18+35+42+42	1.38	2.68	3.22	3.22	-	10.50 3.40 - 13.30	2.544 0.590 - 3.814	11.68	11.17	10.70	99
18+35+42+50	1.30	2.53	3.04	3.62	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
18+35+42+60	1.22	2.37	2.85	4.06	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99
18+35+42+71	1.14	2.21	2.66	4.49	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99
18+35+50+50	1.24	2.40	3.43	3.43	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
18+35+50+60	1.16	2.25	3.22	3.87	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99
18+42+42+42	1.31	3.06	3.06	3.06	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
18+42+42+50	1.24	2.90	2.90	3.45	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
18+42+42+60	1.17	2.72	2.72	3.89	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	11.67	11.16	10.70	99
18+42+50+50	1.18	2.76	3.28	3.28	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
18+42+50+60	1.11	2.59	3.09	3.71	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	11.67	11.16	10.70	99
18+50+50+50	1.13	3.13	3.13	3.13	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
20+20+20+20	2.40	2.40	2.40	2.40	-	9.60 3.40 - 13.30	2.314 0.590 - 3.854	10.62	10.16	9.74	99
20+20+20+22	2.37	2.37	2.37	2.60	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	10.59	10.13	9.71	99
20+20+20+25	2.28	2.28	2.28	2.85	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	10.59	10.13	9.71	99
20+20+20+35	2.04	2.04	2.04	3.57	-	9.70 3.40 - 13.30	2.307 0.590 - 3.847	10.59	10.13	9.71	99
20+20+20+50	1.78	1.78	1.78	4.45	-	9.80 3.40 - 13.30	2.371 0.590 - 3.841	10.88	10.41	9.98	99
20+20+20+60	1.67	1.67	1.67	5.00	-	10.00 3.40 - 13.30	2.434 0.590 - 3.824	11.18	10.69	10.24	99
20+20+20+71	1.54	1.54	1.54	5.47	-	10.10 3.40 - 13.30	2.508 0.590 - 3.828	11.51	11.01	10.55	99
20+20+22+22	2.33	2.33	2.57	2.57	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	10.56	10.10	9.68	99
20+20+22+25	2.25	2.25	2.48	2.82	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	10.56	10.10	9.68	99
20+20+22+35	2.02	2.02	2.22	3.54	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	10.56	10.10	9.68	99
20+20+22+42	1.90	1.90	2.09	4.00	-	9.90 3.40 - 13.30	2.324 0.590 - 3.834	10.67	10.21	9.78	99
20+20+22+50	1.79	1.79	1.96	4.46	-	10.00 3.40 - 13.30	2.384 0.590 - 3.834	10.95	10.47	10.03	99
20+20+22+60	1.66	1.66	1.82	4.97	-	10.10 3.40 - 13.30	2.437 0.590 - 3.817	11.19	10.70	10.25	99
20+20+22+71	1.53	1.53	1.69	5.45	-	10.20 3.40 - 13.30	2.521 0.590 - 3.821	11.57	11.07	10.61	99
20+20+25+25	2.18	2.18	2.72	2.72	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	10.56	10.10	9.68	99
20+20+25+35	1.96	1.96	2.45	3.43	-	9.80 3.40 - 13.30	2.300 0.590 - 3.840	10.56	10.10	9.68	99
20+20+25+42	1.85	1.85	2.31	3.89	-	9.90 3.40 - 13.30	2.344 0.590 - 3.834	10.76	10.29	9.86	99
20+20+25+50	1.74	1.74	2.17	4.35	-	10.00 3.40 - 13.30	2.404 0.590 - 3.834	11.04	10.56	10.12	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
20+20+25+60	1.62	1.62	2.02	4.85	-	10.10 3.40 - 13.30	2.457 0.590 - 3.817	11.28	10.79	10.34	99	
20+20+25+71	1.51	1.51	1.89	5.38	-	10.30 3.40 - 13.30	2.541 0.590 - 3.821	11.67	11.16	10.70	99	
20+20+35+35	1.80	1.80	3.15	3.15	-	9.90 3.40 - 13.30	2.370 0.590 - 3.840	10.88	10.41	9.98	99	
20+20+35+42	1.71	1.71	2.99	3.59	-	10.00 3.40 - 13.30	2.414 0.590 - 3.834	11.08	10.60	10.16	99	
20+20+35+50	1.62	1.62	2.83	4.04	-	10.10 3.40 - 13.30	2.474 0.590 - 3.834	11.36	10.87	10.42	99	
20+20+35+60	1.51	1.51	2.64	4.53	-	10.20 3.40 - 13.30	2.527 0.590 - 3.817	11.60	11.10	10.64	99	
20+20+35+71	1.41	1.41	2.47	5.01	-	10.30 3.40 - 13.30	2.571 0.590 - 3.821	11.80	11.29	10.82	99	
20+20+42+42	1.63	1.63	3.42	3.42	-	10.10 3.40 - 13.30	2.458 0.590 - 3.828	11.28	10.79	10.34	99	
20+20+42+50	1.55	1.55	3.25	3.86	-	10.20 3.40 - 13.30	2.518 0.590 - 3.828	11.56	11.06	10.60	99	
20+20+42+60	1.45	1.45	3.05	4.35	-	10.30 3.40 - 13.30	2.561 0.590 - 3.811	11.76	11.25	10.78	99	
20+20+42+71	1.35	1.35	2.83	4.78	-	10.30 3.40 - 13.30	2.565 0.590 - 3.815	11.77	11.26	10.79	99	
20+20+50+50	1.47	1.47	3.68	3.68	-	10.30 3.40 - 13.30	2.578 0.590 - 3.828	11.83	11.32	10.85	99	
20+20+50+60	1.37	1.37	3.43	4.12	-	10.30 3.40 - 13.30	2.561 0.590 - 3.811	11.76	11.25	10.78	99	
20+20+50+71	1.28	1.28	3.20	4.54	-	10.30 3.50 - 13.30	2.565 0.590 - 3.815	11.77	11.26	10.79	99	
20+20+60+60	1.29	1.29	3.86	3.86	-	10.30 3.50 - 13.30	2.544 0.590 - 3.794	11.68	11.17	10.70	99	
20+20+60+71	1.20	1.20	3.61	4.28	-	10.30 3.50 - 13.30	2.548 0.590 - 3.798	11.70	11.19	10.72	99	
20+22+22+22	2.30	2.53	2.53	2.53	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
20+22+22+25	2.22	2.45	2.45	2.78	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
20+22+22+35	2.00	2.20	2.20	3.50	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
20+22+22+42	1.89	2.08	2.08	3.96	-	10.00 3.40 - 13.30	2.327 0.590 - 3.827	10.68	10.22	9.79	99	
20+22+22+50	1.77	1.95	1.95	4.43	-	10.10 3.40 - 13.30	2.387 0.590 - 3.827	10.96	10.48	10.04	99	
20+22+22+60	1.65	1.81	1.81	4.94	-	10.20 3.40 - 13.30	2.440 0.590 - 3.810	11.21	10.72	10.27	99	
20+22+22+71	1.53	1.68	1.68	5.42	-	10.30 3.40 - 13.30	2.524 0.590 - 3.814	11.58	11.08	10.62	99	
20+22+25+25	2.15	2.37	2.69	2.69	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
20+22+25+42	1.83	2.02	2.29	3.85	-	10.00 3.40 - 13.30	2.357 0.590 - 3.827	10.82	10.35	9.92	99	
20+22+25+50	1.73	1.90	2.16	4.32	-	10.10 3.40 - 13.30	2.407 0.590 - 3.827	11.05	10.57	10.13	99	
20+22+25+60	1.61	1.77	2.01	4.82	-	10.20 3.40 - 13.30	2.470 0.590 - 3.810	11.34	10.85	10.40	99	
20+22+25+71	1.51	1.66	1.88	5.35	-	10.40 3.40 - 13.30	2.554 0.590 - 3.814	11.73	11.22	10.75	99	
20+22+35+35	1.80	1.98	3.16	3.16	-	10.10 3.40 - 13.30	2.383 0.590 - 3.833	10.95	10.47	10.03	99	
20+22+35+42	1.70	1.87	2.97	3.56	-	10.10 3.40 - 13.30	2.427 0.590 - 3.827	11.14	10.66	10.22	99	
20+22+35+50	1.61	1.77	2.81	4.02	-	10.20 3.40 - 13.30	2.487 0.590 - 3.827	11.42	10.92	10.47	99	
20+22+35+60	1.52	1.67	2.66	4.55	-	10.40 3.40 - 13.30	2.540 0.590 - 3.810	11.67	11.16	10.70	99	
20+22+35+71	1.41	1.55	2.46	4.99	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99	
20+22+42+42	1.62	1.78	3.40	3.40	-	10.20 3.40 - 13.30	2.471 0.590 - 3.821	11.34	10.85	10.40	99	
20+22+42+50	1.54	1.69	3.23	3.84	-	10.30 3.40 - 13.30	2.531 0.590 - 3.821	11.63	11.12	10.66	99	
20+22+42+60	1.44	1.59	3.03	4.33	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	11.73	11.22	10.75	99	
20+22+42+71	1.34	1.48	2.82	4.76	-	10.40 3.40 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99	
20+22+50+50	1.46	1.61	3.66	3.66	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	11.80	11.29	10.82	99	
20+22+50+60	1.37	1.51	3.42	4.11	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	11.73	11.22	10.75	99	
20+22+50+71	1.28	1.40	3.19	4.53	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99	
20+22+60+60	1.28	1.41	3.85	3.85	-	10.40 3.50 - 13.30	2.537 0.590 - 3.787	11.65	11.14	10.68	99	
20+25+25+25	2.08	2.61	2.61	2.61	-	9.90 3.40 - 13.30	2.293 0.590 - 3.833	10.53	10.07	9.65	99	
20+25+25+35	1.90	2.38	2.38	3.33	-	10.00 3.40 - 13.30	2.333 0.590 - 3.833	10.72	10.25	9.82	99	
20+25+25+42	1.80	2.25	2.25	3.79	-	10.10 3.40 - 13.30	2.377 0.590 - 3.827	10.91	10.44	10.01	99	
20+25+25+50	1.70	2.13	2.13	4.25	-	10.20 3.40 - 13.30	2.437 0.590 - 3.827	11.19	10.70	10.25	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
20+25+25+60	1.58	1.98	1.98	4.75	-	10.30 3.40 - 13.30	2.490 0.590 - 3.810	11.44	10.94	10.48	99
20+25+25+71	1.48	1.84	1.84	5.24	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
20+25+35+35	1.76	2.20	3.07	3.07	-	10.10 3.40 - 13.30	2.403 0.590 - 3.833	11.03	10.55	10.11	99
20+25+35+42	1.67	2.09	2.93	3.51	-	10.20 3.40 - 13.30	2.447 0.590 - 3.827	11.24	10.75	10.30	99
20+25+35+50	1.58	1.98	2.77	3.96	-	10.30 3.40 - 13.30	2.507 0.590 - 3.827	11.51	11.01	10.55	99
20+25+35+60	1.49	1.86	2.60	4.46	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99
20+25+35+71	1.38	1.72	2.41	4.89	-	10.40 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
20+25+42+42	1.60	2.00	3.35	3.35	-	10.30 3.40 - 13.30	2.491 0.590 - 3.821	11.44	10.94	10.48	99
20+25+42+50	1.52	1.90	3.19	3.80	-	10.40 3.40 - 13.30	2.551 0.590 - 3.821	11.71	11.20	10.73	99
20+25+42+60	1.41	1.77	2.97	4.24	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	11.73	11.22	10.75	99
20+25+42+71	1.32	1.65	2.76	4.67	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
20+25+50+50	1.43	1.79	3.59	3.59	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	11.80	11.29	10.82	99
20+25+50+60	1.34	1.68	3.35	4.03	-	10.40 3.40 - 13.30	2.554 0.590 - 3.804	11.73	11.22	10.75	99
20+25+50+71	1.25	1.57	3.13	4.45	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
20+25+60+60	1.26	1.58	3.78	3.78	-	10.40 3.50 - 13.30	2.537 0.590 - 3.787	11.65	11.14	10.68	99
20+35+35+35	1.63	2.86	2.86	2.86	-	10.20 3.40 - 13.30	2.473 0.590 - 3.833	11.35	10.86	10.41	99
20+35+35+42	1.56	2.73	2.73	3.28	-	10.30 3.40 - 13.30	2.517 0.590 - 3.827	11.55	11.05	10.59	99
20+35+35+50	1.49	2.60	2.60	3.71	-	10.40 3.40 - 13.30	2.577 0.590 - 3.827	11.83	11.32	10.85	99
20+35+35+60	1.39	2.43	2.43	4.16	-	10.40 3.40 - 13.30	2.560 0.590 - 3.810	11.75	11.24	10.77	99
20+35+35+71	1.29	2.26	2.26	4.59	-	10.40 3.50 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
20+35+42+42	1.50	2.62	3.14	3.14	-	10.40 3.40 - 13.30	2.561 0.590 - 3.821	11.76	11.25	10.78	99
20+35+42+50	1.41	2.48	2.97	3.54	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	11.80	11.29	10.82	99
20+35+42+60	1.32	2.32	2.78	3.97	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	11.73	11.22	10.75	99
20+35+42+71	1.24	2.17	2.60	4.40	-	10.40 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
20+35+50+50	1.34	2.35	3.35	3.35	-	10.40 3.40 - 13.30	2.571 0.590 - 3.821	11.80	11.29	10.82	99
20+35+50+60	1.26	2.21	3.15	3.78	-	10.40 3.50 - 13.30	2.554 0.590 - 3.804	11.73	11.22	10.75	99
20+42+42+42	1.42	2.99	2.99	2.99	-	10.40 3.40 - 13.30	2.565 0.590 - 3.815	11.77	11.26	10.79	99
20+42+42+50	1.35	2.84	2.84	3.38	-	10.40 3.40 - 13.30	2.565 0.590 - 3.815	11.77	11.26	10.79	99
20+42+42+60	1.27	2.66	2.66	3.80	-	10.40 3.50 - 13.30	2.548 0.590 - 3.798	11.70	11.19	10.72	99
20+42+50+50	1.28	2.70	3.21	3.21	-	10.40 3.50 - 13.30	2.565 0.590 - 3.815	11.77	11.26	10.79	99
20+42+50+60	1.21	2.54	3.02	3.63	-	10.40 3.50 - 13.30	2.548 0.590 - 3.798	11.70	11.19	10.72	99
20+50+50+50	1.22	3.06	3.06	3.06	-	10.40 3.50 - 13.30	2.565 0.590 - 3.815	11.77	11.26	10.79	99
22+22+22+22	2.50	2.50	2.50	2.50	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99
22+22+22+25	2.42	2.42	2.42	2.75	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99
22+22+22+35	2.18	2.18	2.18	3.47	-	10.00 3.40 - 13.30	2.296 0.590 - 3.826	10.54	10.08	9.66	99
22+22+22+42	2.06	2.06	2.06	3.93	-	10.10 3.40 - 13.30	2.340 0.590 - 3.820	10.75	10.28	9.85	99
22+22+22+50	1.93	1.93	1.93	4.40	-	10.20 3.40 - 13.30	2.400 0.590 - 3.820	11.02	10.54	10.10	99
22+22+22+60	1.80	1.80	1.80	4.90	-	10.30 3.40 - 13.30	2.453 0.590 - 3.803	11.26	10.77	10.32	99
22+22+22+71	1.69	1.69	1.69	5.44	-	10.50 3.40 - 13.30	2.537 0.590 - 3.807	11.65	11.14	10.68	99
22+22+25+25	2.34	2.34	2.66	2.66	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99
22+22+25+35	2.14	2.14	2.43	3.40	-	10.10 3.40 - 13.30	2.316 0.590 - 3.826	10.63	10.17	9.75	99
22+22+25+42	2.00	2.00	2.27	3.82	-	10.10 3.40 - 13.30	2.360 0.590 - 3.820	10.83	10.36	9.93	99
22+22+25+50	1.89	1.89	2.14	4.29	-	10.20 3.40 - 13.30	2.420 0.590 - 3.820	11.11	10.63	10.19	99
22+22+25+60	1.77	1.77	2.02	4.84	-	10.40 3.40 - 13.30	2.473 0.590 - 3.803	11.35	10.86	10.41	99
22+22+25+71	1.65	1.65	1.88	5.33	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
22+22+35+35	1.97	1.97	3.13	3.13	-	10.20 3.40 - 13.30	2.386 0.590 - 3.826	10.96	10.48	10.04	99	
22+22+35+42	1.87	1.87	2.98	3.58	-	10.30 3.40 - 13.30	2.430 0.590 - 3.820	11.16	10.67	10.23	99	
22+22+35+50	1.77	1.77	2.82	4.03	-	10.40 3.40 - 13.30	2.490 0.590 - 3.820	11.44	10.94	10.48	99	
22+22+35+60	1.66	1.66	2.64	4.53	-	10.50 3.40 - 13.30	2.543 0.590 - 3.803	11.68	11.17	10.70	99	
22+22+35+71	1.54	1.54	2.45	4.97	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99	
22+22+42+42	1.79	1.79	3.41	3.41	-	10.40 3.40 - 13.30	2.474 0.590 - 3.814	11.36	10.87	10.42	99	
22+22+42+50	1.70	1.70	3.24	3.86	-	10.50 3.40 - 13.30	2.534 0.590 - 3.814	11.64	11.13	10.67	99	
22+22+42+60	1.58	1.58	3.02	4.32	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99	
22+22+42+71	1.47	1.47	2.81	4.75	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99	
22+22+50+50	1.60	1.60	3.65	3.65	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99	
22+22+50+60	1.50	1.50	3.41	4.09	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99	
22+22+50+71	1.40	1.40	3.18	4.52	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99	
22+22+60+60	1.41	1.41	3.84	3.84	-	10.50 3.50 - 13.30	2.530 0.590 - 3.780	11.62	11.11	10.65	99	
22+25+25+25	2.27	2.58	2.58	2.58	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99	
22+25+25+35	2.08	2.36	2.36	3.30	-	10.10 3.40 - 13.30	2.336 0.590 - 3.826	10.73	10.26	9.83	99	
22+25+25+42	1.97	2.24	2.24	3.76	-	10.20 3.40 - 13.30	2.380 0.590 - 3.820	10.93	10.45	10.01	99	
22+25+25+50	1.86	2.11	2.11	4.22	-	10.30 3.40 - 13.30	2.440 0.590 - 3.820	11.21	10.72	10.27	99	
22+25+25+60	1.73	1.97	1.97	4.73	-	10.40 3.40 - 13.30	2.493 0.590 - 3.803	11.45	10.95	10.49	99	
22+25+25+71	1.62	1.84	1.84	5.21	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99	
22+25+35+35	1.92	2.18	3.05	3.05	-	10.20 3.40 - 13.30	2.406 0.590 - 3.826	11.05	10.57	10.13	99	
22+25+35+42	1.83	2.08	2.91	3.49	-	10.30 3.40 - 13.30	2.450 0.590 - 3.820	11.25	10.76	10.31	99	
22+25+35+50	1.73	1.97	2.76	3.94	-	10.40 3.40 - 13.30	2.510 0.590 - 3.820	11.52	11.02	10.56	99	
22+25+35+60	1.63	1.85	2.59	4.44	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	11.72	11.21	10.74	99	
22+25+35+71	1.51	1.72	2.40	4.87	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99	
22+25+42+42	1.75	1.98	3.33	3.33	-	10.40 3.40 - 13.30	2.494 0.590 - 3.814	11.45	10.95	10.49	99	
22+25+42+50	1.66	1.89	3.17	3.78	-	10.50 3.40 - 13.30	2.554 0.590 - 3.814	11.73	11.22	10.75	99	
22+25+42+60	1.55	1.76	2.96	4.23	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99	
22+25+42+71	1.44	1.64	2.76	4.66	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99	
22+25+50+50	1.57	1.79	3.57	3.57	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99	
22+25+50+60	1.47	1.67	3.34	4.01	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99	
22+25+50+71	1.38	1.56	3.13	4.44	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99	
22+25+60+60	1.38	1.57	3.77	3.77	-	10.50 3.50 - 13.30	2.530 0.590 - 3.780	11.62	11.11	10.65	99	
22+35+35+35	1.78	2.84	2.84	2.84	-	10.30 3.40 - 13.30	2.486 0.590 - 3.826	11.42	10.92	10.47	99	
22+35+35+42	1.71	2.72	2.72	3.26	-	10.40 3.40 - 13.30	2.530 0.590 - 3.820	11.62	11.11	10.65	99	
22+35+35+50	1.63	2.59	2.59	3.70	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	11.80	11.29	10.82	99	
22+35+35+60	1.52	2.42	2.42	4.14	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	11.72	11.21	10.74	99	
22+35+35+71	1.42	2.25	2.25	4.57	-	10.50 3.50 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99	
22+35+42+42	1.64	2.61	3.13	3.13	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99	
22+35+42+50	1.55	2.47	2.96	3.52	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99	
22+35+42+60	1.45	2.31	2.77	3.96	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99	
22+35+42+71	1.36	2.16	2.59	4.39	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99	
22+35+50+50	1.47	2.34	3.34	3.34	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99	
22+35+50+60	1.38	2.20	3.14	3.77	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99	
22+42+42+42	1.56	2.98	2.98	2.98	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99	
22+42+42+50	1.48	2.83	2.83	3.37	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
22+42+42+60	1.39	2.66	2.66	3.80	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	11.67	11.16	10.70	99
22+42+50+50	1.41	2.69	3.20	3.20	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
22+50+50+50	1.34	3.05	3.05	3.05	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
25+25+25+25	2.50	2.50	2.50	2.50	-	10.00 3.40 - 13.30	2.286 0.590 - 3.826	10.50	10.04	9.62	99
25+25+25+35	2.30	2.30	2.30	3.21	-	10.10 3.40 - 13.30	2.356 0.590 - 3.826	10.82	10.35	9.92	99
25+25+25+42	2.18	2.18	2.18	3.66	-	10.20 3.40 - 13.30	2.400 0.590 - 3.820	11.02	10.54	10.10	99
25+25+25+50	2.06	2.06	2.06	4.12	-	10.30 3.40 - 13.30	2.460 0.590 - 3.820	11.29	10.80	10.35	99
25+25+25+60	1.93	1.93	1.93	4.62	-	10.40 3.40 - 13.30	2.513 0.590 - 3.803	11.54	11.04	10.58	99
25+25+25+71	1.80	1.80	1.80	5.11	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99
25+25+35+35	2.15	2.15	3.00	3.00	-	10.30 3.40 - 13.30	2.436 0.590 - 3.826	11.19	10.70	10.25	99
25+25+35+42	2.03	2.03	2.84	3.41	-	10.30 3.40 - 13.30	2.480 0.590 - 3.820	11.39	10.89	10.44	99
25+25+35+50	1.93	1.93	2.70	3.85	-	10.40 3.40 - 13.30	2.530 0.590 - 3.820	11.62	11.11	10.65	99
25+25+35+60	1.81	1.81	2.53	4.34	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	11.72	11.21	10.74	99
25+25+35+71	1.68	1.68	2.36	4.78	-	10.50 3.40 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99
25+25+42+42	1.94	1.94	3.26	3.26	-	10.40 3.40 - 13.30	2.524 0.590 - 3.814	11.58	11.08	10.62	99
25+25+42+50	1.85	1.85	3.11	3.70	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
25+25+42+60	1.73	1.73	2.90	4.14	-	10.50 3.40 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99
25+25+42+71	1.61	1.61	2.71	4.57	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99
25+25+50+50	1.75	1.75	3.50	3.50	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
25+25+50+60	1.64	1.64	3.28	3.94	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99
25+25+50+71	1.54	1.54	3.07	4.36	-	10.50 3.50 - 13.30	2.551 0.590 - 3.801	11.71	11.20	10.73	99
25+25+60+60	1.54	1.54	3.71	3.71	-	10.50 3.50 - 13.30	2.530 0.590 - 3.780	11.62	11.11	10.65	99
25+35+35+35	2.00	2.80	2.80	2.80	-	10.40 3.40 - 13.30	2.506 0.590 - 3.826	11.51	11.01	10.55	99
25+35+35+42	1.92	2.68	2.68	3.22	-	10.50 3.40 - 13.30	2.550 0.590 - 3.820	11.71	11.20	10.73	99
25+35+35+50	1.81	2.53	2.53	3.62	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	11.80	11.29	10.82	99
25+35+35+60	1.69	2.37	2.37	4.06	-	10.50 3.40 - 13.30	2.553 0.590 - 3.803	11.72	11.21	10.74	99
25+35+35+71	1.58	2.21	2.21	4.49	-	10.50 3.50 - 13.30	2.557 0.590 - 3.807	11.74	11.23	10.76	99
25+35+42+42	1.82	2.55	3.06	3.06	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
25+35+42+50	1.73	2.42	2.90	3.45	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
25+35+42+60	1.62	2.27	2.72	3.89	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99
25+35+50+50	1.64	2.30	3.28	3.28	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
25+35+50+60	1.54	2.16	3.09	3.71	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99
25+42+42+42	1.74	2.92	2.92	2.92	-	10.50 3.40 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
25+42+42+50	1.65	2.77	2.77	3.30	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
25+42+42+60	1.55	2.61	2.61	3.73	-	10.50 3.50 - 13.30	2.541 0.590 - 3.791	11.67	11.16	10.70	99
25+42+50+50	1.57	2.64	3.14	3.14	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99
35+35+35+35	2.63	2.63	2.63	2.63	-	10.50 3.40 - 13.30	2.576 0.590 - 3.826	11.82	11.31	10.84	99
35+35+35+42	2.50	2.50	2.50	3.00	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	11.80	11.29	10.82	99
35+35+35+50	2.37	2.37	2.37	3.39	-	10.50 3.40 - 13.30	2.570 0.590 - 3.820	11.80	11.29	10.82	99
35+35+35+60	2.23	2.23	2.23	3.82	-	10.50 3.50 - 13.30	2.553 0.590 - 3.803	11.72	11.21	10.74	99
35+35+42+42	2.39	2.39	2.86	2.86	-	10.50 3.40 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
35+35+42+50	2.27	2.27	2.72	3.24	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
35+35+42+60	2.14	2.14	2.56	3.66	-	10.50 3.50 - 13.30	2.547 0.590 - 3.797	11.70	11.19	10.72	99
35+35+50+50	2.16	2.16	3.09	3.09	-	10.50 3.50 - 13.30	2.564 0.590 - 3.814	11.77	11.26	10.79	99
35+42+42+42	2.28	2.74	2.74	2.74	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
35+42+42+50	2.17	2.61	2.61	3.11	-	10.50 3.50 - 13.30	2.558 0.590 - 3.808	11.74	11.23	10.76	99	
42+42+42+42	2.63	2.63	2.63	2.63	-	10.50 3.50 - 13.30	2.552 0.590 - 3.802	11.72	11.21	10.74	99	
15+15+15+15+15	2.00	2.00	2.00	2.00	2.00	10.00 4.10 - 13.00	2.225 0.640 - 3.945	10.21	9.77	9.36	99	
15+15+15+15+18	1.94	1.94	1.94	1.94	2.33	10.10 4.10 - 13.20	2.216 0.640 - 3.936	10.17	9.73	9.32	99	
15+15+15+15+20	1.88	1.88	1.88	1.88	2.50	10.00 4.10 - 13.33	2.223 0.640 - 3.943	10.20	9.76	9.35	99	
15+15+15+15+22	1.85	1.85	1.85	1.85	2.71	10.10 4.10 - 13.47	2.216 0.640 - 3.936	10.17	9.73	9.32	99	
15+15+15+15+25	1.78	1.78	1.78	1.78	2.97	10.10 4.10 - 13.67	2.206 0.640 - 3.936	10.13	9.69	9.29	99	
15+15+15+15+35	1.59	1.59	1.59	1.59	3.72	10.10 4.10 - 14.00	2.196 0.640 - 3.936	10.08	9.64	9.24	99	
15+15+15+15+42	1.49	1.49	1.49	1.49	4.16	10.10 4.10 - 14.00	2.180 0.640 - 3.930	10.01	9.57	9.17	99	
15+15+15+15+50	1.38	1.38	1.38	1.38	4.59	10.10 4.10 - 14.00	2.180 0.640 - 3.930	10.01	9.57	9.17	99	
15+15+15+15+60	1.26	1.26	1.26	1.26	5.05	10.10 4.10 - 14.00	2.153 0.640 - 3.903	9.89	9.46	9.07	99	
15+15+15+15+71	1.16	1.16	1.16	1.16	5.47	10.10 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
15+15+15+18+18	1.89	1.89	1.89	2.27	2.27	10.20 4.10 - 13.40	2.207 0.640 - 3.927	10.13	9.69	9.29	99	
15+15+15+18+20	1.83	1.83	1.83	2.19	2.43	10.10 4.10 - 13.53	2.204 0.640 - 3.934	10.12	9.68	9.28	99	
15+15+15+18+22	1.80	1.80	1.80	2.16	2.64	10.20 4.10 - 13.67	2.197 0.640 - 3.927	10.09	9.65	9.25	99	
15+15+15+18+25	1.74	1.74	1.74	2.09	2.90	10.20 4.10 - 13.87	2.197 0.640 - 3.927	10.09	9.65	9.25	99	
15+15+15+18+35	1.56	1.56	1.56	1.87	3.64	10.20 4.10 - 14.00	2.187 0.640 - 3.927	10.04	9.60	9.20	99	
15+15+15+18+42	1.46	1.46	1.46	1.75	4.08	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.96	9.53	9.13	99	
15+15+15+18+50	1.35	1.35	1.35	1.62	4.51	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.96	9.53	9.13	99	
15+15+15+18+60	1.24	1.24	1.24	1.49	4.98	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99	
15+15+15+18+71	1.14	1.14	1.14	1.37	5.40	10.20 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99	
15+15+15+20+20	1.76	1.76	1.76	2.35	2.35	10.00 4.10 - 13.67	2.211 0.640 - 3.941	10.15	9.71	9.31	99	
15+15+15+20+22	1.74	1.74	1.74	2.32	2.55	10.10 4.10 - 13.80	2.204 0.640 - 3.934	10.12	9.68	9.28	99	
15+15+15+20+25	1.68	1.68	1.68	2.24	2.81	10.10 4.10 - 14.00	2.204 0.640 - 3.934	10.12	9.68	9.28	99	
15+15+15+20+35	1.52	1.52	1.52	2.02	3.54	10.10 4.10 - 14.00	2.194 0.640 - 3.934	10.08	9.64	9.24	99	
15+15+15+20+42	1.42	1.42	1.42	1.89	3.96	10.10 4.10 - 14.00	2.178 0.640 - 3.928	10.01	9.57	9.17	99	
15+15+15+20+50	1.32	1.32	1.32	1.76	4.39	10.10 4.10 - 14.00	2.168 0.640 - 3.918	9.95	9.52	9.12	99	
15+15+15+20+60	1.21	1.21	1.21	1.62	4.85	10.10 4.10 - 14.00	2.151 0.640 - 3.901	9.88	9.45	9.06	99	
15+15+15+20+71	1.11	1.11	1.11	1.49	5.27	10.10 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99	
15+15+15+22+22	1.72	1.72	1.72	2.52	2.52	10.20 4.10 - 13.93	2.197 0.640 - 3.927	10.09	9.65	9.25	99	
15+15+15+22+25	1.66	1.66	1.66	2.44	2.77	10.20 4.10 - 14.00	2.197 0.640 - 3.927	10.09	9.65	9.25	99	
15+15+15+22+35	1.50	1.50	1.50	2.20	3.50	10.20 4.10 - 14.00	2.177 0.640 - 3.927	9.99	9.56	9.16	99	
15+15+15+22+42	1.40	1.40	1.40	2.06	3.93	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.96	9.53	9.13	99	
15+15+15+22+50	1.31	1.31	1.31	1.92	4.36	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.92	9.49	9.09	99	
15+15+15+22+60	1.20	1.20	1.20	1.77	4.82	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99	
15+15+15+22+71	1.11	1.11	1.11	1.63	5.25	10.20 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99	
15+15+15+25+25	1.61	1.61	1.61	2.68	2.68	10.20 4.10 - 14.00	2.187 0.640 - 3.927	10.04	9.60	9.20	99	
15+15+15+25+35	1.46	1.46	1.46	2.43	3.40	10.20 4.10 - 14.00	2.177 0.640 - 3.927	9.99	9.56	9.16	99	
15+15+15+25+42	1.37	1.37	1.37	2.28	3.83	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.96	9.53	9.13	99	
15+15+15+25+50	1.28	1.28	1.28	2.13	4.25	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.92	9.49	9.09	99	
15+15+15+25+60	1.18	1.18	1.18	1.96	4.71	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99	
15+15+15+25+71	1.09	1.09	1.09	1.81	5.14	10.20 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99	
15+15+15+35+35	1.33	1.33	1.33	3.10	3.10	10.20 4.10 - 14.00	2.167 0.640 - 3.917	9.95	9.52	9.12	99	
15+15+15+35+42	1.25	1.25	1.25	2.93	3.51	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.92	9.49	9.09	99	
15+15+15+35+50	1.18	1.18	1.18	2.75	3.92	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.92	9.49	9.09	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15+15+15+35+60	1.09	1.09	1.09	2.55	4.37	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+15+15+35+71	1.01	1.01	1.01	2.36	4.80	10.20 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
15+15+15+42+42	1.19	1.19	1.19	3.32	3.32	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99
15+15+15+42+50	1.12	1.12	1.12	3.13	3.72	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99
15+15+15+42+60	1.04	1.04	1.04	2.91	4.16	10.20 4.10 - 14.00	2.138 0.640 - 3.888	9.82	9.39	9.00	99
15+15+15+42+71	0.97	0.97	0.97	2.71	4.58	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
15+15+15+50+50	1.06	1.06	1.06	3.52	3.52	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99
15+15+15+50+60	0.99	0.99	0.99	3.29	3.95	10.20 4.10 - 14.00	2.138 0.640 - 3.888	9.82	9.39	9.00	99
15+15+15+50+71	0.92	0.92	0.92	3.07	4.36	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
15+15+15+60+60	0.93	0.93	0.93	3.71	3.71	10.20 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
15+15+18+18+18	1.84	1.84	2.21	2.21	2.21	10.30 4.10 - 13.60	2.188 0.640 - 3.918	10.05	9.61	9.21	99
15+15+18+18+20	1.78	1.78	2.13	2.13	2.37	10.20 4.10 - 13.73	2.195 0.640 - 3.925	10.08	9.64	9.24	99
15+15+18+18+22	1.76	1.76	2.11	2.11	2.58	10.30 4.10 - 13.87	2.188 0.640 - 3.918	10.05	9.61	9.21	99
15+15+18+18+25	1.70	1.70	2.04	2.04	2.83	10.30 4.10 - 14.00	2.188 0.640 - 3.918	10.05	9.61	9.21	99
15+15+18+18+35	1.53	1.53	1.84	1.84	3.57	10.30 4.10 - 14.00	2.168 0.640 - 3.918	9.95	9.52	9.12	99
15+15+18+18+42	1.43	1.43	1.72	1.72	4.01	10.30 4.10 - 14.00	2.162 0.640 - 3.912	9.92	9.49	9.09	99
15+15+18+18+50	1.33	1.33	1.60	1.60	4.44	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+18+18+60	1.23	1.23	1.47	1.47	4.90	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+18+18+71	1.13	1.13	1.35	1.35	5.34	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99
15+15+18+20+20	1.72	1.72	2.07	2.30	2.30	10.10 4.10 - 13.87	2.202 0.640 - 3.932	10.11	9.67	9.27	99
15+15+18+20+22	1.70	1.70	2.04	2.27	2.49	10.20 4.10 - 14.00	2.195 0.640 - 3.925	10.08	9.64	9.24	99
15+15+18+20+25	1.65	1.65	1.97	2.19	2.74	10.20 4.10 - 14.00	2.195 0.640 - 3.925	10.08	9.64	9.24	99
15+15+18+20+35	1.49	1.49	1.78	1.98	3.47	10.20 4.10 - 14.00	2.175 0.640 - 3.925	9.98	9.55	9.15	99
15+15+18+20+42	1.39	1.39	1.67	1.85	3.89	10.20 4.10 - 14.00	2.169 0.640 - 3.919	9.96	9.53	9.13	99
15+15+18+20+50	1.30	1.30	1.56	1.73	4.32	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+15+18+20+60	1.20	1.20	1.43	1.59	4.78	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
15+15+18+20+71	1.10	1.10	1.32	1.47	5.21	10.20 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99
15+15+18+22+22	1.68	1.68	2.02	2.46	2.46	10.30 4.10 - 14.00	2.188 0.640 - 3.918	10.05	9.61	9.21	99
15+15+18+22+25	1.63	1.63	1.95	2.39	2.71	10.30 4.10 - 14.00	2.178 0.640 - 3.918	10.01	9.57	9.17	99
15+15+18+22+35	1.47	1.47	1.77	2.16	3.43	10.30 4.10 - 14.00	2.168 0.640 - 3.918	9.95	9.52	9.12	99
15+15+18+22+42	1.38	1.38	1.66	2.02	3.86	10.30 4.10 - 14.00	2.162 0.640 - 3.912	9.92	9.49	9.09	99
15+15+18+22+50	1.29	1.29	1.55	1.89	4.29	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+18+22+60	1.19	1.19	1.43	1.74	4.75	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+18+22+71	1.10	1.10	1.31	1.61	5.19	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99
15+15+18+25+25	1.58	1.58	1.89	2.63	2.63	10.30 4.10 - 14.00	2.178 0.640 - 3.918	10.01	9.57	9.17	99
15+15+18+25+35	1.43	1.43	1.72	2.38	3.34	10.30 4.10 - 14.00	2.168 0.640 - 3.918	9.95	9.52	9.12	99
15+15+18+25+42	1.34	1.34	1.61	2.24	3.76	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+18+25+50	1.26	1.26	1.51	2.09	4.19	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+18+25+60	1.16	1.16	1.39	1.94	4.65	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+18+25+71	1.07	1.07	1.29	1.79	5.08	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99
15+15+18+35+35	1.31	1.31	1.57	3.06	3.06	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.91	9.48	9.09	99
15+15+18+35+42	1.24	1.24	1.48	2.88	3.46	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+18+35+50	1.16	1.16	1.39	2.71	3.87	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+18+35+60	1.08	1.08	1.30	2.52	4.32	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+18+35+71	1.00	1.00	1.20	2.34	4.75	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
15+15+18+42+42	1.17	1.17	1.40	3.28	3.28	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99	
15+15+18+42+50	1.10	1.10	1.32	3.09	3.68	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99	
15+15+18+42+60	1.03	1.03	1.24	2.88	4.12	10.30 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99	
15+15+18+42+71	0.96	0.96	1.15	2.69	4.54	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99	
15+15+18+50+50	1.04	1.04	1.25	3.48	3.48	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99	
15+15+18+50+60	0.98	0.98	1.17	3.26	3.91	10.30 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99	
15+15+18+50+71	0.91	0.91	1.10	3.05	4.33	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99	
15+15+18+60+60	0.92	0.92	1.10	3.68	3.68	10.30 4.10 - 14.00	2.112 0.640 - 3.862	9.70	9.28	8.89	99	
15+15+20+20+20	1.67	1.67	2.22	2.22	2.22	10.00 4.10 - 14.00	2.209 0.640 - 3.939	10.14	9.70	9.30	99	
15+15+20+20+22	1.65	1.65	2.20	2.20	2.42	10.10 4.10 - 14.00	2.202 0.640 - 3.932	10.11	9.67	9.27	99	
15+15+20+20+25	1.59	1.59	2.13	2.13	2.66	10.10 4.10 - 14.00	2.192 0.640 - 3.932	10.07	9.63	9.23	99	
15+15+20+20+35	1.44	1.44	1.92	1.92	3.37	10.10 4.10 - 14.00	2.182 0.640 - 3.932	10.02	9.58	9.18	99	
15+15+20+20+42	1.35	1.35	1.80	1.80	3.79	10.10 4.10 - 14.00	2.176 0.640 - 3.926	9.99	9.56	9.16	99	
15+15+20+20+50	1.26	1.26	1.68	1.68	4.21	10.10 4.10 - 14.00	2.166 0.640 - 3.916	9.94	9.51	9.11	99	
15+15+20+20+60	1.17	1.17	1.55	1.55	4.66	10.10 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+15+20+20+71	1.07	1.07	1.43	1.43	5.09	10.10 4.10 - 14.00	2.153 0.640 - 3.903	9.89	9.46	9.07	99	
15+15+20+22+22	1.63	1.63	2.17	2.39	2.39	10.20 4.10 - 14.00	2.185 0.640 - 3.925	10.04	9.60	9.20	99	
15+15+20+22+25	1.58	1.58	2.10	2.31	2.63	10.20 4.10 - 14.00	2.185 0.640 - 3.925	10.04	9.60	9.20	99	
15+15+20+22+35	1.43	1.43	1.91	2.10	3.34	10.20 4.10 - 14.00	2.175 0.640 - 3.925	9.98	9.55	9.15	99	
15+15+20+22+42	1.34	1.34	1.79	1.97	3.76	10.20 4.10 - 14.00	2.169 0.640 - 3.919	9.96	9.53	9.13	99	
15+15+20+22+50	1.25	1.25	1.67	1.84	4.18	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99	
15+15+20+22+60	1.16	1.16	1.55	1.70	4.64	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99	
15+15+20+22+71	1.07	1.07	1.43	1.57	5.06	10.20 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99	
15+15+20+25+25	1.53	1.53	2.04	2.55	2.55	10.20 4.10 - 14.00	2.185 0.640 - 3.925	10.04	9.60	9.20	99	
15+15+20+25+35	1.39	1.39	1.85	2.32	3.25	10.20 4.10 - 14.00	2.175 0.640 - 3.925	9.98	9.55	9.15	99	
15+15+20+25+42	1.31	1.31	1.74	2.18	3.66	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99	
15+15+20+25+50	1.22	1.22	1.63	2.04	4.08	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99	
15+15+20+25+60	1.13	1.13	1.51	1.89	4.53	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99	
15+15+20+25+71	1.05	1.05	1.40	1.75	4.96	10.20 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99	
15+15+20+35+35	1.28	1.28	1.70	2.98	2.98	10.20 4.10 - 14.00	2.165 0.640 - 3.915	9.94	9.51	9.11	99	
15+15+20+35+42	1.20	1.20	1.61	2.81	3.37	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99	
15+15+20+35+50	1.13	1.13	1.51	2.64	3.78	10.20 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99	
15+15+20+35+60	1.06	1.06	1.41	2.46	4.22	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99	
15+15+20+35+71	0.98	0.98	1.31	2.29	4.64	10.20 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99	
15+15+20+42+42	1.14	1.14	1.52	3.20	3.20	10.20 4.10 - 14.00	2.153 0.640 - 3.903	9.89	9.46	9.07	99	
15+15+20+42+50	1.08	1.08	1.44	3.02	3.59	10.20 4.10 - 14.00	2.153 0.640 - 3.903	9.89	9.46	9.07	99	
15+15+20+42+60	1.01	1.01	1.34	2.82	4.03	10.20 4.10 - 14.00	2.136 0.640 - 3.886	9.81	9.38	8.99	99	
15+15+20+42+71	0.94	0.94	1.25	2.63	4.44	10.20 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
15+15+20+50+50	1.02	1.02	1.36	3.40	3.40	10.20 4.10 - 14.00	2.153 0.640 - 3.903	9.89	9.46	9.07	99	
15+15+20+50+60	0.96	0.96	1.28	3.19	3.83	10.20 4.10 - 14.00	2.136 0.640 - 3.886	9.81	9.38	8.99	99	
15+15+20+50+71	0.89	0.89	1.19	2.98	4.24	10.20 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
15+15+20+60+60	0.90	0.90	1.20	3.60	3.60	10.20 4.10 - 14.00	2.119 0.640 - 3.869	9.73	9.31	8.92	99	
15+15+22+22+22	1.61	1.61	2.36	2.36	2.36	10.30 4.10 - 14.00	2.178 0.640 - 3.918	10.01	9.57	9.17	99	
15+15+22+22+25	1.56	1.56	2.29	2.29	2.60	10.30 4.10 - 14.00	2.178 0.640 - 3.918	10.01	9.57	9.17	99	
15+15+22+22+35	1.42	1.42	2.08	2.08	3.31	10.30 4.10 - 14.00	2.168 0.640 - 3.918	9.95	9.52	9.12	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15+15+22+22+42	1.33	1.33	1.95	1.95	3.73	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+22+22+50	1.25	1.25	1.83	1.83	4.15	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+22+22+60	1.15	1.15	1.69	1.69	4.61	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+22+22+71	1.07	1.07	1.56	1.56	5.04	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99
15+15+22+25+25	1.51	1.51	2.22	2.52	2.52	10.30 4.10 - 14.00	2.168 0.640 - 3.918	9.95	9.52	9.12	99
15+15+22+25+35	1.38	1.38	2.02	2.30	3.22	10.30 4.10 - 14.00	2.168 0.640 - 3.918	9.95	9.52	9.12	99
15+15+22+25+42	1.30	1.30	1.90	2.16	3.64	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+22+25+50	1.22	1.22	1.78	2.03	4.06	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+22+25+60	1.13	1.13	1.65	1.88	4.51	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+22+25+71	1.04	1.04	1.53	1.74	4.94	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99
15+15+22+35+35	1.27	1.27	1.86	2.95	2.95	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.91	9.48	9.09	99
15+15+22+35+42	1.20	1.20	1.76	2.79	3.35	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+22+35+50	1.13	1.13	1.65	2.63	3.76	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+22+35+60	1.05	1.05	1.54	2.45	4.20	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+22+35+71	0.98	0.98	1.43	2.28	4.63	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99
15+15+22+42+42	1.14	1.14	1.67	3.18	3.18	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99
15+15+22+42+50	1.07	1.07	1.57	3.00	3.58	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99
15+15+22+42+60	1.00	1.00	1.47	2.81	4.01	10.30 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99
15+15+22+42+71	0.94	0.94	1.37	2.62	4.43	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99
15+15+22+50+50	1.02	1.02	1.49	3.39	3.39	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99
15+15+22+50+60	0.95	0.95	1.40	3.18	3.81	10.30 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99
15+15+22+60+60	0.90	0.90	1.32	3.59	3.59	10.30 4.10 - 14.00	2.112 0.640 - 3.862	9.70	9.28	8.89	99
15+15+25+25+25	1.47	1.47	2.45	2.45	2.45	10.30 4.10 - 14.00	2.168 0.640 - 3.918	9.95	9.52	9.12	99
15+15+25+25+35	1.34	1.34	2.24	2.24	3.13	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.91	9.48	9.09	99
15+15+25+25+42	1.27	1.27	2.11	2.11	3.55	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+25+25+50	1.19	1.19	1.98	1.98	3.96	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+25+25+60	1.10	1.10	1.84	1.84	4.41	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+25+25+71	1.02	1.02	1.71	1.71	4.84	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99
15+15+25+35+35	1.24	1.24	2.06	2.88	2.88	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.91	9.48	9.09	99
15+15+25+35+42	1.17	1.17	1.95	2.73	3.28	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+25+35+50	1.10	1.10	1.84	2.58	3.68	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+25+35+60	1.03	1.03	1.72	2.40	4.12	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+25+35+71	0.96	0.96	1.60	2.24	4.54	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99
15+15+25+42+42	1.11	1.11	1.85	3.11	3.11	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99
15+15+25+42+50	1.05	1.05	1.75	2.94	3.50	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99
15+15+25+42+60	0.98	0.98	1.64	2.76	3.94	10.30 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99
15+15+25+42+71	0.92	0.92	1.53	2.58	4.35	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99
15+15+25+50+50	1.00	1.00	1.66	3.32	3.32	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99
15+15+25+50+60	0.94	0.94	1.56	3.12	3.75	10.30 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99
15+15+35+35+35	1.14	1.14	2.67	2.67	2.67	10.30 4.10 - 14.00	2.158 0.640 - 3.908	9.91	9.48	9.09	99
15+15+35+35+42	1.09	1.09	2.54	2.54	3.05	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+35+35+50	1.03	1.03	2.40	2.40	3.43	10.30 4.10 - 14.00	2.152 0.640 - 3.902	9.88	9.45	9.06	99
15+15+35+35+60	0.97	0.97	2.25	2.25	3.86	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
15+15+35+35+71	0.90	0.90	2.11	2.11	4.28	10.30 4.10 - 14.00	2.139 0.640 - 3.889	9.82	9.39	9.00	99
15+15+35+42+42	1.04	1.04	2.42	2.90	2.90	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15+15+35+42+50	0.98	0.98	2.30	2.76	3.28	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99
15+15+35+42+60	0.93	0.93	2.16	2.59	3.70	10.30 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99
15+15+35+50+50	0.94	0.94	2.18	3.12	3.12	10.30 4.10 - 14.00	2.146 0.640 - 3.896	9.85	9.42	9.03	99
15+15+42+42+42	0.99	0.99	2.77	2.77	2.77	10.30 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
15+15+42+42+50	0.94	0.94	2.64	2.64	3.14	10.30 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
15+15+42+50+50	0.90	0.90	2.52	2.99	2.99	10.30 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
15+18+18+18+18	1.79	2.15	2.15	2.15	2.15	10.40 4.10 - 13.80	2.179 0.640 - 3.909	10.01	9.57	9.17	99
15+18+18+18+20	1.74	2.08	2.08	2.08	2.31	10.30 4.10 - 13.93	2.186 0.640 - 3.916	10.04	9.60	9.20	99
15+18+18+18+22	1.71	2.06	2.06	2.06	2.51	10.40 4.10 - 14.00	2.179 0.640 - 3.909	10.01	9.57	9.17	99
15+18+18+18+25	1.66	1.99	1.99	1.99	2.77	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.96	9.53	9.13	99
15+18+18+18+42	1.41	1.69	1.69	1.69	3.94	10.40 4.10 - 14.00	2.153 0.640 - 3.903	9.89	9.46	9.07	99
15+18+18+18+50	1.31	1.57	1.57	1.57	4.37	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+18+18+18+60	1.21	1.45	1.45	1.45	4.84	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99
15+18+18+18+71	1.11	1.34	1.34	1.34	5.27	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99
15+18+18+20+20	1.68	2.02	2.02	2.24	2.24	10.20 4.10 - 14.00	2.193 0.640 - 3.923	10.07	9.63	9.23	99
15+18+18+20+22	1.66	1.99	1.99	2.22	2.44	10.30 4.10 - 14.00	2.186 0.640 - 3.916	10.04	9.60	9.20	99
15+18+18+20+25	1.61	1.93	1.93	2.15	2.68	10.30 4.10 - 14.00	2.176 0.640 - 3.916	9.99	9.56	9.16	99
15+18+18+20+35	1.46	1.75	1.75	1.94	3.40	10.30 4.10 - 14.00	2.166 0.640 - 3.916	9.94	9.51	9.11	99
15+18+18+20+42	1.37	1.64	1.64	1.82	3.83	10.30 4.10 - 14.00	2.160 0.640 - 3.910	9.92	9.49	9.09	99
15+18+18+20+50	1.28	1.53	1.53	1.70	4.26	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+18+18+20+60	1.18	1.42	1.42	1.57	4.72	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99
15+18+18+20+71	1.09	1.31	1.31	1.45	5.15	10.30 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99
15+18+18+22+22	1.64	1.97	1.97	2.41	2.41	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.96	9.53	9.13	99
15+18+18+22+25	1.59	1.91	1.91	2.33	2.65	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.96	9.53	9.13	99
15+18+18+22+35	1.44	1.73	1.73	2.12	3.37	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+18+18+22+42	1.36	1.63	1.63	1.99	3.80	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+18+18+22+50	1.27	1.52	1.52	1.86	4.23	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+18+18+22+60	1.17	1.41	1.41	1.72	4.69	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99
15+18+18+22+71	1.08	1.30	1.30	1.59	5.13	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99
15+18+18+25+25	1.54	1.85	1.85	2.57	2.57	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+18+18+25+35	1.41	1.69	1.69	2.34	3.28	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+18+18+25+42	1.32	1.59	1.59	2.20	3.70	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+18+18+25+50	1.24	1.49	1.49	2.06	4.13	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+18+18+25+60	1.15	1.38	1.38	1.91	4.59	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99
15+18+18+25+71	1.06	1.27	1.27	1.77	5.02	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99
15+18+18+35+35	1.29	1.55	1.55	3.01	3.01	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99
15+18+18+35+42	1.22	1.46	1.46	2.84	3.41	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+18+18+35+50	1.15	1.38	1.38	2.68	3.82	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+18+18+35+60	1.07	1.28	1.28	2.49	4.27	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99
15+18+18+35+71	0.99	1.19	1.19	2.32	4.70	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99
15+18+18+42+42	1.16	1.39	1.39	3.24	3.24	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99
15+18+18+42+50	1.09	1.31	1.31	3.05	3.64	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99
15+18+18+42+60	1.02	1.22	1.22	2.85	4.08	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99
15+18+18+42+71	0.95	1.14	1.14	2.66	4.50	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
15+18+18+50+50	1.03	1.24	1.24	3.44	3.44	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15+18+18+50+60	0.97	1.16	1.16	3.23	3.88	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99
15+18+18+50+71	0.91	1.09	1.09	3.02	4.29	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
15+18+18+60+60	0.91	1.09	1.09	3.65	3.65	10.40 4.10 - 14.00	2.103 0.640 - 3.853	9.66	9.24	8.86	99
15+18+20+20+20	1.63	1.95	2.17	2.17	2.17	10.10 4.10 - 14.00	2.200 0.640 - 3.930	10.10	9.66	9.26	99
15+18+20+20+22	1.61	1.93	2.15	2.15	2.36	10.20 4.10 - 14.00	2.183 0.640 - 3.923	10.03	9.59	9.19	99
15+18+20+20+25	1.56	1.87	2.08	2.08	2.60	10.20 4.10 - 14.00	2.183 0.640 - 3.923	10.03	9.59	9.19	99
15+18+20+20+35	1.42	1.70	1.89	1.89	3.31	10.20 4.10 - 14.00	2.173 0.640 - 3.923	9.97	9.54	9.14	99
15+18+20+20+42	1.33	1.60	1.77	1.77	3.73	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99
15+18+20+20+50	1.24	1.49	1.66	1.66	4.15	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99
15+18+20+20+60	1.15	1.38	1.53	1.53	4.60	10.20 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
15+18+20+20+71	1.06	1.28	1.42	1.42	5.03	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+18+20+22+22	1.59	1.91	2.12	2.34	2.34	10.30 4.10 - 14.00	2.176 0.640 - 3.916	9.99	9.56	9.16	99
15+18+20+22+25	1.55	1.85	2.06	2.27	2.58	10.30 4.10 - 14.00	2.176 0.640 - 3.916	9.99	9.56	9.16	99
15+18+20+22+35	1.40	1.69	1.87	2.06	3.28	10.30 4.10 - 14.00	2.166 0.640 - 3.916	9.94	9.51	9.11	99
15+18+20+22+42	1.32	1.58	1.76	1.94	3.70	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+18+20+22+50	1.24	1.48	1.65	1.81	4.12	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+18+20+22+60	1.14	1.37	1.53	1.68	4.58	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99
15+18+20+22+71	1.06	1.27	1.41	1.55	5.01	10.30 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99
15+18+20+25+25	1.50	1.80	2.00	2.50	2.50	10.30 4.10 - 14.00	2.166 0.640 - 3.916	9.94	9.51	9.11	99
15+18+20+25+35	1.37	1.64	1.82	2.28	3.19	10.30 4.10 - 14.00	2.166 0.640 - 3.916	9.94	9.51	9.11	99
15+18+20+25+42	1.29	1.55	1.72	2.15	3.61	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+18+20+25+50	1.21	1.45	1.61	2.01	4.02	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+18+20+25+60	1.12	1.34	1.49	1.87	4.48	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99
15+18+20+25+71	1.04	1.24	1.38	1.73	4.91	10.30 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99
15+18+20+35+35	1.26	1.51	1.67	2.93	2.93	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.90	9.47	9.08	99
15+18+20+35+42	1.19	1.43	1.58	2.77	3.33	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+18+20+35+50	1.12	1.34	1.49	2.61	3.73	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+18+20+35+60	1.04	1.25	1.39	2.44	4.18	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99
15+18+20+35+71	0.97	1.17	1.30	2.27	4.60	10.30 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99
15+18+20+42+42	1.13	1.35	1.50	3.16	3.16	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+18+20+42+50	1.07	1.28	1.42	2.98	3.55	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+18+20+42+60	1.00	1.20	1.33	2.79	3.99	10.30 4.10 - 14.00	2.127 0.640 - 3.877	9.76	9.34	8.95	99
15+18+20+42+71	0.93	1.12	1.24	2.61	4.41	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99
15+18+20+50+50	1.01	1.21	1.35	3.37	3.37	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+18+20+50+60	0.95	1.14	1.26	3.16	3.79	10.30 4.10 - 14.00	2.127 0.640 - 3.877	9.76	9.34	8.95	99
15+18+22+22+22	1.58	1.89	2.31	2.31	2.31	10.40 4.10 - 14.00	2.169 0.640 - 3.909	9.96	9.53	9.13	99
15+18+22+22+25	1.53	1.84	2.24	2.24	2.55	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+18+22+22+35	1.39	1.67	2.04	2.04	3.25	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+18+22+22+42	1.31	1.57	1.92	1.92	3.67	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+18+22+22+50	1.23	1.47	1.80	1.80	4.09	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+18+22+22+60	1.14	1.37	1.67	1.67	4.55	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99
15+18+22+22+71	1.05	1.26	1.55	1.55	4.99	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99
15+18+22+25+25	1.49	1.78	2.18	2.48	2.48	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+18+22+25+35	1.36	1.63	1.99	2.26	3.17	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99
15+18+22+25+42	1.28	1.53	1.88	2.13	3.58	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
15+18+22+25+50	1.20	1.44	1.76	2.00	4.00	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+18+22+25+60	1.11	1.34	1.63	1.86	4.46	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+18+22+25+71	1.03	1.24	1.52	1.72	4.89	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99	
15+18+22+35+35	1.25	1.50	1.83	2.91	2.91	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+18+22+35+42	1.18	1.42	1.73	2.76	3.31	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+18+22+35+50	1.11	1.34	1.63	2.60	3.71	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+18+22+35+60	1.04	1.25	1.53	2.43	4.16	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+18+22+35+71	0.97	1.16	1.42	2.26	4.59	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99	
15+18+22+42+42	1.12	1.35	1.65	3.14	3.14	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+18+22+42+50	1.06	1.27	1.56	2.97	3.54	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+18+22+42+60	0.99	1.19	1.46	2.78	3.97	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+18+22+42+71	0.93	1.11	1.36	2.60	4.40	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
15+18+22+50+50	1.01	1.21	1.48	3.35	3.35	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+18+22+50+60	0.95	1.13	1.39	3.15	3.78	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+18+25+25+25	1.44	1.73	2.41	2.41	2.41	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99	
15+18+25+25+35	1.32	1.59	2.20	2.20	3.08	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+18+25+25+42	1.25	1.50	2.08	2.08	3.49	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+18+25+25+50	1.17	1.41	1.95	1.95	3.91	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+18+25+25+60	1.09	1.31	1.82	1.82	4.36	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+18+25+25+71	1.01	1.22	1.69	1.69	4.79	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99	
15+18+25+35+35	1.22	1.46	2.03	2.84	2.84	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+18+25+35+42	1.16	1.39	1.93	2.70	3.24	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+18+25+35+50	1.09	1.31	1.82	2.55	3.64	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+18+25+35+60	1.02	1.22	1.70	2.38	4.08	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+18+25+35+71	0.95	1.14	1.59	2.22	4.50	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99	
15+18+25+42+42	1.10	1.32	1.83	3.08	3.08	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+18+25+42+50	1.04	1.25	1.73	2.91	3.47	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+18+25+42+60	0.98	1.17	1.63	2.73	3.90	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+18+25+42+71	0.91	1.09	1.52	2.55	4.32	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
15+18+25+50+50	0.99	1.18	1.65	3.29	3.29	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+18+25+50+60	0.93	1.11	1.55	3.10	3.71	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+18+35+35+35	1.13	1.36	2.64	2.64	2.64	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+18+35+35+42	1.08	1.29	2.51	2.51	3.01	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+18+35+35+50	1.02	1.22	2.38	2.38	3.40	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+18+35+35+60	0.96	1.15	2.23	2.23	3.83	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+18+35+42+42	1.03	1.23	2.39	2.87	2.87	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+18+35+42+50	0.98	1.17	2.28	2.73	3.25	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+18+35+42+60	0.92	1.10	2.14	2.57	3.67	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+18+35+50+50	0.93	1.11	2.17	3.10	3.10	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+18+42+42+42	0.98	1.18	2.75	2.75	2.75	10.40 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99	
15+18+42+42+50	0.93	1.12	2.62	2.62	3.11	10.40 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99	
15+20+20+20+20	1.58	2.11	2.11	2.11	2.11	10.00 4.10 - 14.00	2.197 0.640 - 3.937	10.09	9.65	9.25	99	
15+20+20+20+22	1.56	2.08	2.08	2.08	2.29	10.10 4.10 - 14.00	2.190 0.640 - 3.930	10.06	9.62	9.22	99	
15+20+20+20+25	1.52	2.02	2.02	2.02	2.53	10.10 4.10 - 14.00	2.190 0.640 - 3.930	10.06	9.62	9.22	99	
15+20+20+20+35	1.38	1.84	1.84	1.84	3.21	10.10 4.10 - 14.00	2.180 0.640 - 3.930	10.01	9.57	9.17	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
15+20+20+20+42	1.29	1.73	1.73	1.73	3.63	10.10 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99	
15+20+20+20+50	1.21	1.62	1.62	1.62	4.04	10.10 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99	
15+20+20+20+60	1.12	1.50	1.50	1.50	4.49	10.10 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
15+20+20+20+71	1.04	1.38	1.38	1.38	4.91	10.10 4.10 - 14.00	2.151 0.640 - 3.901	9.88	9.45	9.06	99	
15+20+20+22+22	1.55	2.06	2.06	2.27	2.27	10.20 4.10 - 14.00	2.183 0.640 - 3.923	10.03	9.59	9.19	99	
15+20+20+22+25	1.50	2.00	2.00	2.20	2.50	10.20 4.10 - 14.00	2.173 0.640 - 3.923	9.97	9.54	9.14	99	
15+20+20+22+35	1.37	1.82	1.82	2.00	3.19	10.20 4.10 - 14.00	2.173 0.640 - 3.923	9.97	9.54	9.14	99	
15+20+20+22+42	1.29	1.71	1.71	1.89	3.60	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
15+20+20+22+50	1.20	1.61	1.61	1.77	4.02	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
15+20+20+22+60	1.12	1.49	1.49	1.64	4.47	10.20 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
15+20+20+22+71	1.03	1.38	1.38	1.52	4.89	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99	
15+20+20+25+25	1.46	1.94	1.94	2.43	2.43	10.20 4.10 - 14.00	2.173 0.640 - 3.923	9.97	9.54	9.14	99	
15+20+20+25+35	1.33	1.77	1.77	2.22	3.10	10.20 4.10 - 14.00	2.163 0.640 - 3.913	9.93	9.50	9.10	99	
15+20+20+25+42	1.25	1.67	1.67	2.09	3.51	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
15+20+20+25+50	1.18	1.57	1.57	1.96	3.92	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
15+20+20+25+60	1.09	1.46	1.46	1.82	4.37	10.20 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
15+20+20+25+71	1.01	1.35	1.35	1.69	4.80	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99	
15+20+20+35+35	1.22	1.63	1.63	2.86	2.86	10.20 4.10 - 14.00	2.163 0.640 - 3.913	9.93	9.50	9.10	99	
15+20+20+35+42	1.16	1.55	1.55	2.70	3.25	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
15+20+20+35+50	1.09	1.46	1.46	2.55	3.64	10.20 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
15+20+20+35+60	1.02	1.36	1.36	2.38	4.08	10.20 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
15+20+20+35+71	0.95	1.27	1.27	2.22	4.50	10.20 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99	
15+20+20+42+42	1.10	1.47	1.47	3.08	3.08	10.20 4.10 - 14.00	2.151 0.640 - 3.901	9.88	9.45	9.06	99	
15+20+20+42+50	1.04	1.39	1.39	2.91	3.47	10.20 4.10 - 14.00	2.151 0.640 - 3.901	9.88	9.45	9.06	99	
15+20+20+42+60	0.97	1.30	1.30	2.73	3.90	10.20 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
15+20+20+42+71	0.91	1.21	1.21	2.55	4.31	10.20 4.10 - 14.00	2.138 0.640 - 3.888	9.82	9.39	9.00	99	
15+20+20+50+50	0.99	1.32	1.32	3.29	3.29	10.20 4.10 - 14.00	2.151 0.640 - 3.901	9.88	9.45	9.06	99	
15+20+20+50+60	0.93	1.24	1.24	3.09	3.71	10.20 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
15+20+22+22+22	1.53	2.04	2.24	2.24	2.24	10.30 4.10 - 14.00	2.166 0.640 - 3.916	9.94	9.51	9.11	99	
15+20+22+22+35	1.36	1.81	1.99	1.99	3.16	10.30 4.10 - 14.00	2.166 0.640 - 3.916	9.94	9.51	9.11	99	
15+20+22+22+42	1.28	1.70	1.87	1.87	3.58	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
15+20+22+22+50	1.20	1.60	1.76	1.76	3.99	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
15+20+22+22+60	1.11	1.48	1.63	1.63	4.45	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99	
15+20+22+22+71	1.03	1.37	1.51	1.51	4.88	10.30 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+20+22+25+25	1.44	1.93	2.12	2.41	2.41	10.30 4.10 - 14.00	2.166 0.640 - 3.916	9.94	9.51	9.11	99	
15+20+22+25+35	1.32	1.76	1.94	2.20	3.08	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.90	9.47	9.08	99	
15+20+22+25+42	1.25	1.66	1.83	2.08	3.49	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
15+20+22+25+50	1.17	1.56	1.72	1.95	3.90	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
15+20+22+25+60	1.09	1.45	1.60	1.81	4.35	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99	
15+20+22+25+71	1.01	1.35	1.48	1.68	4.78	10.30 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+20+22+35+35	1.22	1.62	1.78	2.84	2.84	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.90	9.47	9.08	99	
15+20+22+35+42	1.15	1.54	1.69	2.69	3.23	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
15+20+22+35+50	1.09	1.45	1.60	2.54	3.63	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
15+20+22+35+60	1.02	1.36	1.49	2.37	4.07	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99	
15+20+22+35+71	0.95	1.26	1.39	2.21	4.49	10.30 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
15+20+22+42+42	1.10	1.46	1.61	3.07	3.07	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+20+22+42+50	1.04	1.38	1.52	2.90	3.46	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+20+22+42+60	0.97	1.30	1.43	2.72	3.89	10.30 4.10 - 14.00	2.127 0.640 - 3.877	9.76	9.34	8.95	99
15+20+22+42+71	0.91	1.21	1.33	2.54	4.30	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99
15+20+22+50+50	0.98	1.31	1.44	3.28	3.28	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+20+22+50+60	0.93	1.23	1.36	3.08	3.70	10.30 4.10 - 14.00	2.127 0.640 - 3.877	9.76	9.34	8.95	99
15+20+25+25+25	1.40	1.87	2.34	2.34	2.34	10.30 4.10 - 14.00	2.166 0.640 - 3.916	9.94	9.51	9.11	99
15+20+25+25+35	1.29	1.72	2.15	2.15	3.00	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.90	9.47	9.08	99
15+20+25+25+42	1.22	1.62	2.03	2.03	3.41	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+20+25+25+50	1.14	1.53	1.91	1.91	3.81	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+20+25+25+60	1.07	1.42	1.78	1.78	4.26	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99
15+20+25+25+71	0.99	1.32	1.65	1.65	4.69	10.30 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99
15+20+25+35+35	1.19	1.58	1.98	2.77	2.77	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.90	9.47	9.08	99
15+20+25+35+42	1.13	1.50	1.88	2.63	3.16	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+20+25+35+50	1.07	1.42	1.78	2.49	3.55	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+20+25+35+60	1.00	1.33	1.66	2.33	3.99	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99
15+20+25+35+71	0.93	1.24	1.55	2.17	4.41	10.30 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99
15+20+25+42+42	1.07	1.43	1.79	3.00	3.00	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+20+25+42+50	1.02	1.36	1.69	2.85	3.39	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+20+25+42+60	0.95	1.27	1.59	2.67	3.81	10.30 4.10 - 14.00	2.127 0.640 - 3.877	9.76	9.34	8.95	99
15+20+25+50+50	0.97	1.29	1.61	3.22	3.22	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+20+25+50+60	0.91	1.21	1.51	3.03	3.64	10.30 4.10 - 14.00	2.127 0.640 - 3.877	9.76	9.34	8.95	99
15+20+35+35+35	1.10	1.47	2.58	2.58	2.58	10.30 4.10 - 14.00	2.156 0.640 - 3.906	9.90	9.47	9.08	99
15+20+35+35+42	1.05	1.40	2.45	2.45	2.94	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+20+35+35+50	1.00	1.33	2.33	2.33	3.32	10.30 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
15+20+35+35+60	0.94	1.25	2.18	2.18	3.75	10.30 4.10 - 14.00	2.133 0.640 - 3.883	9.80	9.37	8.98	99
15+20+35+42+42	1.00	1.34	2.34	2.81	2.81	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+20+35+42+50	0.95	1.27	2.23	2.67	3.18	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+20+35+42+60	0.90	1.20	2.10	2.52	3.59	10.30 4.10 - 14.00	2.127 0.640 - 3.877	9.76	9.34	8.95	99
15+20+35+50+50	0.91	1.21	2.12	3.03	3.03	10.30 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99
15+20+42+42+42	0.96	1.28	2.69	2.69	2.69	10.30 4.10 - 14.00	2.138 0.640 - 3.888	9.82	9.39	9.00	99
15+20+42+42+50	0.91	1.22	2.56	2.56	3.05	10.30 4.10 - 14.00	2.138 0.640 - 3.888	9.82	9.39	9.00	99
15+22+22+22+22	1.51	2.22	2.22	2.22	2.22	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+22+22+22+25	1.47	2.16	2.16	2.16	2.45	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+22+22+22+35	1.34	1.97	1.97	1.97	3.14	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99
15+22+22+22+42	1.27	1.86	1.86	1.86	3.55	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+22+22+22+50	1.19	1.75	1.75	1.75	3.97	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+22+22+22+60	1.11	1.62	1.62	1.62	4.43	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99
15+22+22+22+71	1.03	1.51	1.51	1.51	4.86	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99
15+22+22+25+25	1.43	2.10	2.10	2.39	2.39	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99
15+22+22+25+35	1.31	1.92	1.92	2.18	3.06	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99
15+22+22+25+42	1.24	1.82	1.82	2.06	3.47	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+22+22+25+50	1.16	1.71	1.71	1.94	3.88	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99
15+22+22+25+60	1.08	1.59	1.59	1.81	4.33	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99
15+22+22+25+71	1.01	1.48	1.48	1.68	4.76	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
15+22+22+35+35	1.21	1.77	1.77	2.82	2.82	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+22+22+35+42	1.15	1.68	1.68	2.68	3.21	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+22+22+35+50	1.08	1.59	1.59	2.53	3.61	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+22+22+35+60	1.01	1.49	1.49	2.36	4.05	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+22+22+35+71	0.95	1.39	1.39	2.21	4.48	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99	
15+22+22+42+42	1.09	1.60	1.60	3.05	3.05	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+22+22+42+50	1.03	1.52	1.52	2.89	3.44	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+22+22+42+60	0.97	1.42	1.42	2.71	3.88	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+22+22+42+71	0.91	1.33	1.33	2.54	4.29	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
15+22+22+50+50	0.98	1.44	1.44	3.27	3.27	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+22+22+50+60	0.92	1.35	1.35	3.08	3.69	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+22+25+25+25	1.39	2.04	2.32	2.32	2.32	10.40 4.10 - 14.00	2.159 0.640 - 3.909	9.91	9.48	9.09	99	
15+22+25+25+35	1.28	1.88	2.13	2.13	2.98	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+22+25+25+42	1.21	1.77	2.02	2.02	3.39	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+22+25+25+50	1.14	1.67	1.90	1.90	3.80	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+22+25+25+60	1.06	1.56	1.77	1.77	4.24	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+22+25+25+71	0.99	1.45	1.65	1.65	4.67	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99	
15+22+25+35+35	1.18	1.73	1.97	2.76	2.76	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+22+25+35+42	1.12	1.65	1.87	2.62	3.14	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+22+25+35+50	1.06	1.56	1.77	2.48	3.54	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+22+25+35+60	0.99	1.46	1.66	2.32	3.97	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+22+25+35+71	0.93	1.36	1.55	2.17	4.40	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99	
15+22+25+42+42	1.07	1.57	1.78	2.99	2.99	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+22+25+42+50	1.01	1.49	1.69	2.84	3.38	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+22+25+42+60	0.95	1.40	1.59	2.66	3.80	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+22+25+50+50	0.96	1.41	1.60	3.21	3.21	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+22+25+50+60	0.91	1.33	1.51	3.02	3.63	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+22+35+35+35	1.10	1.61	2.56	2.56	2.56	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+22+35+35+42	1.05	1.54	2.44	2.44	2.93	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+22+35+35+50	0.99	1.46	2.32	2.32	3.31	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+22+35+35+60	0.93	1.37	2.18	2.18	3.74	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+22+35+42+42	1.00	1.47	2.33	2.80	2.80	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+22+35+42+50	0.95	1.40	2.22	2.66	3.17	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+22+35+50+50	0.91	1.33	2.12	3.02	3.02	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+22+42+42+42	0.96	1.40	2.68	2.68	2.68	10.40 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99	
15+22+42+42+50	0.91	1.34	2.55	2.55	3.04	10.40 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99	
15+25+25+25+25	1.36	2.26	2.26	2.26	2.26	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+25+25+25+35	1.25	2.08	2.08	2.08	2.91	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+25+25+25+42	1.18	1.97	1.97	1.97	3.31	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+25+25+25+50	1.11	1.86	1.86	1.86	3.71	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+25+25+25+60	1.04	1.73	1.73	1.73	4.16	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+25+25+25+71	0.97	1.61	1.61	1.61	4.59	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99	
15+25+25+35+35	1.16	1.93	1.93	2.70	2.70	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+25+25+35+42	1.10	1.83	1.83	2.56	3.08	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+25+25+35+50	1.04	1.73	1.73	2.43	3.47	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
15+25+25+35+60	0.98	1.63	1.63	2.28	3.90	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+25+25+35+71	0.91	1.52	1.52	2.13	4.32	10.40 4.10 - 14.00	2.130 0.640 - 3.880	9.78	9.35	8.96	99	
15+25+25+42+42	1.05	1.74	1.74	2.93	2.93	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+25+25+42+50	0.99	1.66	1.66	2.78	3.31	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+25+25+42+60	0.93	1.56	1.56	2.62	3.74	10.40 4.10 - 14.00	2.120 0.640 - 3.870	9.73	9.31	8.92	99	
15+25+25+50+50	0.95	1.58	1.58	3.15	3.15	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+25+35+35+35	1.08	1.79	2.51	2.51	2.51	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+25+35+35+42	1.03	1.71	2.39	2.39	2.87	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+25+35+35+50	0.98	1.63	2.28	2.28	3.25	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+25+35+35+60	0.92	1.53	2.14	2.14	3.67	10.40 4.10 - 14.00	2.126 0.640 - 3.876	9.76	9.34	8.95	99	
15+25+35+42+42	0.98	1.64	2.29	2.75	2.75	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+25+35+42+50	0.93	1.56	2.18	2.62	3.11	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
15+25+42+42+42	0.94	1.57	2.63	2.63	2.63	10.40 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99	
15+35+35+35+35	1.01	2.35	2.35	2.35	2.35	10.40 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99	
15+35+35+35+42	0.96	2.25	2.25	2.25	2.70	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+35+35+35+50	0.92	2.14	2.14	2.14	3.06	10.40 4.10 - 14.00	2.143 0.640 - 3.893	9.84	9.41	9.02	99	
15+35+35+42+42	0.92	2.15	2.15	2.58	2.58	10.40 4.10 - 14.00	2.137 0.640 - 3.887	9.82	9.39	9.00	99	
18+18+18+18+18	2.10	2.10	2.10	2.10	2.10	10.50 4.10 - 14.00	2.170 0.640 - 3.900	9.96	9.53	9.13	99	
18+18+18+18+20	2.03	2.03	2.03	2.03	2.26	10.40 4.10 - 14.00	2.177 0.640 - 3.907	9.99	9.56	9.16	99	
18+18+18+18+22	2.01	2.01	2.01	2.01	2.46	10.50 4.10 - 14.00	2.160 0.640 - 3.900	9.92	9.49	9.09	99	
18+18+18+18+25	1.95	1.95	1.95	1.95	2.71	10.50 4.10 - 14.00	2.160 0.640 - 3.900	9.92	9.49	9.09	99	
18+18+18+18+35	1.77	1.77	1.77	1.77	3.43	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
18+18+18+18+42	1.66	1.66	1.66	1.66	3.87	10.50 4.10 - 14.00	2.144 0.640 - 3.894	9.85	9.42	9.03	99	
18+18+18+18+50	1.55	1.55	1.55	1.55	4.30	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+18+18+60	1.43	1.43	1.43	1.43	4.77	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99	
18+18+18+18+71	1.32	1.32	1.32	1.32	5.21	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99	
18+18+18+20+20	1.97	1.97	1.97	2.19	2.19	10.30 4.10 - 14.00	2.174 0.640 - 3.914	9.98	9.55	9.15	99	
18+18+18+20+22	1.95	1.95	1.95	2.17	2.38	10.40 4.10 - 14.00	2.167 0.640 - 3.907	9.95	9.52	9.12	99	
18+18+18+20+25	1.89	1.89	1.89	2.10	2.63	10.40 4.10 - 14.00	2.167 0.640 - 3.907	9.95	9.52	9.12	99	
18+18+18+20+35	1.72	1.72	1.72	1.91	3.34	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
18+18+18+20+42	1.61	1.61	1.61	1.79	3.77	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
18+18+18+20+50	1.51	1.51	1.51	1.68	4.19	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
18+18+18+20+60	1.40	1.40	1.40	1.55	4.66	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
18+18+18+20+71	1.29	1.29	1.29	1.43	5.09	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+18+18+22+22	1.93	1.93	1.93	2.36	2.36	10.50 4.10 - 14.00	2.160 0.640 - 3.900	9.92	9.49	9.09	99	
18+18+18+22+25	1.87	1.87	1.87	2.29	2.60	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
18+18+18+22+35	1.70	1.70	1.70	2.08	3.31	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
18+18+18+22+42	1.60	1.60	1.60	1.96	3.74	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+18+22+50	1.50	1.50	1.50	1.83	4.17	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+18+22+60	1.39	1.39	1.39	1.70	4.63	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99	
18+18+18+22+71	1.29	1.29	1.29	1.57	5.07	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99	
18+18+18+25+25	1.82	1.82	1.82	2.52	2.52	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
18+18+18+25+35	1.66	1.66	1.66	2.30	3.22	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
18+18+18+25+42	1.56	1.56	1.56	2.17	3.64	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+18+25+50	1.47	1.47	1.47	2.03	4.07	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
18+18+18+25+60	1.36	1.36	1.36	1.89	4.53	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+18+18+25+71	1.26	1.26	1.26	1.75	4.97	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
18+18+18+35+35	1.52	1.52	1.52	2.96	2.96	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+18+18+35+42	1.44	1.44	1.44	2.81	3.37	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+18+18+35+50	1.36	1.36	1.36	2.64	3.78	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+18+18+35+60	1.27	1.27	1.27	2.47	4.23	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+18+18+35+71	1.18	1.18	1.18	2.30	4.66	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
18+18+18+42+42	1.37	1.37	1.37	3.20	3.20	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+18+18+42+50	1.29	1.29	1.29	3.02	3.60	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+18+18+42+60	1.21	1.21	1.21	2.83	4.04	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99
18+18+18+42+71	1.13	1.13	1.13	2.64	4.46	10.50 4.10 - 14.00	2.115 0.640 - 3.865	9.71	9.29	8.90	99
18+18+18+50+50	1.23	1.23	1.23	3.41	3.41	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+18+18+50+60	1.15	1.15	1.15	3.20	3.84	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99
18+18+20+20+20	1.91	1.91	2.13	2.13	2.13	10.20 4.10 - 14.00	2.181 0.640 - 3.921	10.02	9.58	9.18	99
18+18+20+20+22	1.89	1.89	2.10	2.10	2.31	10.30 4.10 - 14.00	2.174 0.640 - 3.914	9.98	9.55	9.15	99
18+18+20+20+25	1.84	1.84	2.04	2.04	2.55	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99
18+18+20+20+35	1.67	1.67	1.86	1.86	3.25	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99
18+18+20+20+42	1.57	1.57	1.75	1.75	3.67	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
18+18+20+20+50	1.47	1.47	1.63	1.63	4.09	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
18+18+20+20+60	1.36	1.36	1.51	1.51	4.54	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99
18+18+20+20+71	1.26	1.26	1.40	1.40	4.97	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+18+20+22+22	1.87	1.87	2.08	2.29	2.29	10.40 4.10 - 14.00	2.167 0.640 - 3.907	9.95	9.52	9.12	99
18+18+20+22+25	1.82	1.82	2.02	2.22	2.52	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99
18+18+20+22+35	1.66	1.66	1.84	2.02	3.22	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99
18+18+20+22+42	1.56	1.56	1.73	1.91	3.64	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+18+20+22+50	1.46	1.46	1.63	1.79	4.06	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+18+20+22+60	1.36	1.36	1.51	1.66	4.52	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
18+18+20+22+71	1.26	1.26	1.40	1.54	4.96	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+18+20+25+25	1.77	1.77	1.96	2.45	2.45	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99
18+18+20+25+35	1.61	1.61	1.79	2.24	3.14	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99
18+18+20+25+42	1.52	1.52	1.69	2.11	3.55	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+18+20+25+50	1.43	1.43	1.59	1.98	3.97	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+18+20+25+60	1.33	1.33	1.48	1.84	4.43	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
18+18+20+25+71	1.23	1.23	1.37	1.71	4.86	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+18+20+35+35	1.49	1.49	1.65	2.89	2.89	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99
18+18+20+35+42	1.41	1.41	1.56	2.74	3.28	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+18+20+35+50	1.33	1.33	1.48	2.58	3.69	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+18+20+35+60	1.24	1.24	1.38	2.41	4.13	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
18+18+20+35+71	1.16	1.16	1.28	2.25	4.56	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+18+20+42+42	1.34	1.34	1.49	3.12	3.12	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+18+20+42+50	1.26	1.26	1.41	2.95	3.51	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+18+20+42+60	1.18	1.18	1.32	2.76	3.95	10.40 4.10 - 14.00	2.118 0.640 - 3.868	9.72	9.30	8.91	99
18+18+20+42+71	1.11	1.11	1.23	2.58	4.37	10.40 4.10 - 14.00	2.122 0.640 - 3.872	9.74	9.32	8.93	99
18+18+20+50+50	1.20	1.20	1.33	3.33	3.33	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+18+20+50+60	1.13	1.13	1.25	3.13	3.76	10.40 4.10 - 14.00	2.118 0.640 - 3.868	9.72	9.30	8.91	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
18+18+22+22+22	1.85	1.85	2.26	2.26	2.26	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
18+18+22+22+25	1.80	1.80	2.20	2.20	2.50	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
18+18+22+22+35	1.64	1.64	2.01	2.01	3.20	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
18+18+22+22+42	1.55	1.55	1.89	1.89	3.61	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+22+22+50	1.45	1.45	1.78	1.78	4.04	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+22+22+60	1.35	1.35	1.65	1.65	4.50	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99	
18+18+22+22+71	1.25	1.25	1.53	1.53	4.94	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99	
18+18+22+25+25	1.75	1.75	2.14	2.43	2.43	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
18+18+22+25+35	1.60	1.60	1.96	2.22	3.11	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
18+18+22+25+42	1.51	1.51	1.85	2.10	3.53	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+22+25+50	1.42	1.42	1.74	1.97	3.95	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+22+25+60	1.32	1.32	1.62	1.84	4.41	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99	
18+18+22+25+71	1.23	1.23	1.50	1.70	4.84	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99	
18+18+22+35+35	1.48	1.48	1.80	2.87	2.87	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
18+18+22+35+42	1.40	1.40	1.71	2.72	3.27	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+22+35+50	1.32	1.32	1.62	2.57	3.67	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+22+35+60	1.24	1.24	1.51	2.40	4.12	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99	
18+18+22+35+71	1.15	1.15	1.41	2.24	4.55	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99	
18+18+22+42+42	1.33	1.33	1.63	3.11	3.11	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+18+22+42+50	1.26	1.26	1.54	2.94	3.50	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+18+22+42+60	1.18	1.18	1.44	2.76	3.94	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99	
18+18+22+42+71	1.11	1.11	1.35	2.58	4.36	10.50 4.10 - 14.00	2.115 0.640 - 3.865	9.71	9.29	8.90	99	
18+18+22+50+50	1.20	1.20	1.46	3.32	3.32	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+18+22+50+60	1.13	1.13	1.38	3.13	3.75	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99	
18+18+25+25+25	1.70	1.70	2.36	2.36	2.36	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99	
18+18+25+25+35	1.56	1.56	2.17	2.17	3.04	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
18+18+25+25+42	1.48	1.48	2.05	2.05	3.45	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+25+25+50	1.39	1.39	1.93	1.93	3.86	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+25+25+60	1.29	1.29	1.80	1.80	4.32	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99	
18+18+25+25+71	1.20	1.20	1.67	1.67	4.75	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99	
18+18+25+35+35	1.44	1.44	2.00	2.81	2.81	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
18+18+25+35+42	1.37	1.37	1.90	2.66	3.20	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+25+35+50	1.29	1.29	1.80	2.52	3.60	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+25+35+60	1.21	1.21	1.68	2.36	4.04	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99	
18+18+25+35+71	1.13	1.13	1.57	2.20	4.46	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99	
18+18+25+42+42	1.30	1.30	1.81	3.04	3.04	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+18+25+42+50	1.24	1.24	1.72	2.88	3.43	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+18+25+42+60	1.16	1.16	1.61	2.71	3.87	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99	
18+18+25+50+50	1.17	1.17	1.63	3.26	3.26	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+18+25+50+60	1.11	1.11	1.54	3.07	3.68	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99	
18+18+35+35+35	1.34	1.34	2.61	2.61	2.61	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99	
18+18+35+35+42	1.28	1.28	2.48	2.48	2.98	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+35+35+50	1.21	1.21	2.36	2.36	3.37	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99	
18+18+35+35+60	1.14	1.14	2.21	2.21	3.80	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99	
18+18+35+42+42	1.22	1.22	2.37	2.85	2.85	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
18+18+35+42+50	1.16	1.16	2.25	2.71	3.22	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+18+35+50+50	1.11	1.11	2.15	3.07	3.07	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+18+42+42+42	1.17	1.17	2.72	2.72	2.72	10.50 4.10 - 14.00	2.122 0.640 - 3.872	9.74	9.32	8.93	99	
18+18+42+42+50	1.11	1.11	2.59	2.59	3.09	10.50 4.10 - 14.00	2.122 0.640 - 3.872	9.74	9.32	8.93	99	
18+20+20+20+20	1.86	2.06	2.06	2.06	2.06	10.10 4.10 - 14.00	2.188 0.640 - 3.928	10.05	9.61	9.21	99	
18+20+20+20+22	1.84	2.04	2.04	2.04	2.24	10.20 4.10 - 14.00	2.181 0.640 - 3.921	10.02	9.58	9.18	99	
18+20+20+20+25	1.78	1.98	1.98	1.98	2.48	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.96	9.53	9.13	99	
18+20+20+20+35	1.62	1.81	1.81	1.81	3.16	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.96	9.53	9.13	99	
18+20+20+20+42	1.53	1.70	1.70	1.70	3.57	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99	
18+20+20+20+50	1.43	1.59	1.59	1.59	3.98	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99	
18+20+20+20+60	1.33	1.48	1.48	1.48	4.43	10.20 4.10 - 14.00	2.138 0.640 - 3.888	9.82	9.39	9.00	99	
18+20+20+20+71	1.23	1.37	1.37	1.37	4.86	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99	
18+20+20+22+22	1.82	2.02	2.02	2.22	2.22	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99	
18+20+20+22+25	1.77	1.96	1.96	2.16	2.45	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99	
18+20+20+22+35	1.61	1.79	1.79	1.97	3.13	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99	
18+20+20+22+42	1.52	1.69	1.69	1.86	3.55	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99	
18+20+20+22+50	1.43	1.58	1.58	1.74	3.96	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99	
18+20+20+22+60	1.32	1.47	1.47	1.62	4.41	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99	
18+20+20+22+71	1.23	1.36	1.36	1.50	4.84	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
18+20+20+25+25	1.72	1.91	1.91	2.38	2.38	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99	
18+20+20+25+35	1.57	1.75	1.75	2.18	3.06	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99	
18+20+20+25+42	1.48	1.65	1.65	2.06	3.46	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99	
18+20+20+25+50	1.39	1.55	1.55	1.94	3.87	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99	
18+20+20+25+60	1.30	1.44	1.44	1.80	4.32	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99	
18+20+20+25+71	1.20	1.34	1.34	1.67	4.75	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
18+20+20+35+35	1.45	1.61	1.61	2.82	2.82	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99	
18+20+20+35+42	1.37	1.53	1.53	2.67	3.20	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99	
18+20+20+35+50	1.30	1.44	1.44	2.52	3.60	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99	
18+20+20+35+60	1.21	1.35	1.35	2.36	4.04	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99	
18+20+20+35+71	1.13	1.26	1.26	2.20	4.46	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
18+20+20+42+42	1.31	1.45	1.45	3.05	3.05	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99	
18+20+20+42+50	1.24	1.37	1.37	2.88	3.43	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99	
18+20+20+42+60	1.16	1.29	1.29	2.70	3.86	10.30 4.10 - 14.00	2.125 0.640 - 3.875	9.75	9.33	8.94	99	
18+20+20+42+71	1.08	1.20	1.20	2.53	4.28	10.30 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99	
18+20+20+50+50	1.17	1.30	1.30	3.26	3.26	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99	
18+20+20+50+60	1.10	1.23	1.23	3.07	3.68	10.30 4.10 - 14.00	2.125 0.640 - 3.875	9.75	9.33	8.94	99	
18+20+22+22+25	1.75	1.94	2.14	2.14	2.43	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
18+20+22+22+35	1.60	1.78	1.96	1.96	3.11	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
18+20+22+22+42	1.51	1.68	1.85	1.85	3.52	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
18+20+22+22+50	1.42	1.58	1.73	1.73	3.94	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
18+20+22+22+60	1.32	1.46	1.61	1.61	4.39	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
18+20+22+22+71	1.22	1.36	1.50	1.50	4.83	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
18+20+22+25+25	1.70	1.89	2.08	2.36	2.36	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
18+20+22+25+35	1.56	1.73	1.91	2.17	3.03	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
18+20+22+25+42	1.47	1.64	1.80	2.05	3.44	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
18+20+22+25+50	1.39	1.54	1.69	1.93	3.85	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+20+22+25+60	1.29	1.43	1.58	1.79	4.30	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
18+20+22+25+71	1.20	1.33	1.47	1.67	4.73	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+20+22+35+35	1.44	1.60	1.76	2.80	2.80	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99
18+20+22+35+42	1.37	1.52	1.67	2.66	3.19	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+20+22+35+50	1.29	1.43	1.58	2.51	3.59	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+20+22+35+60	1.21	1.34	1.48	2.35	4.03	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
18+20+22+35+71	1.13	1.25	1.38	2.19	4.45	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+20+22+42+42	1.30	1.44	1.59	3.03	3.03	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+20+22+42+50	1.23	1.37	1.51	2.87	3.42	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+20+22+42+60	1.16	1.28	1.41	2.70	3.85	10.40 4.10 - 14.00	2.118 0.640 - 3.868	9.72	9.30	8.91	99
18+20+22+50+50	1.17	1.30	1.43	3.25	3.25	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+20+22+50+60	1.10	1.22	1.35	3.06	3.67	10.40 4.10 - 14.00	2.118 0.640 - 3.868	9.72	9.30	8.91	99
18+20+25+25+25	1.66	1.84	2.30	2.30	2.30	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99
18+20+25+25+35	1.52	1.69	2.11	2.11	2.96	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99
18+20+25+25+42	1.44	1.60	2.00	2.00	3.36	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+20+25+25+50	1.36	1.51	1.88	1.88	3.77	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+20+25+25+60	1.26	1.41	1.76	1.76	4.22	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
18+20+25+25+71	1.18	1.31	1.64	1.64	4.64	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+20+25+35+35	1.41	1.56	1.95	2.74	2.74	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99
18+20+25+35+42	1.34	1.49	1.86	2.60	3.12	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+20+25+35+50	1.26	1.41	1.76	2.46	3.51	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+20+25+35+60	1.18	1.32	1.65	2.30	3.95	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
18+20+25+35+71	1.11	1.23	1.54	2.15	4.37	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+20+25+42+42	1.27	1.41	1.77	2.97	2.97	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+20+25+42+50	1.21	1.34	1.68	2.82	3.35	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+20+25+42+60	1.13	1.26	1.58	2.65	3.78	10.40 4.10 - 14.00	2.118 0.640 - 3.868	9.72	9.30	8.91	99
18+20+25+50+50	1.15	1.28	1.60	3.19	3.19	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+20+35+35+35	1.31	1.45	2.55	2.55	2.55	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99
18+20+35+35+42	1.25	1.39	2.43	2.43	2.91	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+20+35+35+50	1.18	1.32	2.30	2.30	3.29	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
18+20+35+35+60	1.11	1.24	2.17	2.17	3.71	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
18+20+35+42+42	1.19	1.32	2.32	2.78	2.78	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+20+35+42+50	1.13	1.26	2.21	2.65	3.15	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
18+20+42+42+42	1.14	1.27	2.66	2.66	2.66	10.40 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99
18+20+42+42+50	1.09	1.21	2.54	2.54	3.02	10.40 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99
18+22+22+22+22	1.78	2.18	2.18	2.18	2.18	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
18+22+22+22+25	1.73	2.12	2.12	2.12	2.41	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
18+22+22+22+35	1.59	1.94	1.94	1.94	3.09	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+22+22+22+42	1.50	1.83	1.83	1.83	3.50	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+22+22+50	1.41	1.72	1.72	1.72	3.92	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+22+22+60	1.31	1.60	1.60	1.60	4.38	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+22+22+22+71	1.22	1.49	1.49	1.49	4.81	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
18+22+22+25+25	1.69	2.06	2.06	2.34	2.34	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
18+22+22+25+35	1.55	1.89	1.89	2.15	3.01	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
18+22+22+25+42	1.47	1.79	1.79	2.03	3.42	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+22+25+50	1.38	1.69	1.69	1.92	3.83	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+22+25+60	1.29	1.57	1.57	1.79	4.29	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+22+22+25+71	1.20	1.46	1.46	1.66	4.72	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
18+22+22+35+35	1.43	1.75	1.75	2.78	2.78	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+22+22+35+42	1.36	1.66	1.66	2.64	3.17	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+22+35+50	1.29	1.57	1.57	2.50	3.57	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+22+35+60	1.20	1.47	1.47	2.34	4.01	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+22+22+35+71	1.13	1.38	1.38	2.19	4.44	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
18+22+22+42+42	1.29	1.58	1.58	3.02	3.02	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+22+22+42+50	1.23	1.50	1.50	2.86	3.41	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+22+22+42+60	1.15	1.41	1.41	2.69	3.84	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99
18+22+22+50+50	1.17	1.43	1.43	3.24	3.24	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+22+22+50+60	1.10	1.34	1.34	3.05	3.66	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99
18+22+25+25+25	1.64	2.01	2.28	2.28	2.28	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+22+25+25+35	1.51	1.85	2.10	2.10	2.94	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+22+25+25+42	1.43	1.75	1.99	1.99	3.34	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+25+25+50	1.35	1.65	1.88	1.88	3.75	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+25+25+60	1.26	1.54	1.75	1.75	4.20	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+22+25+25+71	1.17	1.43	1.63	1.63	4.63	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
18+22+25+35+35	1.40	1.71	1.94	2.72	2.72	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+22+25+35+42	1.33	1.63	1.85	2.59	3.11	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+25+35+50	1.26	1.54	1.75	2.45	3.50	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+25+35+60	1.18	1.44	1.64	2.30	3.94	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+22+25+35+71	1.11	1.35	1.54	2.15	4.36	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
18+22+25+42+42	1.27	1.55	1.76	2.96	2.96	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+22+25+42+50	1.20	1.47	1.67	2.81	3.34	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+22+25+42+60	1.13	1.38	1.57	2.64	3.77	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99
18+22+25+50+50	1.15	1.40	1.59	3.18	3.18	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+22+35+35+35	1.30	1.59	2.53	2.53	2.53	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+22+35+35+42	1.24	1.52	2.42	2.42	2.90	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+35+35+50	1.18	1.44	2.30	2.30	3.28	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+22+35+35+60	1.11	1.36	2.16	2.16	3.71	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+22+35+42+42	1.19	1.45	2.31	2.77	2.77	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+22+35+42+50	1.13	1.38	2.20	2.64	3.14	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+22+42+42+42	1.14	1.39	2.66	2.66	2.66	10.50 4.10 - 14.00	2.122 0.640 - 3.872	9.74	9.32	8.93	99
18+25+25+25+25	1.60	2.22	2.22	2.22	2.22	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+25+25+25+35	1.48	2.05	2.05	2.05	2.87	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+25+25+25+42	1.40	1.94	1.94	1.94	3.27	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+25+25+25+50	1.32	1.84	1.84	1.84	3.67	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+25+25+25+60	1.24	1.72	1.72	1.72	4.12	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+25+25+25+71	1.15	1.60	1.60	1.60	4.55	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
18+25+25+35+35	1.37	1.90	1.90	2.66	2.66	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+25+25+35+42	1.30	1.81	1.81	2.53	3.04	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+25+25+35+50	1.24	1.72	1.72	2.40	3.43	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
18+25+25+35+60	1.16	1.61	1.61	2.25	3.87	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
18+25+25+42+42	1.24	1.73	1.73	2.90	2.90	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+25+25+42+50	1.18	1.64	1.64	2.76	3.28	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+25+25+42+60	1.11	1.54	1.54	2.59	3.71	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99
18+25+25+50+50	1.13	1.56	1.56	3.13	3.13	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+25+35+35+35	1.28	1.77	2.48	2.48	2.48	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+25+35+35+42	1.22	1.69	2.37	2.37	2.85	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+25+35+35+50	1.16	1.61	2.25	2.25	3.22	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+25+35+42+42	1.17	1.62	2.27	2.72	2.72	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+25+35+42+50	1.11	1.54	2.16	2.59	3.09	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
18+25+42+42+42	1.12	1.55	2.61	2.61	2.61	10.50 4.10 - 14.00	2.122 0.640 - 3.872	9.74	9.32	8.93	99
18+35+35+35+35	1.20	2.33	2.33	2.33	2.33	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
18+35+35+35+42	1.15	2.23	2.23	2.23	2.67	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
18+35+35+42+42	1.10	2.14	2.14	2.56	2.56	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
20+20+20+20+20	2.00	2.00	2.00	2.00	2.00	10.00 4.10 - 14.00	2.195 0.640 - 3.935	10.08	9.64	9.24	99
20+20+20+20+22	1.98	1.98	1.98	1.98	2.18	10.10 4.10 - 14.00	2.178 0.640 - 3.928	10.01	9.57	9.17	99
20+20+20+20+25	1.92	1.92	1.92	1.92	2.40	10.10 4.10 - 14.00	2.178 0.640 - 3.928	10.01	9.57	9.17	99
20+20+20+20+35	1.76	1.76	1.76	1.76	3.07	10.10 4.10 - 14.00	2.168 0.640 - 3.918	9.95	9.52	9.12	99
20+20+20+20+42	1.66	1.66	1.66	1.66	3.48	10.10 4.10 - 14.00	2.162 0.640 - 3.912	9.92	9.49	9.09	99
20+20+20+20+50	1.55	1.55	1.55	1.55	3.88	10.10 4.10 - 14.00	2.162 0.640 - 3.912	9.92	9.49	9.09	99
20+20+20+20+60	1.44	1.44	1.44	1.44	4.33	10.10 4.10 - 14.00	2.145 0.640 - 3.895	9.85	9.42	9.03	99
20+20+20+20+71	1.34	1.34	1.34	1.34	4.75	10.10 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99
20+20+20+22+25	1.91	1.91	1.91	2.10	2.38	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.96	9.53	9.13	99
20+20+20+22+35	1.74	1.74	1.74	1.92	3.05	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.92	9.49	9.09	99
20+20+20+22+42	1.65	1.65	1.65	1.81	3.45	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99
20+20+20+22+50	1.55	1.55	1.55	1.70	3.86	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99
20+20+20+22+60	1.44	1.44	1.44	1.58	4.31	10.20 4.10 - 14.00	2.138 0.640 - 3.888	9.82	9.39	9.00	99
20+20+20+22+71	1.33	1.33	1.33	1.47	4.73	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+20+25+25	1.85	1.85	1.85	2.32	2.32	10.20 4.10 - 14.00	2.171 0.640 - 3.921	9.96	9.53	9.13	99
20+20+20+25+35	1.70	1.70	1.70	2.13	2.98	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.92	9.49	9.09	99
20+20+20+25+42	1.61	1.61	1.61	2.01	3.37	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99
20+20+20+25+50	1.51	1.51	1.51	1.89	3.78	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99
20+20+20+25+60	1.41	1.41	1.41	1.76	4.22	10.20 4.10 - 14.00	2.138 0.640 - 3.888	9.82	9.39	9.00	99
20+20+20+25+71	1.31	1.31	1.31	1.63	4.64	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+20+35+35	1.57	1.57	1.57	2.75	2.75	10.20 4.10 - 14.00	2.161 0.640 - 3.911	9.92	9.49	9.09	99
20+20+20+35+42	1.49	1.49	1.49	2.61	3.13	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99
20+20+20+35+50	1.41	1.41	1.41	2.46	3.52	10.20 4.10 - 14.00	2.155 0.640 - 3.905	9.89	9.46	9.07	99
20+20+20+35+60	1.32	1.32	1.32	2.30	3.95	10.20 4.10 - 14.00	2.138 0.640 - 3.888	9.82	9.39	9.00	99
20+20+20+35+71	1.23	1.23	1.23	2.15	4.36	10.20 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+20+42+42	1.42	1.42	1.42	2.98	2.98	10.20 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99
20+20+20+42+50	1.34	1.34	1.34	2.82	3.36	10.20 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99
20+20+20+42+60	1.26	1.26	1.26	2.64	3.78	10.20 4.10 - 14.00	2.132 0.640 - 3.882	9.79	9.36	8.97	99
20+20+20+50+50	1.28	1.28	1.28	3.19	3.19	10.20 4.10 - 14.00	2.149 0.640 - 3.899	9.87	9.44	9.05	99
20+20+20+50+60	1.20	1.20	1.20	3.00	3.60	10.20 4.10 - 14.00	2.132 0.640 - 3.882	9.79	9.36	8.97	99
20+20+22+22+22	1.94	1.94	2.14	2.14	2.14	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
20+20+22+22+25	1.89	1.89	2.08	2.08	2.36	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99
20+20+22+22+35	1.73	1.73	1.90	1.90	3.03	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99
20+20+22+22+42	1.63	1.63	1.80	1.80	3.43	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+22+22+50	1.54	1.54	1.69	1.69	3.84	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+22+22+60	1.43	1.43	1.57	1.57	4.29	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99
20+20+22+22+71	1.33	1.33	1.46	1.46	4.72	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+20+22+25+25	1.84	1.84	2.02	2.30	2.30	10.30 4.10 - 14.00	2.164 0.640 - 3.914	9.93	9.50	9.10	99
20+20+22+25+35	1.69	1.69	1.86	2.11	2.95	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99
20+20+22+25+42	1.60	1.60	1.76	2.00	3.35	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+22+25+50	1.50	1.50	1.65	1.88	3.76	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+22+25+60	1.40	1.40	1.54	1.75	4.20	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99
20+20+22+25+71	1.30	1.30	1.43	1.63	4.63	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+20+22+35+35	1.56	1.56	1.72	2.73	2.73	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99
20+20+22+35+42	1.48	1.48	1.63	2.59	3.11	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+22+35+50	1.40	1.40	1.54	2.45	3.50	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+22+35+60	1.31	1.31	1.44	2.30	3.94	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99
20+20+22+35+71	1.23	1.23	1.35	2.15	4.35	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+20+22+42+42	1.41	1.41	1.55	2.96	2.96	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+22+42+50	1.34	1.34	1.47	2.81	3.34	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+22+42+60	1.26	1.26	1.38	2.64	3.77	10.30 4.10 - 14.00	2.125 0.640 - 3.875	9.75	9.33	8.94	99
20+20+22+50+50	1.27	1.27	1.40	3.18	3.18	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+22+50+60	1.20	1.20	1.32	2.99	3.59	10.30 4.10 - 14.00	2.125 0.640 - 3.875	9.75	9.33	8.94	99
20+20+25+25+25	1.79	1.79	2.24	2.24	2.24	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99
20+20+25+25+35	1.65	1.65	2.06	2.06	2.88	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99
20+20+25+25+42	1.56	1.56	1.95	1.95	3.28	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+25+25+50	1.47	1.47	1.84	1.84	3.68	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+25+25+60	1.37	1.37	1.72	1.72	4.12	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99
20+20+25+25+71	1.28	1.28	1.60	1.60	4.54	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+20+25+35+35	1.53	1.53	1.91	2.67	2.67	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99
20+20+25+35+42	1.45	1.45	1.81	2.54	3.05	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+25+35+50	1.37	1.37	1.72	2.40	3.43	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+25+35+60	1.29	1.29	1.61	2.25	3.86	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99
20+20+25+35+71	1.20	1.20	1.51	2.11	4.28	10.30 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+20+25+42+42	1.38	1.38	1.73	2.90	2.90	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+25+42+50	1.31	1.31	1.64	2.76	3.28	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+25+42+60	1.23	1.23	1.54	2.59	3.70	10.30 4.10 - 14.00	2.125 0.640 - 3.875	9.75	9.33	8.94	99
20+20+25+50+50	1.25	1.25	1.56	3.12	3.12	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+35+35+35	1.42	1.42	2.49	2.49	2.49	10.30 4.10 - 14.00	2.154 0.640 - 3.904	9.89	9.46	9.07	99
20+20+35+35+42	1.36	1.36	2.37	2.37	2.85	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+35+35+50	1.29	1.29	2.25	2.25	3.22	10.30 4.10 - 14.00	2.148 0.640 - 3.898	9.86	9.43	9.04	99
20+20+35+35+60	1.21	1.21	2.12	2.12	3.64	10.30 4.10 - 14.00	2.131 0.640 - 3.881	9.79	9.36	8.97	99
20+20+35+42+42	1.30	1.30	2.27	2.72	2.72	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+35+42+50	1.23	1.23	2.16	2.59	3.08	10.30 4.10 - 14.00	2.142 0.640 - 3.892	9.84	9.41	9.02	99
20+20+42+42+42	1.24	1.24	2.61	2.61	2.61	10.30 4.10 - 14.00	2.136 0.640 - 3.886	9.81	9.38	8.99	99
20+22+22+22+22	1.93	2.12	2.12	2.12	2.12	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E		220	230	240			
20+22+22+22+25	1.87	2.06	2.06	2.06	2.34	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
20+22+22+22+35	1.72	1.89	1.89	1.89	3.01	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
20+22+22+22+42	1.63	1.79	1.79	1.79	3.41	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+22+22+50	1.53	1.68	1.68	1.68	3.82	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+22+22+60	1.42	1.57	1.57	1.57	4.27	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
20+22+22+22+71	1.32	1.46	1.46	1.46	4.70	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
20+22+22+25+25	1.82	2.01	2.01	2.28	2.28	10.40 4.10 - 14.00	2.157 0.640 - 3.907	9.90	9.47	9.08	99	
20+22+22+25+35	1.68	1.85	1.85	2.10	2.94	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
20+22+22+25+42	1.59	1.75	1.75	1.98	3.33	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+22+25+50	1.50	1.65	1.65	1.87	3.74	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+22+25+60	1.40	1.54	1.54	1.74	4.19	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
20+22+22+25+71	1.30	1.43	1.43	1.63	4.62	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
20+22+22+35+35	1.55	1.71	1.71	2.72	2.72	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
20+22+22+35+42	1.48	1.62	1.62	2.58	3.10	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+22+35+50	1.40	1.54	1.54	2.44	3.49	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+22+35+60	1.31	1.44	1.44	2.29	3.92	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
20+22+22+35+71	1.22	1.35	1.35	2.14	4.34	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
20+22+22+42+42	1.41	1.55	1.55	2.95	2.95	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
20+22+22+42+50	1.33	1.47	1.47	2.80	3.33	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
20+22+22+42+60	1.25	1.38	1.38	2.63	3.76	10.40 4.10 - 14.00	2.118 0.640 - 3.868	9.72	9.30	8.91	99	
20+22+22+50+50	1.27	1.40	1.40	3.17	3.17	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
20+22+25+25+25	1.78	1.96	2.22	2.22	2.22	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
20+22+25+25+35	1.64	1.80	2.05	2.05	2.87	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
20+22+25+25+42	1.55	1.71	1.94	1.94	3.26	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+25+25+50	1.46	1.61	1.83	1.83	3.66	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+25+25+60	1.37	1.51	1.71	1.71	4.11	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
20+22+25+25+71	1.28	1.40	1.60	1.60	4.53	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99	
20+22+25+35+35	1.52	1.67	1.90	2.66	2.66	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
20+22+25+35+42	1.44	1.59	1.81	2.53	3.03	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+25+35+50	1.37	1.51	1.71	2.39	3.42	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+25+35+60	1.28	1.41	1.60	2.25	3.85	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
20+22+25+42+42	1.38	1.52	1.72	2.89	2.89	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
20+22+25+42+50	1.31	1.44	1.64	2.75	3.27	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
20+22+25+42+60	1.23	1.35	1.54	2.58	3.69	10.40 4.10 - 14.00	2.118 0.640 - 3.868	9.72	9.30	8.91	99	
20+22+25+50+50	1.25	1.37	1.56	3.11	3.11	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
20+22+35+35+35	1.41	1.56	2.48	2.48	2.48	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
20+22+35+35+42	1.35	1.49	2.36	2.36	2.84	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+35+35+50	1.28	1.41	2.25	2.25	3.21	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	
20+22+35+35+60	1.21	1.33	2.12	2.12	3.63	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99	
20+22+35+42+42	1.29	1.42	2.26	2.71	2.71	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
20+22+35+42+50	1.23	1.35	2.15	2.58	3.08	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99	
20+22+42+42+42	1.24	1.36	2.60	2.60	2.60	10.40 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99	
20+25+25+25+25	1.73	2.17	2.17	2.17	2.17	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
20+25+25+25+35	1.60	2.00	2.00	2.00	2.80	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99	
20+25+25+25+42	1.52	1.90	1.90	1.90	3.19	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99	

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
20+25+25+25+50	1.43	1.79	1.79	1.79	3.59	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
20+25+25+25+60	1.34	1.68	1.68	1.68	4.03	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
20+25+25+25+71	1.25	1.57	1.57	1.57	4.45	10.40 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
20+25+25+35+35	1.49	1.86	1.86	2.60	2.60	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99
20+25+25+35+42	1.41	1.77	1.77	2.48	2.97	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
20+25+25+35+50	1.34	1.68	1.68	2.35	3.35	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
20+25+25+35+60	1.26	1.58	1.58	2.21	3.78	10.40 4.10 - 14.00	2.124 0.640 - 3.874	9.75	9.33	8.94	99
20+25+25+42+42	1.35	1.69	1.69	2.84	2.84	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+25+25+42+50	1.28	1.60	1.60	2.70	3.21	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+25+25+42+60	1.21	1.51	1.51	2.54	3.63	10.40 4.10 - 14.00	2.118 0.640 - 3.868	9.72	9.30	8.91	99
20+25+25+50+50	1.22	1.53	1.53	3.06	3.06	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+25+35+35+35	1.39	1.73	2.43	2.43	2.43	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99
20+25+35+35+42	1.32	1.66	2.32	2.32	2.78	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
20+25+35+35+50	1.26	1.58	2.21	2.21	3.15	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
20+25+35+42+42	1.27	1.59	2.22	2.66	2.66	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+25+35+42+50	1.21	1.51	2.12	2.54	3.02	10.40 4.10 - 14.00	2.135 0.640 - 3.885	9.81	9.38	8.99	99
20+25+42+42+42	1.22	1.52	2.55	2.55	2.55	10.40 4.10 - 14.00	2.129 0.640 - 3.879	9.78	9.35	8.96	99
20+35+35+35+35	1.30	2.28	2.28	2.28	2.28	10.40 4.10 - 14.00	2.147 0.640 - 3.897	9.86	9.43	9.04	99
20+35+35+35+42	1.25	2.18	2.18	2.18	2.62	10.40 4.10 - 14.00	2.141 0.640 - 3.891	9.83	9.40	9.01	99
22+22+22+22+22	2.10	2.10	2.10	2.10	2.10	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
22+22+22+22+25	2.04	2.04	2.04	2.04	2.32	10.50 4.10 - 14.00	2.150 0.640 - 3.900	9.87	9.44	9.05	99
22+22+22+22+35	1.88	1.88	1.88	1.88	2.99	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+22+22+22+42	1.78	1.78	1.78	1.78	3.39	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+22+22+50	1.67	1.67	1.67	1.67	3.80	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+22+22+60	1.56	1.56	1.56	1.56	4.26	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
22+22+22+22+71	1.45	1.45	1.45	1.45	4.69	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
22+22+22+25+25	1.99	1.99	1.99	2.26	2.26	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+22+22+25+35	1.83	1.83	1.83	2.08	2.92	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+22+22+25+42	1.74	1.74	1.74	1.97	3.32	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+22+25+50	1.64	1.64	1.64	1.86	3.72	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+22+25+60	1.53	1.53	1.53	1.74	4.17	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
22+22+22+25+71	1.43	1.43	1.43	1.62	4.60	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
22+22+22+35+35	1.70	1.70	1.70	2.70	2.70	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+22+22+35+42	1.62	1.62	1.62	2.57	3.08	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+22+35+50	1.53	1.53	1.53	2.43	3.48	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+22+35+60	1.43	1.43	1.43	2.28	3.91	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
22+22+22+35+71	1.34	1.34	1.34	2.14	4.33	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
22+22+22+42+42	1.54	1.54	1.54	2.94	2.94	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+22+22+42+50	1.46	1.46	1.46	2.79	3.32	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+22+22+42+60	1.38	1.38	1.38	2.63	3.75	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99
22+22+22+50+50	1.39	1.39	1.39	3.16	3.16	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+22+25+25+25	1.94	1.94	2.21	2.21	2.21	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+22+25+25+35	1.79	1.79	2.03	2.03	2.85	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+22+25+25+42	1.70	1.70	1.93	1.93	3.24	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+25+25+50	1.60	1.60	1.82	1.82	3.65	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)					Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E			220	230	240	
22+22+25+25+60	1.50	1.50	1.70	1.70	4.09	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
22+22+25+25+71	1.40	1.40	1.59	1.59	4.52	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
22+22+25+35+35	1.66	1.66	1.89	2.64	2.64	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+22+25+35+42	1.58	1.58	1.80	2.52	3.02	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+25+35+50	1.50	1.50	1.70	2.39	3.41	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+25+35+60	1.41	1.41	1.60	2.24	3.84	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
22+22+25+42+42	1.51	1.51	1.72	2.88	2.88	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+22+25+42+50	1.43	1.43	1.63	2.74	3.26	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+22+25+42+60	1.35	1.35	1.54	2.58	3.68	10.50 4.10 - 14.00	2.111 0.640 - 3.861	9.69	9.27	8.88	99
22+22+25+50+50	1.37	1.37	1.55	3.11	3.11	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+22+35+35+35	1.55	1.55	2.47	2.47	2.47	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+22+35+35+42	1.48	1.48	2.36	2.36	2.83	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+35+35+50	1.41	1.41	2.24	2.24	3.20	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+22+35+42+42	1.42	1.42	2.25	2.71	2.71	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+22+35+42+50	1.35	1.35	2.15	2.58	3.07	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+22+42+42+42	1.36	1.36	2.59	2.59	2.59	10.50 4.10 - 14.00	2.122 0.640 - 3.872	9.74	9.32	8.93	99
22+25+25+25+25	1.89	2.15	2.15	2.15	2.15	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+25+25+25+35	1.75	1.99	1.99	1.99	2.78	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+25+25+25+42	1.66	1.89	1.89	1.89	3.17	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+25+25+25+50	1.57	1.79	1.79	1.79	3.57	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+25+25+25+60	1.47	1.67	1.67	1.67	4.01	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
22+25+25+25+71	1.38	1.56	1.56	1.56	4.44	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
22+25+25+35+35	1.63	1.85	1.85	2.59	2.59	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+25+25+35+42	1.55	1.76	1.76	2.47	2.96	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+25+25+35+50	1.47	1.67	1.67	2.34	3.34	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+25+25+35+60	1.38	1.57	1.57	2.20	3.77	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
22+25+25+42+42	1.48	1.68	1.68	2.83	2.83	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+25+25+42+50	1.41	1.60	1.60	2.69	3.20	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+25+25+50+50	1.34	1.53	1.53	3.05	3.05	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+25+35+35+35	1.52	1.73	2.42	2.42	2.42	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+25+35+35+42	1.45	1.65	2.31	2.31	2.77	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+25+35+35+50	1.38	1.57	2.20	2.20	3.14	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
22+25+35+42+42	1.39	1.58	2.21	2.66	2.66	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99
22+35+35+35+35	1.43	2.27	2.27	2.27	2.27	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
22+35+35+35+42	1.37	2.17	2.17	2.17	2.61	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
25+25+25+25+25	2.10	2.10	2.10	2.10	2.10	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
25+25+25+25+35	1.94	1.94	1.94	1.94	2.72	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
25+25+25+25+42	1.85	1.85	1.85	1.85	3.11	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
25+25+25+25+50	1.75	1.75	1.75	1.75	3.50	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
25+25+25+25+60	1.64	1.64	1.64	1.64	3.94	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99
25+25+25+25+71	1.54	1.54	1.54	1.54	4.36	10.50 4.10 - 14.00	2.121 0.640 - 3.871	9.73	9.31	8.92	99
25+25+25+35+35	1.81	1.81	1.81	2.53	2.53	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99
25+25+25+35+42	1.73	1.73	1.73	2.42	2.90	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
25+25+25+35+50	1.64	1.64	1.64	2.30	3.28	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99
25+25+25+35+60	1.54	1.54	1.54	2.16	3.71	10.50 4.10 - 14.00	2.117 0.640 - 3.867	9.72	9.30	8.91	99

MXZ-5F102VF MXZ-5F102VF2 HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Total	220	230	240				
25+25+25+42+42	1.65	1.65	1.65	2.77	2.77	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99		
25+25+25+42+50	1.57	1.57	1.57	2.64	3.14	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99		
25+25+35+35+35	1.69	1.69	2.37	2.37	2.37	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99		
25+25+35+35+42	1.62	1.62	2.27	2.27	2.72	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99		
25+25+35+35+50	1.54	1.54	2.16	2.16	3.09	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99		
25+25+35+42+42	1.55	1.55	2.17	2.61	2.61	10.50 4.10 - 14.00	2.128 0.640 - 3.878	9.78	9.35	8.96	99		
25+35+35+35+35	1.59	2.23	2.23	2.23	2.23	10.50 4.10 - 14.00	2.140 0.640 - 3.890	9.83	9.40	9.01	99		
25+35+35+35+42	1.53	2.14	2.14	2.14	2.56	10.50 4.10 - 14.00	2.134 0.640 - 3.884	9.80	9.37	8.98	99		

Mitsubishi Electric at your service

Mitsubishi Electric Europe B.V. Belgium Living Environment Systems

Main office

Autobaan 2 - 8210 Loppem
T 050 40 48 48 - info@mitsubishi-electric.be

Service centre

Preflexbaan 151 - 1740 Ternat
T 02 582 77 50 - service.as@mee.mee.com

www.mitsubishi-electric.be

