


MXZ-4F83VFHZ

MXZ-4F83VFHZ2

COMBINATION TABLE



MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15	1.50	-	-	-	1.50 1.50 - 3.20	0.530 0.530 - 1.300	2.44	2.33	2.23	99
18	1.80	-	-	-	1.80 1.50 - 3.70	0.540 0.530 - 1.360	2.48	2.37	2.27	99
20	2.00	-	-	-	2.00 1.50 - 3.20	0.600 0.530 - 1.310	2.76	2.64	2.53	99
22	2.20	-	-	-	2.20 1.50 - 3.70	0.710 0.530 - 1.430	3.26	3.12	2.99	99
25	2.50	-	-	-	2.50 1.50 - 3.70	0.800 0.530 - 1.500	3.67	3.51	3.36	99
35	3.50	-	-	-	3.50 1.50 - 3.80	1.100 0.530 - 1.530	5.05	4.83	4.63	99
42	4.20	-	-	-	4.20 1.50 - 5.00	1.290 0.530 - 1.650	5.93		5.43	99
50	5.00	-	-	-	5.00 1.50 - 5.60	1.610 0.530 - 1.920	7.39	7.07	6.78	99
60	6.00	-	-	-	6.00 1.50 - 7.50	1.870 0.530 - 2.220	8.58	8.21	7.87	99
71	7.10	-	-	-	7.10 1.50 - 8.70	2.240 0.530 - 2.940	10.29	9.84	9.43	99
15+15	1.50	1.50	-	-	3.00 2.50 - 4.20	0.876 0.530 - 2.266	4.03	3.85	3.69	99
15+18	1.50	1.80	-	-	3.30 2.60 - 5.00	0.887 0.530 - 2.207	4.08	3.90	3.74	99
15+20	1.50	2.00	-	-	3.50 2.70 - 5.60	0.904 0.530 - 2.184	4.15	3.97	3.80	99
15+22	1.50	2.20	-	-	3.70 2.70 - 5.80	0.947 0.530 - 2.367	4.35	4.16	3.99	99
15+25	1.50	2.50	-	-	4.00 2.50 - 5.50	1.057 0.530 - 2.977	4.85	4.64	4.45	99
15+35	1.50	3.50	-	-	5.00 2.70 - 6.50	1.307 0.530 - 2.237	6.00	5.74	5.50	99
15+42	1.50	4.20	-	-	5.70 2.70 - 7.20	1.581 0.530 - 2.451	7.26	6.94	6.65	99
15+50	1.50	5.00	-	-	6.50 2.80 - 7.90	1.901 0.530 - 2.711	8.73	8.35	8.00	99
15+60	1.50	6.00	-	-	7.50 2.80 - 8.70	2.314 0.530 - 2.934	10.62	10.16	9.74	99
15+71	1.45	6.85	-	-	8.30 2.80 - 9.20	2.728 0.530 - 3.068	12.52	11.98	11.48	99
18+18	1.80	1.80	-	-	3.60 2.70 - 5.85	0.898 0.530 - 2.148	4.12	3.94	3.78	99
18+20	1.80	2.00	-	-	3.80 2.60 - 5.70	0.985 0.530 - 2.565	4.53	4.33	4.15	99
18+22	1.80	2.20	-	-	4.00 2.50 - 5.50	1.048 0.530 - 2.968	4.81	4.60	4.41	99
18+25	1.80	2.50	-	-	4.30 2.70 - 5.80	1.068 0.530 - 2.358	4.90	4.69	4.49	99
18+35	1.80	3.50	-	-	5.30 2.70 - 6.80	1.418 0.530 - 2.328	6.51	6.23	5.97	99
18+42	1.80	4.20	-	-	6.00 2.80 - 7.50	1.692 0.530 - 2.542	7.77	7.43	7.12	99
18+50	1.80	5.00	-	-	6.80 2.80 - 8.20	2.012 0.530 - 2.802	9.24	8.84	8.47	99
18+60	1.78	5.92	-	-	7.70 2.80 - 8.90	2.435 0.530 - 2.965	11.18	10.69	10.24	99
18+71	1.68	6.62	-	-	8.30 2.80 - 9.20	2.739 0.530 - 3.059	12.58	12.03	11.53	99
20+20	2.00	2.00	-	-	4.00 2.50 - 5.50	1.062 0.530 - 2.982	4.87	4.66	4.47	99
20+22	2.00	2.20	-	-	4.20 2.60 - 5.70	1.075 0.530 - 2.565	4.93	4.72	4.52	99
20+25	2.00	2.50	-	-	4.50 2.70 - 6.00	1.125 0.530 - 2.165	5.16	4.94	4.73	99
20+35	2.00	3.50	-	-	5.50 2.70 - 7.00	1.505 0.530 - 2.395	6.91	6.61	6.33	99
20+42	2.00	4.20	-	-	6.20 2.80 - 7.60	1.779 0.530 - 2.609	8.17	7.81	7.48	99
20+50	2.00	5.00	-	-	7.00 2.80 - 8.40	2.099 0.530 - 2.869	9.64	9.22	8.84	99
20+60	1.98	5.93	-	-	7.90 2.80 - 9.00	2.532 0.530 - 3.002	11.63	11.12	10.66	99
20+71	1.82	6.48	-	-	8.30 2.80 - 9.20	2.756 0.530 - 3.066	12.65	12.10	11.60	99
22+22	2.20	2.20	-	-	4.40 2.70 - 5.85	1.078 0.530 - 2.148	4.95	4.73	4.53	99
22+25	2.20	2.50	-	-	4.70 2.70 - 6.20	1.188 0.530 - 2.188	5.46	5.22	5.00	99
22+35	2.20	3.50	-	-	5.70 2.70 - 7.20	1.578 0.530 - 2.448	7.25	6.93	6.64	99
22+42	2.20	4.20	-	-	6.40 2.80 - 7.80	1.852 0.530 - 2.672	8.50	8.13	7.79	99
22+50	2.20	5.00	-	-	7.20 2.80 - 8.50	2.182 0.530 - 2.892	10.02	9.58	9.18	99
22+60	2.17	5.93	-	-	8.10 2.80 - 9.10	2.615 0.530 - 3.025	12.00	11.48	11.00	99
22+71	1.96	6.34	-	-	8.30 2.80 - 9.20	2.769 0.530 - 3.059	12.71	12.16	11.65	99
25+25	2.50	2.50	-	-	5.00 2.70 - 6.50	1.298 0.530 - 2.228	5.96	5.70	5.46	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
25+35	2.50	3.50	-	-	6.00 2.80 - 7.50	1.698 0.530 - 2.548	7.80	7.46	7.15	99	
25+42	2.50	4.20	-	-	6.70 2.80 - 8.10	1.972 0.530 - 2.762	9.05	8.66	8.30	99	
25+50	2.50	5.00	-	-	7.50 2.80 - 8.70	2.322 0.530 - 2.942	10.66	10.20	9.78	99	
25+60	2.44	5.86	-	-	8.30 2.80 - 9.20	2.715 0.530 - 3.055	12.46	11.92	11.42	99	
25+71	2.16	6.14	-	-	8.30 2.80 - 9.20	2.789 0.530 - 3.059	12.81	12.25	11.74	99	
35+35	3.50	3.50	-	-	7.00 2.80 - 8.40	2.098 0.530 - 2.868	9.63	9.21	8.83	99	
35+42	3.50	4.20	-	-	7.70 2.80 - 8.80	2.412 0.530 - 2.972	11.07	10.59	10.15	99	
35+50	3.42	4.88	-	-	8.30 2.80 - 9.20	2.732 0.530 - 3.072	12.55	12.00	11.50	99	
35+60	3.06	5.24	-	-	8.30 2.80 - 9.20	2.775 0.530 - 3.055	12.74	12.19	11.68	99	
35+71	2.74	5.56	-	-	8.30 2.80 - 9.20	2.819 0.530 - 3.089	12.94	12.38	11.86	99	
42+42	4.15	4.15	-	-	8.30 2.80 - 9.20	2.716 0.530 - 3.066	12.47	11.93	11.43	99	
42+50	3.79	4.51	-	-	8.30 2.80 - 9.20	2.766 0.530 - 3.066	12.70	12.15	11.64	99	
42+71	3.08	5.22	-	-	8.30 2.90 - 9.20	2.813 0.530 - 3.123	12.91	12.35	11.84	99	
50+50	4.15	4.15	-	-	8.30 2.80 - 9.20	2.816 0.530 - 3.066	12.93	12.37	11.85	99	
50+60	3.77	4.53	-	-	8.30 2.90 - 9.20	2.809 0.530 - 3.099	12.90	12.34	11.83	99	
50+71	3.43	4.87	-	-	8.30 2.90 - 9.20	2.823 0.530 - 3.153	12.96	12.40	11.88	99	
60+60	4.15	4.15	-	-	8.30 2.90 - 9.20	2.802 0.530 - 3.132	12.87	12.31	11.80	99	
60+71	3.80	4.50	-	-	8.30 2.90 - 9.20	2.816 0.530 - 3.146	12.93	12.37	11.85	99	
71+71	4.15	4.15	-	-	8.30 2.90 - 9.20	2.830 0.530 - 3.150	13.00	12.43	11.91	99	
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 6.00	1.149 0.530 - 3.229	5.28	5.05	4.84	99	
15+15+18	1.50	1.50	1.80	-	4.80 3.00 - 6.80	1.210 0.530 - 2.960	5.55	5.31	5.09	99	
15+15+20	1.50	1.50	2.00	-	5.00 3.10 - 7.40	1.257 0.530 - 2.797	5.77	5.52	5.29	99	
15+15+22	1.50	1.50	2.20	-	5.20 3.10 - 7.90	1.300 0.530 - 2.610	5.97	5.71	5.47	99	
15+15+25	1.50	1.50	2.50	-	5.50 3.20 - 8.50	1.360 0.530 - 2.590	6.24	5.97	5.72	99	
15+15+35	1.50	1.50	3.50	-	6.50 3.20 - 8.50	1.570 0.530 - 2.590	7.21	6.90	6.61	99	
15+15+42	1.50	1.50	4.20 *	-	7.20 3.20 - 9.00	1.814 0.530 - 4.304	8.33	7.97	7.64	99	
15+15+50	1.43	1.43	4.75 *	-	7.60 3.20 - 9.20	2.044 0.530 - 5.234	9.39	8.98	8.61	99	
15+15+60	1.32	1.32	5.27	-	7.90 3.30 - 9.20	2.247 0.530 - 5.217	10.32	9.87	9.46	99	
15+15+71	1.22	1.22	5.76	-	8.20 3.30 - 9.20	2.481 0.530 - 5.221	11.40	10.90	10.45	99	
15+18+18	1.50	1.80	1.80	-	5.10 3.10 - 7.70	1.261 0.530 - 2.691	5.79	5.54	5.31	99	
15+18+20	1.50	1.80	2.00	-	5.30 3.20 - 8.20	1.318 0.530 - 2.528	6.05	5.79	5.55	99	
15+18+22	1.50	1.80	2.20	-	5.50 3.20 - 8.50	1.351 0.530 - 2.581	6.20	5.93	5.68	99	
15+18+25	1.50	1.80	2.50	-	5.80 3.10 - 8.40	1.401 0.530 - 3.031	6.43	6.15	5.89	99	
15+18+35	1.50	1.80	3.50	-	6.80 3.20 - 8.70	1.661 0.530 - 3.051	7.62	7.29	6.99	99	
15+18+42	1.50	1.80	4.20 *	-	7.50 3.20 - 9.20	1.925 0.530 - 5.225	8.83	8.45	8.10	99	
15+18+60	1.29	1.55	5.16	-	8.00 3.30 - 9.20	2.298 0.530 - 5.208	10.55	10.09	9.67	99	
15+18+71	1.20	1.44	5.67	-	8.30 3.30 - 9.20	2.542 0.530 - 5.212	11.67	11.16	10.70	99	
15+20+20	1.50	2.00	2.00	-	5.50 3.20 - 8.50	1.365 0.530 - 2.595	6.26	5.99	5.74	99	
15+20+22	1.50	2.00	2.20	-	5.70 3.10 - 8.40	1.398 0.530 - 2.888	6.42	6.14	5.88	99	
15+20+25	1.50	2.00	2.50	-	6.00 3.00 - 8.30	1.448 0.530 - 3.338	6.65	6.36	6.10	99	
15+20+35	1.50	2.00	3.50	-	7.00 3.20 - 8.80	1.748 0.530 - 3.678	8.03	7.68	7.36	99	
15+20+42	1.48	1.97	4.15 *	-	7.60 3.20 - 9.20	1.972 0.530 - 5.232	9.05	8.66	8.30	99	
15+20+50	1.38	1.84	4.59 *	-	7.80 3.20 - 9.20	2.152 0.530 - 5.232	9.88	9.45	9.06	99	
15+20+60	1.26	1.68	5.05	-	8.00 3.30 - 9.20	2.345 0.530 - 5.215	10.77	10.30	9.87	99	
15+20+71	1.17	1.57	5.56	-	8.30 3.30 - 9.20	2.569 0.530 - 5.219	11.79	11.28	10.81	99	

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+22+22	1.50	2.20	2.20	-	5.90 3.00 - 8.30	1.421 0.530 - 3.181	6.52	6.24	5.98	99
15+22+25	1.50	2.20	2.50	-	6.20 3.10 - 8.40	1.491 0.530 - 3.031	6.85	6.55	6.28	99
15+22+35	1.50	2.20	3.50	-	7.20 3.20 - 9.00	1.811 0.530 - 4.301	8.31	7.95	7.62	99
15+22+42	1.44	2.12	4.04 *	-	7.60 3.20 - 9.20	2.015 0.530 - 5.225	9.25	8.85	8.48	99
15+22+50	1.34	1.97	4.48 *	-	7.80 3.20 - 9.20	2.185 0.530 - 5.225	10.04	9.60	9.20	99
15+22+60	1.25	1.84	5.01	-	8.10 3.30 - 9.20	2.388 0.530 - 5.208	10.97	10.49	10.05	99
15+22+71	1.15	1.69	5.46	-	8.30 3.30 - 9.20	2.562 0.530 - 5.212	11.76	11.25	10.78	99
15+25+25	1.50	2.50	2.50	-	6.50 3.20 - 8.50	1.561 0.530 - 2.581	7.17	6.86	6.57	99
15+25+35	1.50	2.50	3.50	-	7.50 3.20 - 9.20	1.931 0.530 - 5.231	8.87	8.48	8.13	99
15+25+42	1.41	2.35	3.94 *	-	7.70 3.20 - 9.20	2.075 0.530 - 5.225	9.52	9.11	8.73	99
15+25+50	1.32	2.19	4.39 *	-	7.90 3.30 - 9.20	2.255 0.530 - 5.225	10.35	9.90	9.49	99
15+25+60	1.23	2.05	4.92	-	8.20 3.30 - 9.20	2.448 0.530 - 5.208	11.24	10.75	10.30	99
15+25+71	1.12	1.87	5.31	-	8.30 3.30 - 9.20	2.562 0.530 - 5.212	11.76	11.25	10.78	99
15+35+35	1.38	3.21	3.21	-	7.80 3.20 - 9.20	2.151 0.530 - 5.231	9.88	9.45	9.06	99
15+35+42	1.30	3.04	3.65 *	-	8.00 3.30 - 9.20	2.295 0.530 - 5.225	10.54	10.08	9.66	99
15+35+50	1.23	2.87	4.10 *	-	8.20 3.30 - 9.20	2.465 0.530 - 5.225	11.32	10.83	10.38	99
15+35+60	1.13	2.64	4.53	-	8.30 3.30 - 9.20	2.558 0.530 - 5.208	11.74	11.23	10.76	99
15+35+71	1.03	2.40	4.87	-	8.30 3.30 - 9.20	2.552 0.530 - 5.212	11.72	11.21	10.74	99
15+42+42	1.23	3.44	3.44 *	-	8.10 3.30 - 9.20	2.439 0.530 - 5.219	11.20	10.71	10.26	99
15+42+50	1.16	3.26	3.88 *	-	8.30 3.30 - 9.20	2.569 0.530 - 5.219	11.79	11.28	10.81	99
15+42+60	1.06	2.98	4.26	-	8.30 3.30 - 9.20	2.542 0.530 - 5.202	11.67	11.16	10.70	99
15+42+71	0.97	2.72	4.60	-	8.30 3.30 - 9.20	2.546 0.530 - 5.206	11.69	11.18	10.71	99
15+50+50	1.08	3.61	3.61 *	-	8.30 3.30 - 9.20	2.569 0.530 - 5.219	11.79	11.28	10.81	99
15+50+60	1.00	3.32	3.98	-	8.30 3.30 - 9.20	2.542 0.530 - 5.202	11.67	11.16	10.70	99
15+50+71	0.92	3.05	4.33	-	8.30 3.30 - 9.20	2.546 0.530 - 5.206	11.69	11.18	10.71	99
15+60+60	0.92	3.69	3.69	-	8.30 3.30 - 9.20	2.525 0.530 - 5.185	11.59	11.09	10.63	99
18+18+18	1.80	1.80	1.80	-	5.40 3.20 - 8.50	1.322 0.530 - 2.422	6.07	5.81	5.57	99
18+18+20	1.80	1.80	2.00	-	5.60 3.10 - 8.40	1.369 0.530 - 2.729	6.28	6.01	5.76	99
18+18+22	1.80	1.80	2.20	-	5.80 3.10 - 8.40	1.392 0.530 - 3.022	6.39	6.11	5.86	99
18+18+25	1.80	1.80	2.50	-	6.10 3.00 - 8.30	1.452 0.530 - 3.172	6.67	6.38	6.11	99
18+18+35	1.80	1.80	3.50	-	7.10 3.20 - 8.90	1.762 0.530 - 3.982	8.09	7.74	7.42	99
18+18+42	1.75	1.75	4.09 *	-	7.60 3.20 - 9.20	1.986 0.530 - 5.216	9.12	8.72	8.36	99
18+18+50	1.63	1.63	4.53 *	-	7.80 3.20 - 9.20	2.156 0.530 - 5.216	9.90	9.47	9.08	99
18+18+60	1.52	1.52	5.06	-	8.10 3.30 - 9.20	2.359 0.530 - 5.199	10.83	10.36	9.93	99
18+18+71	1.40	1.40	5.51	-	8.30 3.30 - 9.20	2.553 0.530 - 5.203	11.72	11.21	10.74	99
18+20+20	1.80	2.00	2.00	-	5.80 3.10 - 8.40	1.406 0.530 - 3.036	6.45	6.17	5.91	99
18+20+22	1.80	2.00	2.20	-	6.00 3.00 - 8.30	1.439 0.530 - 3.329	6.61	6.32	6.06	99
18+20+25	1.80	2.00	2.50	-	6.30 3.10 - 8.40	1.509 0.530 - 2.879	6.93	6.63	6.35	99
18+20+35	1.80	2.00	3.50	-	7.30 3.20 - 9.00	1.849 0.530 - 4.609	8.49	8.12	7.78	99
18+20+42	1.71	1.90	3.99 *	-	7.60 3.20 - 9.20	2.033 0.530 - 5.223	9.34	8.93	8.56	99
18+20+50	1.60	1.77	4.43 *	-	7.80 3.20 - 9.20	2.203 0.530 - 5.223	10.12	9.68	9.28	99
18+20+60	1.49	1.65	4.96	-	8.10 3.30 - 9.20	2.406 0.530 - 5.206	11.05	10.57	10.13	99
18+20+71	1.37	1.52	5.41	-	8.30 3.30 - 9.20	2.560 0.530 - 5.210	11.75	11.24	10.77	99
18+22+22	1.80	2.20	2.20	-	6.20 3.10 - 8.40	1.482 0.530 - 3.022	6.81	6.51	6.24	99
18+22+25	1.80	2.20	2.50	-	6.50 3.20 - 8.50	1.552 0.530 - 2.572	7.13	6.82	6.54	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
18+22+35	1.80	2.20	3.50	-	7.50 3.20 - 9.20	1.922 0.530 - 5.222	8.82	8.44	8.09	99	
18+22+42	1.69	2.07	3.94 *	-	7.70 3.20 - 9.20	2.066 0.530 - 5.216	9.48	9.07	8.69	99	
18+22+50	1.58	1.93	4.39 *	-	7.90 3.30 - 9.20	2.246 0.530 - 5.216	10.31	9.86	9.45	99	
18+22+60	1.48	1.80	4.92	-	8.20 3.30 - 9.20	2.439 0.530 - 5.199	11.20	10.71	10.26	99	
18+22+71	1.35	1.65	5.31	-	8.30 3.30 - 9.20	2.553 0.530 - 5.203	11.72	11.21	10.74	99	
18+25+25	1.80	2.50	2.50	-	6.80 3.20 - 8.70	1.652 0.530 - 3.042	7.59	7.26	6.96	99	
18+25+35	1.75	2.44	3.41	-	7.60 3.20 - 9.20	1.992 0.530 - 5.222	9.15	8.75	8.39	99	
18+25+42	1.65	2.29	3.85 *	-	7.80 3.20 - 9.20	2.136 0.530 - 5.216	9.81	9.38	8.99	99	
18+25+50	1.55	2.15	4.30 *	-	8.00 3.30 - 9.20	2.306 0.530 - 5.216	10.59	10.13	9.71	99	
18+25+60	1.43	1.99	4.78	-	8.20 3.30 - 9.20	2.509 0.530 - 5.199	11.52	11.02	10.56	99	
18+25+71	1.31	1.82	5.17	-	8.30 3.30 - 9.20	2.553 0.530 - 5.203	11.72	11.21	10.74	99	
18+35+35	1.60	3.10	3.10	-	7.80 3.20 - 9.20	2.202 0.530 - 5.222	10.11	9.67	9.27	99	
18+35+42	1.52	2.95	3.54 *	-	8.00 3.30 - 9.20	2.346 0.530 - 5.216	10.77	10.30	9.87	99	
18+35+50	1.43	2.79	3.98 *	-	8.20 3.30 - 9.20	2.526 0.530 - 5.216	11.59	11.09	10.63	99	
18+35+60	1.32	2.57	4.41	-	8.30 3.30 - 9.20	2.549 0.530 - 5.199	11.70	11.19	10.72	99	
18+35+71	1.20	2.34	4.75	-	8.30 3.30 - 9.20	2.543 0.530 - 5.203	11.68	11.17	10.70	99	
18+42+42	1.45	3.38	3.38 *	-	8.20 3.30 - 9.20	2.500 0.530 - 5.210	11.48	10.98	10.52	99	
18+42+50	1.36	3.17	3.77 *	-	8.30 3.30 - 9.20	2.560 0.530 - 5.210	11.75	11.24	10.77	99	
18+42+60	1.25	2.91	4.15	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	11.63	11.12	10.66	99	
18+42+71	1.14	2.66	4.50	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	11.65	11.14	10.68	99	
18+50+50	1.27	3.52	3.52 *	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	11.71	11.20	10.73	99	
18+50+60	1.17	3.24	3.89	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	11.63	11.12	10.66	99	
18+50+71	1.07	2.99	4.24	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	11.65	11.14	10.68	99	
18+60+60	1.08	3.61	3.61	-	8.30 3.30 - 9.20	2.516 0.530 - 5.176	11.55	11.05	10.59	99	
20+20+20	2.00	2.00	2.00	-	6.00 3.00 - 8.30	1.453 0.530 - 3.343	6.67	6.38	6.11	99	
20+20+22	2.00	2.00	2.20	-	6.20 3.10 - 8.40	1.496 0.530 - 3.036	6.87	6.57	6.30	99	
20+20+25	2.00	2.00	2.50	-	6.50 3.20 - 8.50	1.566 0.530 - 2.586	7.19	6.88	6.59	99	
20+20+35	2.00	2.00	3.50	-	7.50 3.20 - 9.20	1.936 0.530 - 5.236	8.89	8.50	8.15	99	
20+20+42	1.88	1.88	3.94 *	-	7.70 3.20 - 9.20	2.080 0.530 - 5.230	9.55	9.13	8.75	99	
20+20+50	1.76	1.76	4.39 *	-	7.90 3.30 - 9.20	2.260 0.530 - 5.230	10.38	9.93	9.52	99	
20+20+60	1.64	1.64	4.92	-	8.20 3.30 - 9.20	2.453 0.530 - 5.213	11.26	10.77	10.32	99	
20+20+71	1.50	1.50	5.31	-	8.30 3.30 - 9.20	2.567 0.530 - 5.217	11.78	11.27	10.80	99	
20+22+22	2.00	2.20	2.20	-	6.40 3.10 - 8.40	1.529 0.530 - 2.729	7.02	6.71	6.43	99	
20+22+25	2.00	2.20	2.50	-	6.70 3.20 - 8.60	1.619 0.530 - 2.739	7.43	7.11	6.81	99	
20+22+35	1.97	2.17	3.45	-	7.60 3.20 - 9.20	1.969 0.530 - 5.229	9.04	8.65	8.29	99	
20+22+42	1.83	2.02	3.85 *	-	7.70 3.20 - 9.20	2.123 0.530 - 5.223	9.74	9.32	8.93	99	
20+22+50	1.74	1.91	4.35 *	-	8.00 3.30 - 9.20	2.293 0.530 - 5.223	10.53	10.07	9.65	99	
20+22+60	1.61	1.77	4.82	-	8.20 3.30 - 9.20	2.496 0.530 - 5.206	11.46	10.96	10.50	99	
20+22+71	1.47	1.62	5.22	-	8.30 3.30 - 9.20	2.560 0.530 - 5.210	11.75	11.24	10.77	99	
20+25+25	2.00	2.50	2.50	-	7.00 3.20 - 8.80	1.739 0.530 - 3.669	7.99	7.64	7.32	99	
20+25+35	1.90	2.38	3.33	-	7.60 3.20 - 9.20	2.039 0.530 - 5.229	9.36	8.95	8.58	99	
20+25+42	1.79	2.24	3.77 *	-	7.80 3.20 - 9.20	2.183 0.530 - 5.223	10.03	9.59	9.19	99	
20+25+50	1.68	2.11	4.21 *	-	8.00 3.30 - 9.20	2.353 0.530 - 5.223	10.80	10.33	9.90	99	
20+25+60	1.58	1.98	4.74	-	8.30 3.30 - 9.20	2.556 0.530 - 5.206	11.74	11.23	10.76	99	
20+25+71	1.43	1.79	5.08	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	11.71	11.20	10.73	99	

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
20+35+35	1.76	3.07	3.07	-	7.90 3.30 - 9.20	2.259 0.530 - 5.229	10.37	9.92	9.51	99	
20+35+42	1.67	2.92	3.51 *	-	8.10 3.30 - 9.20	2.403 0.530 - 5.223	11.03	10.55	10.11	99	
20+35+50	1.58	2.77	3.95 *	-	8.30 3.30 - 9.20	2.573 0.530 - 5.223	11.81	11.30	10.83	99	
20+35+60	1.44	2.53	4.33	-	8.30 3.30 - 9.20	2.556 0.530 - 5.206	11.74	11.23	10.76	99	
20+35+71	1.32	2.31	4.68	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	11.71	11.20	10.73	99	
20+42+42	1.60	3.35	3.35 *	-	8.30 3.30 - 9.20	2.547 0.530 - 5.217	11.70	11.19	10.72	99	
20+42+50	1.48	3.11	3.71 *	-	8.30 3.30 - 9.20	2.567 0.530 - 5.217	11.78	11.27	10.80	99	
20+42+60	1.36	2.86	4.08	-	8.30 3.30 - 9.20	2.540 0.530 - 5.200	11.67	11.16	10.70	99	
20+42+71	1.25	2.62	4.43	-	8.30 3.30 - 9.20	2.544 0.530 - 5.204	11.68	11.17	10.70	99	
20+50+50	1.38	3.46	3.46 *	-	8.30 3.30 - 9.20	2.557 0.530 - 5.217	11.74	11.23	10.76	99	
20+50+60	1.28	3.19	3.83	-	8.30 3.30 - 9.20	2.540 0.530 - 5.200	11.67	11.16	10.70	99	
20+50+71	1.18	2.94	4.18	-	8.30 3.30 - 9.20	2.544 0.530 - 5.204	11.68	11.17	10.70	99	
20+60+60	1.19	3.56	3.56	-	8.30 3.30 - 9.20	2.523 0.530 - 5.183	11.58	11.08	10.62	99	
22+22+22	2.20	2.20	2.20	-	6.60 3.20 - 8.50	1.572 0.530 - 2.422	7.21	6.90	6.61	99	
22+22+25	2.20	2.20	2.50	-	6.90 3.20 - 8.70	1.692 0.530 - 3.352	7.77	7.43	7.12	99	
22+22+35	2.12	2.12	3.37	-	7.60 3.20 - 9.20	2.012 0.530 - 5.222	9.24	8.84	8.47	99	
22+22+42	2.00	2.00	3.81 *	-	7.80 3.20 - 9.20	2.156 0.530 - 5.216	9.90	9.47	9.08	99	
22+22+50	1.87	1.87	4.26 *	-	8.00 3.30 - 9.20	2.326 0.530 - 5.216	10.68	10.22	9.79	99	
22+22+60	1.76	1.76	4.79	-	8.30 3.30 - 9.20	2.529 0.530 - 5.199	11.62	11.11	10.65	99	
22+22+71	1.59	1.59	5.12	-	8.30 3.30 - 9.20	2.553 0.530 - 5.203	11.72	11.21	10.74	99	
22+25+25	2.20	2.50	2.50	-	7.20 3.20 - 9.00	1.802 0.530 - 4.292	8.27	7.91	7.58	99	
22+25+35	2.07	2.35	3.29	-	7.70 3.20 - 9.20	2.072 0.530 - 5.222	9.51	9.10	8.72	99	
22+25+42	1.95	2.22	3.73 *	-	7.90 3.20 - 9.20	2.216 0.530 - 5.216	10.17	9.73	9.32	99	
22+25+50	1.84	2.09	4.18 *	-	8.10 3.30 - 9.20	2.396 0.530 - 5.216	11.00	10.52	10.08	99	
22+25+60	1.71	1.94	4.65	-	8.30 3.30 - 9.20	2.549 0.530 - 5.199	11.70	11.19	10.72	99	
22+25+71	1.55	1.76	4.99	-	8.30 3.30 - 9.20	2.543 0.530 - 5.203	11.68	11.17	10.70	99	
22+35+35	1.91	3.04	3.04	-	8.00 3.30 - 9.20	2.292 0.530 - 5.222	10.53	10.07	9.65	99	
22+35+42	1.80	2.86	3.44 *	-	8.10 3.30 - 9.20	2.436 0.530 - 5.216	11.19	10.70	10.25	99	
22+35+50	1.71	2.71	3.88 *	-	8.30 3.30 - 9.20	2.566 0.530 - 5.216	11.78	11.27	10.80	99	
22+35+60	1.56	2.48	4.26	-	8.30 3.30 - 9.20	2.539 0.530 - 5.199	11.66	11.15	10.69	99	
22+35+71	1.43	2.27	4.60	-	8.30 3.30 - 9.20	2.543 0.530 - 5.203	11.68	11.17	10.70	99	
22+42+42	1.72	3.29	3.29 *	-	8.30 3.30 - 9.20	2.560 0.530 - 5.210	11.75	11.24	10.77	99	
22+42+50	1.60	3.06	3.64 *	-	8.30 3.30 - 9.20	2.560 0.530 - 5.210	11.75	11.24	10.77	99	
22+42+60	1.47	2.81	4.02	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	11.63	11.12	10.66	99	
22+42+71	1.35	2.58	4.37	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	11.65	11.14	10.68	99	
22+50+50	1.50	3.40	3.40 *	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	11.71	11.20	10.73	99	
22+50+60	1.38	3.14	3.77	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	11.63	11.12	10.66	99	
22+50+71	1.28	2.90	4.12	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	11.65	11.14	10.68	99	
22+60+60	1.29	3.51	3.51	-	8.30 3.30 - 9.20	2.516 0.530 - 5.176	11.55	11.05	10.59	99	
25+25+25	2.50	2.50	2.50	-	7.50 3.20 - 9.20	1.922 0.530 - 5.222	8.82	8.44	8.09	99	
25+25+35	2.29	2.29	3.21	-	7.80 3.20 - 9.20	2.142 0.530 - 5.222	9.84	9.41	9.02	99	
25+25+42	2.17	2.17	3.65 *	-	8.00 3.30 - 9.20	2.286 0.530 - 5.216	10.50	10.04	9.62	99	
25+25+50	2.05	2.05	4.10 *	-	8.20 3.30 - 9.20	2.456 0.530 - 5.216	11.28	10.79	10.34	99	
25+25+60	1.89	1.89	4.53	-	8.30 3.30 - 9.20	2.549 0.530 - 5.199	11.70	11.19	10.72	99	
25+25+71	1.71	1.71	4.87	-	8.30 3.30 - 9.20	2.543 0.530 - 5.203	11.68	11.17	10.70	99	

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+35+35	2.11	2.95	2.95	-	8.00 3.30 - 9.20	2.352 0.530 - 5.222	10.80	10.33	9.90	99
25+35+42	2.01	2.81	3.38 *	-	8.20 3.30 - 9.20	2.506 0.530 - 5.216	11.51	11.01	10.55	99
25+35+50	1.89	2.64	3.77 *	-	8.30 3.30 - 9.20	2.566 0.530 - 5.216	11.78	11.27	10.80	99
25+35+60	1.73	2.42	4.15	-	8.30 3.30 - 9.20	2.539 0.530 - 5.199	11.66	11.15	10.69	99
25+35+71	1.58	2.22	4.50	-	8.30 3.30 - 9.20	2.543 0.530 - 5.203	11.68	11.17	10.70	99
25+42+42	1.90	3.20	3.20 *	-	8.30 3.30 - 9.20	2.560 0.530 - 5.210	11.75	11.24	10.77	99
25+42+50	1.77	2.98	3.55 *	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	11.71	11.20	10.73	99
25+42+60	1.63	2.74	3.92	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	11.63	11.12	10.66	99
25+42+71	1.50	2.53	4.27	-	8.30 3.30 - 9.20	2.537 0.530 - 5.197	11.65	11.14	10.68	99
25+50+50	1.66	3.32	3.32 *	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	11.71	11.20	10.73	99
25+50+60	1.54	3.07	3.69	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	11.63	11.12	10.66	99
25+60+60	1.43	3.43	3.43	-	8.30 3.30 - 9.20	2.516 0.530 - 5.176	11.55	11.05	10.59	99
35+35+35	2.77	2.77	2.77	-	8.30 3.30 - 9.20	2.572 0.530 - 5.222	11.81	11.30	10.83	99
35+35+42	2.59	2.59	3.11 *	-	8.30 3.30 - 9.20	2.566 0.530 - 5.216	11.78	11.27	10.80	99
35+35+50	2.42	2.42	3.46 *	-	8.30 3.30 - 9.20	2.556 0.530 - 5.216	11.74	11.23	10.76	99
35+35+60	2.23	2.23	3.83	-	8.30 3.30 - 9.20	2.539 0.530 - 5.199	11.66	11.15	10.69	99
35+35+71	2.06	2.06	4.18	-	8.30 3.30 - 9.20	2.543 0.530 - 5.203	11.68	11.17	10.70	99
35+42+42	2.44	2.93	2.93 *	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	11.71	11.20	10.73	99
35+42+50	2.29	2.74	3.27 *	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	11.71	11.20	10.73	99
35+42+60	2.12	2.54	3.64	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	11.63	11.12	10.66	99
35+50+50	2.15	3.07	3.07 *	-	8.30 3.30 - 9.20	2.550 0.530 - 5.210	11.71	11.20	10.73	99
35+50+60	2.00	2.86	3.43	-	8.30 3.30 - 9.20	2.533 0.530 - 5.193	11.63	11.12	10.66	99
42+42+42	2.77	2.77	2.77 *	-	8.30 3.30 - 9.20	2.544 0.530 - 5.204	11.68	11.17	10.70	99
42+42+50	2.60	2.60	3.10 *	-	8.30 3.30 - 9.20	2.544 0.530 - 5.204	11.68	11.17	10.70	99
42+42+60	2.42	2.42	3.46	-	8.30 3.30 - 9.20	2.527 0.530 - 5.187	11.60	11.10	10.64	99
42+50+50	2.45	2.92	2.92 *	-	8.30 3.30 - 9.20	2.544 0.530 - 5.204	11.68	11.17	10.70	99
15+15+15+15	1.40	1.40	1.40	1.40	5.60 3.10 - 8.00	1.382 0.530 - 4.062	6.35	6.07	5.82	99
15+15+15+18	1.43	1.43	1.43	1.71	6.00 3.10 - 8.30	1.493 0.530 - 4.343	6.86	6.56	6.29	99
15+15+15+20	1.41	1.41	1.41	1.88	6.10 3.10 - 8.30	1.580 0.530 - 4.550	7.26	6.94	6.65	99
15+15+15+22	1.43	1.43	1.43	2.10	6.40 3.10 - 8.60	1.663 0.530 - 4.733	7.63	7.30	7.00	99
15+15+15+25	1.44	1.44	1.44	2.39	6.70 3.10 - 8.80	1.783 0.530 - 5.033	8.19	7.83	7.50	99
15+15+15+35	1.41	1.41	1.41	3.28	7.50 3.30 - 8.90	1.843 0.530 - 5.223	8.46	8.09	7.75	99
15+15+15+42	1.38	1.38	1.38	3.86 *	8.00 3.40 - 8.90	2.067 0.530 - 5.217	9.49	9.08	8.70	99
15+15+15+50	1.26	1.26	1.26	4.21 *	8.00 3.30 - 8.90	2.197 0.530 - 5.217	10.09	9.65	9.25	99
15+15+15+60	1.14	1.14	1.14	4.57	8.00 3.30 - 8.90	2.100 0.530 - 5.200	9.64	9.22	8.84	99
15+15+15+71	1.03	1.03	1.03	4.90	8.00 3.30 - 8.90	2.104 0.530 - 5.204	9.66	9.24	8.86	99
15+15+18+18	1.45	1.45	1.75	1.75	6.40 3.10 - 8.60	1.614 0.530 - 4.634	7.41	7.09	6.79	99
15+15+18+20	1.43	1.43	1.72	1.91	6.50 3.10 - 8.60	1.701 0.530 - 4.831	7.81	7.47	7.16	99
15+15+18+22	1.46	1.46	1.75	2.14	6.80 3.10 - 8.90	1.774 0.530 - 5.024	8.14	7.79	7.47	99
15+15+18+25	1.46	1.46	1.75	2.43	7.10 3.10 - 9.00	1.854 0.530 - 5.214	8.51	8.14	7.80	99
15+15+18+42	1.35	1.35	1.62	3.78 *	8.10 3.30 - 9.00	2.278 0.530 - 5.208	10.45	10.00	9.58	99
15+15+18+50	1.24	1.24	1.49	4.13 *	8.10 3.30 - 9.00	2.138 0.530 - 5.208	9.82	9.39	9.00	99
15+15+18+60	1.13	1.13	1.35	4.50	8.10 3.30 - 9.00	2.091 0.530 - 5.191	9.60	9.18	8.80	99
15+15+18+71	1.02	1.02	1.23	4.83	8.10 3.30 - 9.00	2.095 0.530 - 5.195	9.62	9.20	8.82	99
15+15+20+20	1.41	1.41	1.89	1.89	6.60 3.10 - 8.70	1.788 0.530 - 5.038	8.21	7.85	7.52	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+22	1.44	1.44	1.92	2.11	6.90 3.10 - 8.90	1.861 0.530 - 5.221	8.54	8.17	7.83	99
15+15+20+25	1.42	1.42	1.89	2.37	7.10 3.20 - 8.90	1.851 0.530 - 5.221	8.50	8.13	7.79	99
15+15+20+35	1.39	1.39	1.86	3.25	7.90 3.50 - 8.90	1.821 0.530 - 5.221	8.36	8.00	7.67	99
15+15+20+42	1.30	1.30	1.74	3.65 *	8.00 3.30 - 8.90	2.245 0.530 - 5.215	10.31	9.86	9.45	99
15+15+20+50	1.20	1.20	1.60	4.00 *	8.00 3.30 - 8.90	2.115 0.530 - 5.215	9.71	9.29	8.90	99
15+15+20+60	1.09	1.09	1.45	4.36	8.00 3.30 - 8.90	2.098 0.530 - 5.198	9.63	9.21	8.83	99
15+15+20+71	0.99	0.99	1.32	4.69	8.00 3.40 - 8.90	2.102 0.530 - 5.202	9.65	9.23	8.85	99
15+15+22+22	1.46	1.46	2.14	2.14	7.20 3.20 - 9.00	1.844 0.530 - 5.214	8.47	8.10	7.76	99
15+15+22+25	1.44	1.44	2.11	2.40	7.40 3.20 - 9.00	1.844 0.530 - 5.214	8.47	8.10	7.76	99
15+15+22+35	1.40	1.40	2.05	3.26	8.10 3.40 - 9.00	2.064 0.530 - 5.214	9.47	9.06	8.68	99
15+15+22+42	1.29	1.29	1.90	3.62 *	8.10 3.30 - 9.00	2.208 0.530 - 5.208	10.14	9.70	9.30	99
15+15+22+50	1.19	1.19	1.75	3.97 *	8.10 3.30 - 9.00	2.108 0.530 - 5.208	9.68	9.26	8.87	99
15+15+22+60	1.08	1.08	1.59	4.34	8.10 3.30 - 9.00	2.091 0.530 - 5.191	9.60	9.18	8.80	99
15+15+22+71	0.99	0.99	1.45	4.68	8.10 3.40 - 9.00	2.095 0.530 - 5.195	9.62	9.20	8.82	99
15+15+25+25	1.43	1.43	2.38	2.38	7.60 3.30 - 9.00	1.834 0.530 - 5.214	8.42	8.05	7.71	99
15+15+25+35	1.35	1.35	2.25	3.15	8.10 3.30 - 9.00	2.284 0.530 - 5.214	10.49	10.03	9.61	99
15+15+25+42	1.25	1.25	2.09	3.51 *	8.10 3.30 - 9.00	2.158 0.530 - 5.208	9.91	9.48	9.09	99
15+15+25+50	1.16	1.16	1.93	3.86 *	8.10 3.30 - 9.00	2.108 0.530 - 5.208	9.68	9.26	8.87	99
15+15+25+60	1.06	1.06	1.76	4.23	8.10 3.30 - 9.00	2.091 0.530 - 5.191	9.60	9.18	8.80	99
15+15+25+71	0.96	0.96	1.61	4.56	8.10 3.40 - 9.00	2.095 0.530 - 5.195	9.62	9.20	8.82	99
15+15+35+35	1.22	1.22	2.84	2.84	8.10 3.30 - 9.00	2.114 0.530 - 5.214	9.70	9.28	8.89	99
15+15+35+42	1.14	1.14	2.65	3.18 *	8.10 3.30 - 9.00	2.108 0.530 - 5.208	9.68	9.26	8.87	99
15+15+35+50	1.06	1.06	2.47	3.52 *	8.10 3.30 - 9.00	2.108 0.530 - 5.208	9.68	9.26	8.87	99
15+15+35+60	0.97	0.97	2.27	3.89	8.10 3.40 - 9.00	2.091 0.530 - 5.191	9.60	9.18	8.80	99
15+15+35+71	0.89	0.89	2.08	4.23	8.10 3.40 - 9.00	2.095 0.530 - 5.195	9.62	9.20	8.82	99
15+15+42+42	1.07	1.07	2.98 *	2.98 *	8.10 3.30 - 9.00	2.102 0.530 - 5.202	9.65	9.23	8.85	99
15+15+42+50	1.00	1.00	2.79 *	3.32 *	8.10 3.40 - 9.00	2.102 0.530 - 5.202	9.65	9.23	8.85	99
15+15+42+60	0.92	0.92	2.58 *	3.68	8.10 3.40 - 9.00	2.085 0.530 - 5.185	9.58	9.16	8.78	99
15+15+42+71	0.85	0.85	2.38 *	4.02	8.10 3.40 - 9.00	2.089 0.530 - 5.189	9.59	9.17	8.79	99
15+15+50+50	0.93	0.93	3.12 *	3.12 *	8.10 3.40 - 9.00	2.102 0.530 - 5.202	9.65	9.23	8.85	99
15+15+50+60	0.87	0.87	2.89 *	3.47	8.10 3.40 - 9.00	2.085 0.530 - 5.185	9.58	9.16	8.78	99
15+18+18+18	1.48	1.77	1.77	1.77	6.80 3.10 - 8.90	1.725 0.530 - 4.915	7.92	7.58	7.26	99
15+18+18+20	1.46	1.75	1.75	1.94	6.90 3.10 - 8.90	1.812 0.530 - 5.112	8.32	7.96	7.63	99
15+18+18+22	1.48	1.78	1.78	2.17	7.20 3.10 - 9.10	1.845 0.530 - 5.205	8.47	8.10	7.76	99
15+18+18+25	1.46	1.75	1.75	2.43	7.40 3.20 - 9.10	1.835 0.530 - 5.205	8.43	8.06	7.72	99
15+18+18+35	1.43	1.72	1.72	3.34	8.20 3.50 - 9.10	1.805 0.530 - 5.205	8.29	7.93	7.60	99
15+18+18+42	1.32	1.59	1.59	3.70 *	8.20 3.30 - 9.10	2.219 0.530 - 5.199	10.19	9.75	9.34	99
15+18+18+50	1.22	1.46	1.46	4.06 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+18+18+60	1.11	1.33	1.33	4.43	8.20 3.30 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+18+18+71	1.01	1.21	1.21	4.77	8.20 3.40 - 9.10	2.086 0.530 - 5.186	9.58	9.16	8.78	99
15+18+20+20	1.44	1.73	1.92	1.92	7.00 3.10 - 8.90	1.859 0.530 - 5.219	8.53	8.16	7.82	99
15+18+20+22	1.44	1.73	1.92	2.11	7.20 3.20 - 9.00	1.842 0.530 - 5.212	8.46	8.09	7.75	99
15+18+20+25	1.44	1.73	1.92	2.40	7.50 3.30 - 9.00	1.832 0.530 - 5.212	8.42	8.05	7.71	99
15+18+20+35	1.38	1.66	1.84	3.22	8.10 3.30 - 9.00	2.312 0.530 - 5.212	10.61	10.15	9.73	99
15+18+20+42	1.28	1.53	1.71	3.58 *	8.10 3.30 - 9.00	2.186 0.530 - 5.206	10.04	9.60	9.20	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+50	1.18	1.42	1.57	3.93 *	8.10 3.30 - 9.00	2.106 0.530 - 5.206	9.67	9.25	8.86	99
15+18+20+60	1.08	1.29	1.43	4.30	8.10 3.30 - 9.00	2.089 0.530 - 5.189	9.59	9.17	8.79	99
15+18+20+71	0.98	1.18	1.31	4.64	8.10 3.40 - 9.00	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+18+22+22	1.46	1.75	2.14	2.14	7.50 3.20 - 9.10	1.835 0.530 - 5.205	8.43	8.06	7.72	99
15+18+22+25	1.44	1.73	2.12	2.41	7.70 3.30 - 9.10	1.825 0.530 - 5.205	8.37	8.01	7.68	99
15+18+22+35	1.37	1.64	2.00	3.19	8.20 3.30 - 9.10	2.275 0.530 - 5.205	10.44	9.99	9.57	99
15+18+22+42	1.27	1.52	1.86	3.55 *	8.20 3.30 - 9.10	2.149 0.530 - 5.199	9.87	9.44	9.05	99
15+18+22+50	1.17	1.41	1.72	3.90 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+18+22+60	1.07	1.28	1.57	4.28	8.20 3.30 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+18+22+71	0.98	1.17	1.43	4.62	8.20 3.40 - 9.10	2.086 0.530 - 5.186	9.58	9.16	8.78	99
15+18+25+35	1.32	1.59	2.20	3.09	8.20 3.30 - 9.10	2.225 0.530 - 5.205	10.21	9.77	9.36	99
15+18+25+42	1.23	1.48	2.05	3.44 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+18+25+50	1.14	1.37	1.90	3.80 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+18+25+60	1.04	1.25	1.74	4.17	8.20 3.30 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+18+25+71	0.95	1.14	1.59	4.51	8.20 3.40 - 9.10	2.086 0.530 - 5.186	9.58	9.16	8.78	99
15+18+35+35	1.19	1.43	2.79	2.79	8.20 3.30 - 9.10	2.105 0.530 - 5.205	9.66	9.24	8.86	99
15+18+35+42	1.12	1.34	2.61	3.13 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+18+35+50	1.04	1.25	2.43	3.47 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+18+35+60	0.96	1.15	2.24	3.84	8.20 3.40 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+18+35+71	0.88	1.06	2.06	4.19	8.20 3.40 - 9.10	2.086 0.530 - 5.186	9.58	9.16	8.78	99
15+18+42+42	1.05	1.26	2.94 *	2.94 *	8.20 3.30 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+18+42+50	0.98	1.18	2.76 *	3.28 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+18+42+60	0.91	1.09	2.55 *	3.64	8.20 3.40 - 9.10	2.076 0.530 - 5.176	9.53	9.12	8.74	99
15+18+50+50	0.92	1.11	3.08 *	3.08 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+18+50+60	0.86	1.03	2.87 *	3.44	8.20 3.40 - 9.10	2.076 0.530 - 5.176	9.53	9.12	8.74	99
15+20+20+20	1.40	1.87	1.87	1.87	7.00 3.20 - 8.80	1.856 0.530 - 5.226	8.52	8.15	7.81	99
15+20+20+22	1.42	1.90	1.90	2.09	7.30 3.20 - 8.90	1.849 0.530 - 5.219	8.49	8.12	7.78	99
15+20+20+25	1.41	1.88	1.88	2.34	7.50 3.30 - 8.90	1.839 0.530 - 5.219	8.45	8.08	7.74	99
15+20+20+35	1.33	1.78	1.78	3.11	8.00 3.30 - 8.90	2.289 0.530 - 5.219	10.51	10.05	9.63	99
15+20+20+42	1.24	1.65	1.65	3.46 *	8.00 3.30 - 8.90	2.163 0.530 - 5.213	9.93	9.50	9.10	99
15+20+20+50	1.14	1.52	1.52	3.81 *	8.00 3.30 - 8.90	2.113 0.530 - 5.213	9.70	9.28	8.89	99
15+20+20+60	1.04	1.39	1.39	4.17	8.00 3.30 - 8.90	2.096 0.530 - 5.196	9.63	9.21	8.83	99
15+20+20+71	0.95	1.27	1.27	4.51	8.00 3.40 - 8.90	2.100 0.530 - 5.200	9.64	9.22	8.84	99
15+20+22+22	1.44	1.92	2.12	2.12	7.60 3.30 - 9.00	1.832 0.530 - 5.212	8.42	8.05	7.71	99
15+20+22+25	1.43	1.90	2.09	2.38	7.80 3.40 - 9.00	1.822 0.530 - 5.212	8.36	8.00	7.67	99
15+20+22+35	1.32	1.76	1.94	3.08	8.10 3.30 - 9.00	2.242 0.530 - 5.212	10.30	9.85	9.44	99
15+20+22+42	1.23	1.64	1.80	3.44 *	8.10 3.30 - 9.00	2.126 0.530 - 5.206	9.76	9.34	8.95	99
15+20+22+50	1.14	1.51	1.67	3.79 *	8.10 3.30 - 9.00	2.106 0.530 - 5.206	9.67	9.25	8.86	99
15+20+22+60	1.04	1.38	1.52	4.15	8.10 3.30 - 9.00	2.089 0.530 - 5.189	9.59	9.17	8.79	99
15+20+22+71	0.95	1.27	1.39	4.49	8.10 3.40 - 9.00	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+20+25+25	1.41	1.88	2.35	2.35	8.00 3.50 - 9.00	1.812 0.530 - 5.212	8.32	7.96	7.63	99
15+20+25+35	1.28	1.71	2.13	2.98	8.10 3.30 - 9.00	2.192 0.530 - 5.212	10.07	9.63	9.23	99
15+20+25+42	1.19	1.59	1.99	3.34 *	8.10 3.30 - 9.00	2.106 0.530 - 5.206	9.67	9.25	8.86	99
15+20+25+50	1.10	1.47	1.84	3.68 *	8.10 3.30 - 9.00	2.106 0.530 - 5.206	9.67	9.25	8.86	99
15+20+25+60	1.01	1.35	1.69	4.05	8.10 3.40 - 9.00	2.089 0.530 - 5.189	9.59	9.17	8.79	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+25+71	0.93	1.24	1.55	4.39	8.10 3.40 - 9.00	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+20+35+35	1.16	1.54	2.70	2.70	8.10 3.30 - 9.00	2.112 0.530 - 5.212	9.70	9.28	8.89	99
15+20+35+42	1.08	1.45	2.53	3.04 *	8.10 3.30 - 9.00	2.106 0.530 - 5.206	9.67	9.25	8.86	99
15+20+35+50	1.01	1.35	2.36	3.38 *	8.10 3.40 - 9.00	2.106 0.530 - 5.206	9.67	9.25	8.86	99
15+20+35+60	0.93	1.25	2.18	3.74	8.10 3.40 - 9.00	2.089 0.530 - 5.189	9.59	9.17	8.79	99
15+20+35+71	0.86	1.15	2.01	4.08	8.10 3.40 - 9.00	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+20+42+42	1.02	1.36	2.86 *	2.86 *	8.10 3.30 - 9.00	2.100 0.530 - 5.200	9.64	9.22	8.84	99
15+20+42+50	0.96	1.28	2.68 *	3.19 *	8.10 3.40 - 9.00	2.100 0.530 - 5.200	9.64	9.22	8.84	99
15+20+42+60	0.89	1.18	2.48 *	3.55	8.10 3.40 - 9.00	2.083 0.530 - 5.183	9.57	9.15	8.77	99
15+20+50+50	0.90	1.20	3.00 *	3.00 *	8.10 3.40 - 9.00	2.100 0.530 - 5.200	9.64	9.22	8.84	99
15+20+50+60	0.84	1.12	2.79 *	3.35	8.10 3.40 - 9.00	2.083 0.530 - 5.183	9.57	9.15	8.77	99
15+22+22+22	1.44	2.12	2.12	2.12	7.80 3.40 - 9.10	1.815 0.530 - 5.205	8.33	7.97	7.64	99
15+22+22+25	1.43	2.10	2.10	2.38	8.00 3.40 - 9.10	1.815 0.530 - 5.205	8.33	7.97	7.64	99
15+22+22+35	1.31	1.92	1.92	3.05	8.20 3.30 - 9.10	2.205 0.530 - 5.205	10.12	9.68	9.28	99
15+22+22+42	1.22	1.79	1.79	3.41 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+22+22+50	1.13	1.66	1.66	3.76 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+22+22+60	1.03	1.52	1.52	4.13	8.20 3.30 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+22+22+71	0.95	1.39	1.39	4.48	8.20 3.40 - 9.10	2.086 0.530 - 5.186	9.58	9.16	8.78	99
15+22+25+25	1.41	2.07	2.36	2.36	8.20 3.40 - 9.10	2.055 0.530 - 5.205	9.44	9.03	8.65	99
15+22+25+35	1.27	1.86	2.11	2.96	8.20 3.30 - 9.10	2.155 0.530 - 5.205	9.89	9.46	9.07	99
15+22+25+42	1.18	1.73	1.97	3.31 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+22+25+50	1.10	1.61	1.83	3.66 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+22+25+60	1.01	1.48	1.68	4.03	8.20 3.40 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+22+25+71	0.92	1.36	1.54	4.38	8.20 3.40 - 9.10	2.086 0.530 - 5.186	9.58	9.16	8.78	99
15+22+35+35	1.15	1.69	2.68	2.68	8.20 3.30 - 9.10	2.105 0.530 - 5.205	9.66	9.24	8.86	99
15+22+35+42	1.08	1.58	2.52	3.02 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+22+35+50	1.01	1.48	2.35	3.36 *	8.20 3.40 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+22+35+60	0.93	1.37	2.17	3.73	8.20 3.40 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+22+35+71	0.86	1.26	2.01	4.07	8.20 3.40 - 9.10	2.086 0.530 - 5.186	9.58	9.16	8.78	99
15+22+42+42	1.02	1.49	2.85 *	2.85 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+22+42+50	0.95	1.40	2.67 *	3.18 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+22+42+60	0.88	1.30	2.48 *	3.54	8.20 3.40 - 9.10	2.076 0.530 - 5.176	9.53	9.12	8.74	99
15+22+50+50	0.90	1.32	2.99 *	2.99 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+25+25+25	1.37	2.28	2.28	2.28	8.20 3.30 - 9.10	2.275 0.530 - 5.205	10.44	9.99	9.57	99
15+25+25+35	1.23	2.05	2.05	2.87	8.20 3.30 - 9.10	2.105 0.530 - 5.205	9.66	9.24	8.86	99
15+25+25+42	1.15	1.92	1.92	3.22 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+25+25+50	1.07	1.78	1.78	3.57 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+25+25+60	0.98	1.64	1.64	3.94	8.20 3.40 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+25+25+71	0.90	1.51	1.51	4.28	8.20 3.40 - 9.10	2.086 0.530 - 5.186	9.58	9.16	8.78	99
15+25+35+35	1.12	1.86	2.61	2.61	8.20 3.30 - 9.10	2.105 0.530 - 5.205	9.66	9.24	8.86	99
15+25+35+42	1.05	1.75	2.45	2.94 *	8.20 3.30 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+25+35+50	0.98	1.64	2.30	3.28 *	8.20 3.40 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+25+35+60	0.91	1.52	2.13	3.64	8.20 3.40 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+25+42+42	0.99	1.65	2.78 *	2.78 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+25+42+50	0.93	1.55	2.61 *	3.11 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+25+42+60	0.87	1.44	2.43 *	3.46	8.20 3.40 - 9.10	2.076 0.530 - 5.176	9.53	9.12	8.74	99
15+25+50+50	0.88	1.46	2.93 *	2.93 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+35+35+35	1.03	2.39	2.39	2.39	8.20 3.40 - 9.10	2.105 0.530 - 5.205	9.66	9.24	8.86	99
15+35+35+42	0.97	2.26	2.26	2.71 *	8.20 3.40 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+35+35+50	0.91	2.13	2.13	3.04 *	8.20 3.40 - 9.10	2.099 0.530 - 5.199	9.64	9.22	8.84	99
15+35+35+60	0.85	1.98	1.98	3.39	8.20 3.40 - 9.10	2.082 0.530 - 5.182	9.56	9.14	8.76	99
15+35+42+42	0.92	2.14	2.57 *	2.57 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+35+42+50	0.87	2.02	2.43 *	2.89 *	8.20 3.40 - 9.10	2.093 0.530 - 5.193	9.61	9.19	8.81	99
15+42+42+42	0.87	2.44	2.44 *	2.44 *	8.20 3.40 - 9.10	2.087 0.530 - 5.187	9.59	9.17	8.79	99
18+18+18+18	1.80	1.80	1.80	1.80	7.20 3.10 - 9.20	1.836 0.530 - 5.196	8.43	8.06	7.72	99
18+18+18+20	1.78	1.78	1.78	1.97	7.30 3.20 - 9.10	1.833 0.530 - 5.203	8.42	8.05	7.71	99
18+18+18+22	1.78	1.78	1.78	2.17	7.50 3.20 - 9.20	1.826 0.530 - 5.196	8.38	8.02	7.69	99
18+18+18+25	1.78	1.78	1.78	2.47	7.80 3.30 - 9.20	1.816 0.530 - 5.196	8.34	7.98	7.65	99
18+18+18+35	1.68	1.68	1.68	3.26	8.30 3.30 - 9.20	2.276 0.530 - 5.196	10.45	10.00	9.58	99
18+18+18+42	1.56	1.56	1.56	3.63 *	8.30 3.30 - 9.20	2.160 0.530 - 5.190	9.92	9.49	9.09	99
18+18+18+50	1.44	1.44	1.44	3.99 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+18+18+60	1.31	1.31	1.31	4.37	8.30 3.30 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
18+18+18+71	1.20	1.20	1.20	4.71	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
18+18+20+20	1.73	1.73	1.92	1.92	7.30 3.20 - 9.00	1.840 0.530 - 5.210	8.45	8.08	7.74	99
18+18+20+22	1.75	1.75	1.95	2.14	7.60 3.30 - 9.10	1.823 0.530 - 5.203	8.37	8.01	7.68	99
18+18+20+25	1.73	1.73	1.93	2.41	7.80 3.40 - 9.10	1.813 0.530 - 5.203	8.32	7.96	7.63	99
18+18+20+35	1.62	1.62	1.80	3.15	8.20 3.30 - 9.10	2.253 0.530 - 5.203	10.34	9.89	9.48	99
18+18+20+42	1.51	1.51	1.67	3.51 *	8.20 3.30 - 9.10	2.127 0.530 - 5.197	9.76	9.34	8.95	99
18+18+20+50	1.39	1.39	1.55	3.87 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
18+18+20+60	1.27	1.27	1.41	4.24	8.20 3.30 - 9.10	2.080 0.530 - 5.180	9.55	9.13	8.75	99
18+18+20+71	1.16	1.16	1.29	4.58	8.20 3.40 - 9.10	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+18+22+22	1.76	1.76	2.15	2.15	7.80 3.30 - 9.20	1.816 0.530 - 5.196	8.34	7.98	7.65	99
18+18+22+35	1.61	1.61	1.96	3.12	8.30 3.30 - 9.20	2.216 0.530 - 5.196	10.17	9.73	9.32	99
18+18+22+42	1.49	1.49	1.83	3.49 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+18+22+50	1.38	1.38	1.69	3.84 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+18+22+60	1.27	1.27	1.55	4.22	8.30 3.30 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
18+18+22+71	1.16	1.16	1.42	4.57	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
18+18+25+25	1.74	1.74	2.41	2.41	8.30 3.50 - 9.20	1.796 0.530 - 5.196	8.25	7.89	7.56	99
18+18+25+35	1.56	1.56	2.16	3.03	8.30 3.30 - 9.20	2.166 0.530 - 5.196	9.94	9.51	9.11	99
18+18+25+42	1.45	1.45	2.01	3.38 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+18+25+50	1.35	1.35	1.87	3.74 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+18+25+60	1.23	1.23	1.71	4.12	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
18+18+25+71	1.13	1.13	1.57	4.46	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
18+18+35+35	1.41	1.41	2.74	2.74	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
18+18+35+42	1.32	1.32	2.57	3.08 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+18+35+50	1.23	1.23	2.40	3.43 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+18+35+60	1.14	1.14	2.22	3.80	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
18+18+35+71	1.05	1.05	2.05	4.15	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
18+18+42+42	1.25	1.25	2.91 *	2.91 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+18+42+50	1.17	1.17	2.72 *	3.24 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+42+60	1.08	1.08	2.53 *	3.61	8.30 3.40 - 9.20	2.067 0.530 - 5.167	9.49	9.08	8.70	99
18+18+50+50	1.10	1.10	3.05 *	3.05 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+20+20+20	1.71	1.90	1.90	1.90	7.40 3.30 - 8.90	1.837 0.530 - 5.217	8.44	8.07	7.73	99
18+20+20+22	1.71	1.90	1.90	2.09	7.60 3.30 - 9.00	1.830 0.530 - 5.210	8.41	8.04	7.71	99
18+20+20+35	1.57	1.74	1.74	3.05	8.10 3.30 - 9.00	2.230 0.530 - 5.210	10.24	9.79	9.38	99
18+20+20+42	1.46	1.62	1.62	3.40 *	8.10 3.30 - 9.00	2.104 0.530 - 5.204	9.66	9.24	8.86	99
18+20+20+50	1.35	1.50	1.50	3.75 *	8.10 3.30 - 9.00	2.104 0.530 - 5.204	9.66	9.24	8.86	99
18+20+20+60	1.24	1.37	1.37	4.12	8.10 3.30 - 9.00	2.087 0.530 - 5.187	9.59	9.17	8.79	99
18+20+20+71	1.13	1.26	1.26	4.46	8.10 3.40 - 9.00	2.091 0.530 - 5.191	9.60	9.18	8.80	99
18+20+22+22	1.73	1.93	2.12	2.12	7.90 3.40 - 9.10	1.813 0.530 - 5.203	8.32	7.96	7.63	99
18+20+22+25	1.72	1.91	2.10	2.38	8.10 3.50 - 9.10	1.803 0.530 - 5.203	8.28	7.92	7.59	99
18+20+22+35	1.55	1.73	1.90	3.02	8.20 3.30 - 9.10	2.183 0.530 - 5.203	10.03	9.59	9.19	99
18+20+22+42	1.45	1.61	1.77	3.38 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
18+20+22+50	1.34	1.49	1.64	3.73 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
18+20+22+60	1.23	1.37	1.50	4.10	8.20 3.40 - 9.10	2.080 0.530 - 5.180	9.55	9.13	8.75	99
18+20+22+71	1.13	1.25	1.38	4.44	8.20 3.40 - 9.10	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+20+25+25	1.68	1.86	2.33	2.33	8.20 3.30 - 9.10	2.303 0.530 - 5.203	10.57	10.11	9.69	99
18+20+25+35	1.51	1.67	2.09	2.93	8.20 3.30 - 9.10	2.133 0.530 - 5.203	9.80	9.37	8.98	99
18+20+25+42	1.41	1.56	1.95	3.28 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
18+20+25+50	1.31	1.45	1.81	3.63 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
18+20+25+60	1.20	1.33	1.67	4.00	8.20 3.40 - 9.10	2.080 0.530 - 5.180	9.55	9.13	8.75	99
18+20+25+71	1.10	1.22	1.53	4.34	8.20 3.40 - 9.10	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+20+35+35	1.37	1.52	2.66	2.66	8.20 3.30 - 9.10	2.103 0.530 - 5.203	9.66	9.24	8.86	99
18+20+35+42	1.28	1.43	2.50	2.99 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
18+20+35+50	1.20	1.33	2.33	3.33 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
18+20+35+60	1.11	1.23	2.16	3.70	8.20 3.40 - 9.10	2.080 0.530 - 5.180	9.55	9.13	8.75	99
18+20+35+71	1.03	1.14	1.99	4.04	8.20 3.40 - 9.10	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+20+42+42	1.21	1.34	2.82 *	2.82 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99
18+20+42+50	1.14	1.26	2.65 *	3.15 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99
18+20+42+60	1.05	1.17	2.46 *	3.51	8.20 3.40 - 9.10	2.074 0.530 - 5.174	9.52	9.11	8.73	99
18+20+50+50	1.07	1.19	2.97 *	2.97 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99
18+22+22+22	1.74	2.12	2.12	2.12	8.10 3.40 - 9.20	1.806 0.530 - 5.196	8.29	7.93	7.60	99
18+22+22+25	1.72	2.10	2.10	2.39	8.30 3.40 - 9.20	2.046 0.530 - 5.196	9.40	8.99	8.62	99
18+22+22+35	1.54	1.88	1.88	2.99	8.30 3.30 - 9.20	2.146 0.530 - 5.196	9.85	9.42	9.03	99
18+22+22+42	1.44	1.76	1.76	3.35 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+22+22+50	1.33	1.63	1.63	3.71 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+22+22+60	1.22	1.50	1.50	4.08	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
18+22+22+71	1.12	1.37	1.37	4.43	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
18+22+25+25	1.66	2.03	2.31	2.31	8.30 3.30 - 9.20	2.266 0.530 - 5.196	10.40	9.95	9.54	99
18+22+25+35	1.49	1.83	2.08	2.91	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
18+22+25+42	1.40	1.71	1.94	3.26 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+22+25+50	1.30	1.59	1.80	3.61 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+22+25+60	1.20	1.46	1.66	3.98	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
18+22+25+71	1.10	1.34	1.53	4.33	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
18+22+35+35	1.36	1.66	2.64	2.64	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+22+35+42	1.28	1.56	2.48	2.98 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+22+35+50	1.20	1.46	2.32	3.32 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+22+35+60	1.11	1.35	2.15	3.69	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
18+22+42+42	1.20	1.47	2.81 *	2.81 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+22+42+50	1.13	1.38	2.64 *	3.14 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+22+42+60	1.05	1.29	2.45 *	3.51	8.30 3.40 - 9.20	2.067 0.530 - 5.167	9.49	9.08	8.70	99
18+22+50+50	1.07	1.30	2.96 *	2.96 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+25+25+25	1.61	2.23	2.23	2.23	8.30 3.30 - 9.20	2.216 0.530 - 5.196	10.17	9.73	9.32	99
18+25+25+35	1.45	2.01	2.01	2.82	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
18+25+25+42	1.36	1.89	1.89	3.17 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+25+25+50	1.27	1.76	1.76	3.52 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+25+25+60	1.17	1.62	1.62	3.89	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
18+25+25+71	1.07	1.49	1.49	4.24	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
18+25+35+35	1.32	1.84	2.57	2.57	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
18+25+35+42	1.25	1.73	2.42	2.91 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+25+35+50	1.17	1.62	2.27	3.24 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+25+35+60	1.08	1.50	2.11	3.61	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
18+25+42+42	1.18	1.63	2.74 *	2.74 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+25+42+50	1.11	1.54	2.58 *	3.07 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+25+42+60	1.03	1.43	2.40 *	3.43	8.30 3.40 - 9.20	2.067 0.530 - 5.167	9.49	9.08	8.70	99
18+25+50+50	1.04	1.45	2.90 *	2.90 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+35+35+35	1.21	2.36	2.36	2.36	8.30 3.40 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
18+35+35+42	1.15	2.23	2.23	2.68 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+35+35+50	1.08	2.11	2.11	3.01 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
18+35+42+42	1.09	2.12	2.54 *	2.54 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+35+42+50	1.03	2.00	2.40 *	2.86 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
18+42+42+42	1.04	2.42	2.42 *	2.42 *	8.30 3.40 - 9.20	2.078 0.530 - 5.178	9.55	9.13	8.75	99
20+20+20+20	1.85	1.85	1.85	1.85	7.40 3.30 - 8.80	1.844 0.530 - 5.224	8.47	8.10	7.76	99
20+20+20+22	1.88	1.88	1.88	2.07	7.70 3.40 - 8.90	1.827 0.530 - 5.217	8.38	8.02	7.69	99
20+20+20+25	1.86	1.86	1.86	2.32	7.90 3.50 - 8.90	1.817 0.530 - 5.217	8.34	7.98	7.65	99
20+20+20+35	1.68	1.68	1.68	2.95	8.00 3.30 - 8.90	2.197 0.530 - 5.217	10.09	9.65	9.25	99
20+20+20+42	1.57	1.57	1.57	3.29 *	8.00 3.30 - 8.90	2.111 0.530 - 5.211	9.69	9.27	8.88	99
20+20+20+50	1.45	1.45	1.45	3.64 *	8.00 3.30 - 8.90	2.111 0.530 - 5.211	9.69	9.27	8.88	99
20+20+20+60	1.33	1.33	1.33	4.00	8.00 3.40 - 8.90	2.094 0.530 - 5.194	9.62	9.20	8.82	99
20+20+20+71	1.22	1.22	1.22	4.34	8.00 3.40 - 8.90	2.098 0.530 - 5.198	9.63	9.21	8.83	99
20+20+22+22	1.88	1.88	2.07	2.07	7.90 3.40 - 9.00	1.820 0.530 - 5.210	8.35	7.99	7.66	99
20+20+22+25	1.86	1.86	2.05	2.33	8.10 3.40 - 9.00	2.060 0.530 - 5.210	9.46	9.05	8.67	99
20+20+22+35	1.67	1.67	1.84	2.92	8.10 3.30 - 9.00	2.160 0.530 - 5.210	9.92	9.49	9.09	99
20+20+22+42	1.56	1.56	1.71	3.27 *	8.10 3.30 - 9.00	2.104 0.530 - 5.204	9.66	9.24	8.86	99
20+20+22+50	1.45	1.45	1.59	3.62 *	8.10 3.30 - 9.00	2.104 0.530 - 5.204	9.66	9.24	8.86	99
20+20+22+60	1.33	1.33	1.46	3.98	8.10 3.40 - 9.00	2.087 0.530 - 5.187	9.59	9.17	8.79	99
20+20+22+71	1.22	1.22	1.34	4.32	8.10 3.40 - 9.00	2.091 0.530 - 5.191	9.60	9.18	8.80	99
20+20+25+25	1.80	1.80	2.25	2.25	8.10 3.30 - 9.00	2.280 0.530 - 5.210	10.47	10.01	9.59	99
20+20+25+35	1.62	1.62	2.03	2.84	8.10 3.30 - 9.00	2.110 0.530 - 5.210	9.69	9.27	8.88	99
20+20+25+42	1.51	1.51	1.89	3.18 *	8.10 3.30 - 9.00	2.104 0.530 - 5.204	9.66	9.24	8.86	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+25+50	1.41	1.41	1.76	3.52 *	8.10 3.30 - 9.00	2.104 0.530 - 5.204	9.66	9.24	8.86	99
20+20+25+60	1.30	1.30	1.62	3.89	8.10 3.40 - 9.00	2.087 0.530 - 5.187	9.59	9.17	8.79	99
20+20+25+71	1.19	1.19	1.49	4.23	8.10 3.40 - 9.00	2.091 0.530 - 5.191	9.60	9.18	8.80	99
20+20+35+35	1.47	1.47	2.58	2.58	8.10 3.30 - 9.00	2.110 0.530 - 5.210	9.69	9.27	8.88	99
20+20+35+42	1.38	1.38	2.42	2.91 *	8.10 3.30 - 9.00	2.104 0.530 - 5.204	9.66	9.24	8.86	99
20+20+35+50	1.30	1.30	2.27	3.24 *	8.10 3.40 - 9.00	2.104 0.530 - 5.204	9.66	9.24	8.86	99
20+20+35+60	1.20	1.20	2.10	3.60	8.10 3.40 - 9.00	2.087 0.530 - 5.187	9.59	9.17	8.79	99
20+20+42+42	1.31	1.31	2.74 *	2.74 *	8.10 3.40 - 9.00	2.098 0.530 - 5.198	9.63	9.21	8.83	99
20+20+42+50	1.23	1.23	2.58 *	3.07 *	8.10 3.40 - 9.00	2.098 0.530 - 5.198	9.63	9.21	8.83	99
20+20+42+60	1.14	1.14	2.40 *	3.42	8.10 3.40 - 9.00	2.081 0.530 - 5.181	9.56	9.14	8.76	99
20+20+50+50	1.16	1.16	2.89 *	2.89 *	8.10 3.40 - 9.00	2.098 0.530 - 5.198	9.63	9.21	8.83	99
20+22+22+22	1.91	2.10	2.10	2.10	8.20 3.50 - 9.10	1.803 0.530 - 5.203	8.28	7.92	7.59	99
20+22+22+25	1.84	2.03	2.03	2.30	8.20 3.30 - 9.10	2.283 0.530 - 5.203	10.49	10.03	9.61	99
20+22+22+35	1.66	1.82	1.82	2.90	8.20 3.30 - 9.10	2.123 0.530 - 5.203	9.74	9.32	8.93	99
20+22+22+42	1.55	1.70	1.70	3.25 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+22+22+50	1.44	1.58	1.58	3.60 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+22+22+60	1.32	1.45	1.45	3.97	8.20 3.40 - 9.10	2.080 0.530 - 5.180	9.55	9.13	8.75	99
20+22+22+71	1.21	1.34	1.34	4.31	8.20 3.40 - 9.10	2.084 0.530 - 5.184	9.57	9.15	8.77	99
20+22+25+25	1.78	1.96	2.23	2.23	8.20 3.30 - 9.10	2.233 0.530 - 5.203	10.26	9.81	9.40	99
20+22+25+35	1.61	1.77	2.01	2.81	8.20 3.30 - 9.10	2.103 0.530 - 5.203	9.66	9.24	8.86	99
20+22+25+42	1.50	1.66	1.88	3.16 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+22+25+50	1.40	1.54	1.75	3.50 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+22+25+60	1.29	1.42	1.61	3.87	8.20 3.40 - 9.10	2.080 0.530 - 5.180	9.55	9.13	8.75	99
20+22+25+71	1.19	1.31	1.49	4.22	8.20 3.40 - 9.10	2.084 0.530 - 5.184	9.57	9.15	8.77	99
20+22+35+35	1.46	1.61	2.56	2.56	8.20 3.30 - 9.10	2.103 0.530 - 5.203	9.66	9.24	8.86	99
20+22+35+42	1.38	1.52	2.41	2.89 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+22+35+50	1.29	1.42	2.26	3.23 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+22+35+60	1.20	1.32	2.09	3.59	8.20 3.40 - 9.10	2.080 0.530 - 5.180	9.55	9.13	8.75	99
20+22+42+42	1.30	1.43	2.73 *	2.73 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99
20+22+42+50	1.22	1.35	2.57 *	3.06 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99
20+22+42+60	1.14	1.25	2.39 *	3.42	8.20 3.40 - 9.10	2.074 0.530 - 5.174	9.52	9.11	8.73	99
20+22+50+50	1.15	1.27	2.89 *	2.89 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99
20+25+25+25	1.73	2.16	2.16	2.16	8.20 3.30 - 9.10	2.183 0.530 - 5.203	10.03	9.59	9.19	99
20+25+25+35	1.56	1.95	1.95	2.73	8.20 3.30 - 9.10	2.103 0.530 - 5.203	9.66	9.24	8.86	99
20+25+25+42	1.46	1.83	1.83	3.08 *	8.20 3.30 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+25+25+50	1.37	1.71	1.71	3.42 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+25+25+60	1.26	1.58	1.58	3.78	8.20 3.40 - 9.10	2.080 0.530 - 5.180	9.55	9.13	8.75	99
20+25+25+71	1.16	1.45	1.45	4.13	8.20 3.40 - 9.10	2.084 0.530 - 5.184	9.57	9.15	8.77	99
20+25+35+35	1.43	1.78	2.50	2.50	8.20 3.30 - 9.10	2.103 0.530 - 5.203	9.66	9.24	8.86	99
20+25+35+42	1.34	1.68	2.35	2.82 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+25+35+50	1.26	1.58	2.21	3.15 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+25+35+60	1.17	1.46	2.05	3.51	8.20 3.40 - 9.10	2.080 0.530 - 5.180	9.55	9.13	8.75	99
20+25+42+42	1.27	1.59	2.67 *	2.67 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99
20+25+42+50	1.20	1.50	2.51 *	2.99 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99
20+25+50+50	1.13	1.41	2.83 *	2.83 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35+35	1.31	2.30	2.30	2.30	8.20 3.40 - 9.10	2.103 0.530 - 5.203	9.66	9.24	8.86	99
20+35+35+42	1.24	2.17	2.17	2.61 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+35+35+50	1.17	2.05	2.05	2.93 *	8.20 3.40 - 9.10	2.097 0.530 - 5.197	9.63	9.21	8.83	99
20+35+42+42	1.18	2.06	2.48 *	2.48 *	8.20 3.40 - 9.10	2.091 0.530 - 5.191	9.60	9.18	8.80	99
22+22+22+22	2.08	2.08	2.08	2.08	8.30 3.30 - 9.20	2.296 0.530 - 5.196	10.54	10.08	9.66	99
22+22+22+25	2.01	2.01	2.01	2.28	8.30 3.30 - 9.20	2.246 0.530 - 5.196	10.31	9.86	9.45	99
22+22+22+35	1.81	1.81	1.81	2.88	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
22+22+22+42	1.69	1.69	1.69	3.23 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+22+22+50	1.57	1.57	1.57	3.58 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+22+22+60	1.45	1.45	1.45	3.95	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
22+22+22+71	1.33	1.33	1.33	4.30	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
22+22+25+25	1.94	1.94	2.21	2.21	8.30 3.30 - 9.20	2.196 0.530 - 5.196	10.08	9.64	9.24	99
22+22+25+35	1.76	1.76	2.00	2.79	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
22+22+25+42	1.65	1.65	1.87	3.14 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+22+25+50	1.53	1.53	1.74	3.49 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+22+25+60	1.42	1.42	1.61	3.86	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
22+22+25+71	1.30	1.30	1.48	4.21	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
22+22+35+35	1.60	1.60	2.55	2.55	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
22+22+35+42	1.51	1.51	2.40	2.88 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+22+35+50	1.42	1.42	2.25	3.22 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+22+35+60	1.31	1.31	2.09	3.58	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
22+22+42+42	1.43	1.43	2.72 *	2.72 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
22+22+42+50	1.34	1.34	2.56 *	3.05 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
22+22+50+50	1.27	1.27	2.88 *	2.88 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
22+25+25+25	1.88	2.14	2.14	2.14	8.30 3.30 - 9.20	2.146 0.530 - 5.196	9.85	9.42	9.03	99
22+25+25+35	1.71	1.94	1.94	2.71	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
22+25+25+42	1.60	1.82	1.82	3.06 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+25+25+50	1.50	1.70	1.70	3.40 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+25+25+60	1.38	1.57	1.57	3.77	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
22+25+25+71	1.28	1.45	1.45	4.12	8.30 3.40 - 9.20	2.077 0.530 - 5.177	9.53	9.12	8.74	99
22+25+35+35	1.56	1.77	2.48	2.48	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
22+25+35+42	1.47	1.67	2.34	2.81 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+25+35+50	1.38	1.57	2.20	3.14 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+25+35+60	1.29	1.46	2.05	3.51	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99
22+25+42+42	1.39	1.58	2.66 *	2.66 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
22+25+42+50	1.31	1.49	2.51 *	2.99 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
22+35+35+35	1.44	2.29	2.29	2.29	8.30 3.40 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
22+35+35+42	1.36	2.17	2.17	2.60 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+35+35+50	1.29	2.05	2.05	2.92 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
22+35+42+42	1.30	2.06	2.47 *	2.47 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99
25+25+25+25	2.08	2.08	2.08	2.08	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
25+25+25+35	1.89	1.89	1.89	2.64	8.30 3.30 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99
25+25+25+42	1.77	1.77	1.77	2.98 *	8.30 3.30 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
25+25+25+50	1.66	1.66	1.66	3.32 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99
25+25+25+60	1.54	1.54	1.54	3.69	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	220	230	240			
25+25+35+35	1.73	1.73	2.42	2.42	8.30 3.40 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99	
25+25+35+42	1.63	1.63	2.29	2.74 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99	
25+25+35+50	1.54	1.54	2.15	3.07 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99	
25+25+35+60	1.43	1.43	2.00	3.43	8.30 3.40 - 9.20	2.073 0.530 - 5.173	9.51	9.10	8.72	99	
25+25+42+42	1.55	1.55	2.60 *	2.60 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99	
25+25+42+50	1.46	1.46	2.45 *	2.92 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99	
25+35+35+35	1.60	2.23	2.23	2.23	8.30 3.40 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99	
25+35+35+42	1.51	2.12	2.12	2.54 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99	
25+35+35+50	1.43	2.00	2.00	2.86 *	8.30 3.40 - 9.20	2.090 0.530 - 5.190	9.60	9.18	8.80	99	
25+35+42+42	1.44	2.02	2.42 *	2.42 *	8.30 3.40 - 9.20	2.084 0.530 - 5.184	9.57	9.15	8.77	99	
35+35+35+35	2.08	2.08	2.08	2.08	8.30 3.40 - 9.20	2.096 0.530 - 5.196	9.63	9.21	8.83	99	

* In case of MSZ-AP/AY42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3 or more units
MSZ-AP42VG	90%
MSZ-AY42VG	90%
MSZ-AP50VG	80%
MSZ-AY50VG	80%
SLZ-M50FA	70%

- ex.) MSZ-LN18VG2 + MSZ-LN25VG2 + MSZ-AP42VG
- MSZ-LN18VG2 :Rated capacity is 1.65kW.
 - MSZ-LN25VG2 :Rated capacity is 2.29kW.
 - MSZ-AP42VG : Rated capacity is 3.47kW. (=3.85*0.9)

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15	1.70	-	-	-	1.70 1.70 - 3.20	0.850 0.850 - 1.450	3.90	3.73	3.57	99
18	3.30	-	-	-	3.30 1.70 - 4.60	1.100 0.850 - 1.570	5.05	4.83	4.63	99
20	2.20	-	-	-	2.20 1.70 - 3.40	1.040 0.850 - 1.450	4.78	4.57	4.38	99
22	3.30	-	-	-	3.30 1.70 - 4.80	1.100 0.850 - 1.620	5.05	4.83	4.63	99
25	3.60	-	-	-	3.60 1.70 - 5.10	1.200 0.850 - 1.670	5.51	5.27	5.05	99
35	4.00	-	-	-	4.00 1.70 - 5.60	1.250 0.850 - 1.760	5.74	5.49	5.26	99
42	5.40	-	-	-	5.40 1.70 - 6.50	1.770 0.850 - 2.020	8.12		7.45	99
50	7.20	-	-	-	7.20 1.70 - 7.50	2.290 0.850 - 2.800	10.52	10.06	9.64	99
60	7.90	-	-	-	7.90 1.70 - 8.90	2.290 0.850 - 3.340	10.52	10.06	9.64	99
71	8.60	-	-	-	8.60 1.70 - 9.70	2.480 0.850 - 3.710	11.39	10.89	10.44	99
15+15	1.70	1.70	-	-	3.40 2.70 - 5.30	0.906 0.850 - 3.316	4.16	3.98	3.81	99
15+18	2.27	2.73	-	-	5.00 2.80 - 6.80	1.297 0.850 - 2.857	5.96	5.70	5.46	99
15+20	2.61	3.49	-	-	6.10 2.80 - 7.80	1.574 0.850 - 2.564	7.22	6.91	6.62	99
15+22	2.47	3.63	-	-	6.10 2.80 - 8.00	1.567 0.850 - 2.597	7.19	6.88	6.59	99
15+25	1.65	2.75	-	-	4.40 2.70 - 7.00	1.187 0.850 - 3.147	5.45	5.21	4.99	99
15+35	2.16	5.04	-	-	7.20 2.80 - 9.35	1.997 0.850 - 2.847	9.17	8.77	8.40	99
15+42	1.97	5.53	-	-	7.50 2.80 - 9.70	2.081 0.850 - 3.041	9.56	9.14	8.76	99
15+50	1.80	6.00	-	-	7.80 2.80 - 10.10	2.191 0.850 - 3.271	10.06	9.62	9.22	99
15+60	1.68	6.72	-	-	8.40 2.80 - 10.80	2.474 0.850 - 3.764	11.36	10.87	10.42	99
15+71	1.57	7.43	-	-	9.00 2.80 - 11.60	2.888 0.850 - 4.438	13.26	12.68	12.15	99
18+18	3.30	3.30	-	-	6.60 2.80 - 8.30	1.688 0.850 - 2.398	7.75	7.41	7.10	99
18+20	2.61	2.89	-	-	5.50 2.80 - 7.70	1.445 0.850 - 2.775	6.64	6.35	6.09	99
18+22	1.98	2.42	-	-	4.40 2.70 - 7.00	1.178 0.850 - 3.138	5.41	5.17	4.95	99
18+25	2.55	3.55	-	-	6.10 2.80 - 8.00	1.558 0.850 - 2.588	7.15	6.84	6.56	99
18+35	2.48	4.82	-	-	7.30 2.80 - 9.50	2.028 0.850 - 2.928	9.32	8.91	8.54	99
18+42	2.28	5.32	-	-	7.60 2.80 - 9.90	2.122 0.850 - 3.122	9.74	9.32	8.93	99
18+50	2.09	5.81	-	-	7.90 2.80 - 10.30	2.222 0.850 - 3.342	10.20	9.76	9.35	99
18+60	1.98	6.62	-	-	8.60 2.80 - 11.10	2.605 0.850 - 3.975	11.96	11.44	10.96	99
18+71	1.82	7.18	-	-	9.00 2.80 - 11.60	2.879 0.850 - 4.429	13.21	12.64	12.11	99
20+20	2.20	2.20	-	-	4.40 2.70 - 7.00	1.192 0.850 - 3.152	5.47	5.23	5.01	99
20+22	2.62	2.88	-	-	5.50 2.80 - 7.70	1.445 0.850 - 2.775	6.64	6.35	6.09	99
20+25	2.98	3.72	-	-	6.70 2.80 - 8.50	1.745 0.850 - 2.475	8.01	7.66	7.34	99
20+35	2.69	4.71	-	-	7.40 2.80 - 9.60	2.065 0.850 - 2.985	9.48	9.07	8.69	99
20+42	2.48	5.22	-	-	7.70 2.80 - 10.00	2.149 0.850 - 3.179	9.87	9.44	9.05	99
20+50	2.29	5.71	-	-	8.00 2.80 - 10.40	2.259 0.850 - 3.409	10.37	9.92	9.51	99
20+60	2.18	6.53	-	-	8.70 2.80 - 11.30	2.702 0.850 - 4.132	12.41	11.87	11.38	99
20+71	1.98	7.02	-	-	9.00 2.80 - 11.60	2.886 0.850 - 4.436	13.25	12.67	12.14	99
22+22	3.30	3.30	-	-	6.60 2.80 - 8.30	1.688 0.850 - 2.398	7.75	7.41	7.10	99
22+25	3.23	3.67	-	-	6.90 2.80 - 8.80	1.838 0.850 - 2.618	8.44	8.07	7.73	99
22+35	2.89	4.61	-	-	7.50 2.80 - 9.70	2.078 0.850 - 3.038	9.55	9.13	8.75	99
22+42	2.68	5.12	-	-	7.80 2.80 - 10.10	2.172 0.850 - 3.232	9.97	9.54	9.14	99
22+50	2.48	5.63	-	-	8.10 2.80 - 10.60	2.342 0.850 - 3.552	10.76	10.29	9.86	99
22+60	2.39	6.51	-	-	8.90 2.80 - 11.40	2.785 0.850 - 4.275	12.79	12.23	11.72	99
22+71	2.13	6.87	-	-	9.00 2.80 - 11.60	2.879 0.850 - 4.429	13.21	12.64	12.11	99
25+25	3.60	3.60	-	-	7.20 2.80 - 9.35	1.988 0.850 - 2.838	9.13	8.73	8.37	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+35	3.17	4.43	-	-	7.60 2.80 - 9.90	2.128 0.850 - 3.128	9.78	9.35	8.96	99
25+42	2.95	4.95	-	-	7.90 2.80 - 10.20	2.212 0.850 - 3.312	10.15	9.71	9.31	99
25+50	2.80	5.60	-	-	8.40 2.80 - 10.80	2.482 0.850 - 3.772	11.40	10.90	10.45	99
25+60	2.65	6.35	-	-	9.00 2.80 - 11.60	2.875 0.850 - 4.425	13.20	12.63	12.10	99
25+71	2.34	6.66	-	-	9.00 2.80 - 11.60	2.879 0.850 - 4.429	13.21	12.64	12.11	99
35+35	4.00	4.00	-	-	8.00 2.80 - 10.40	2.258 0.850 - 3.408	10.37	9.92	9.51	99
35+42	3.86	4.64	-	-	8.50 2.80 - 11.00	2.572 0.850 - 3.922	11.81	11.30	10.83	99
35+50	3.71	5.29	-	-	9.00 2.80 - 11.60	2.892 0.850 - 4.442	13.28	12.70	12.17	99
35+60	3.32	5.68	-	-	9.00 2.80 - 11.60	2.875 0.850 - 4.425	13.20	12.63	12.10	99
35+71	2.97	6.03	-	-	9.00 2.80 - 11.60	2.879 0.850 - 4.429	13.21	12.64	12.11	99
42+42	4.50	4.50	-	-	9.00 2.80 - 11.60	2.886 0.850 - 4.436	13.25	12.67	12.14	99
42+50	4.11	4.89	-	-	9.00 2.80 - 11.60	2.886 0.850 - 4.436	13.25	12.67	12.14	99
42+71	3.35	5.65	-	-	9.00 2.80 - 11.60	2.873 0.850 - 4.423	13.19	12.62	12.09	99
50+50	4.50	4.50	-	-	9.00 2.80 - 11.60	2.886 0.850 - 4.436	13.25	12.67	12.14	99
50+60	4.09	4.91	-	-	9.00 2.80 - 11.60	2.869 0.850 - 4.419	13.17	12.60	12.08	99
50+71	3.72	5.28	-	-	9.00 2.80 - 11.60	2.873 0.850 - 4.423	13.19	12.62	12.09	99
60+60	4.50	4.50	-	-	9.00 2.80 - 11.60	2.852 0.850 - 4.402	13.10	12.53	12.01	99
60+71	4.12	4.88	-	-	9.00 2.90 - 11.60	2.856 0.850 - 4.406	13.11	12.54	12.02	99
71+71	4.50	4.50	-	-	9.00 2.90 - 11.60	2.860 0.850 - 4.410	13.13	12.56	12.04	99
15+15+15	1.70	1.70	1.70	-	5.10 3.10 - 9.20	1.079 0.850 - 3.939	4.96	4.74	4.54	99
15+15+18	2.00	2.00	2.40	-	6.40 3.10 - 10.00	1.360 0.850 - 4.100	6.24	5.97	5.72	99
15+15+20	2.19	2.19	2.92	-	7.30 3.20 - 10.50	1.557 0.850 - 4.217	7.15	6.84	6.56	99
15+15+22	2.34	2.34	3.43	-	8.10 3.20 - 11.10	1.750 0.850 - 4.330	8.04	7.69	7.37	99
15+15+25	2.35	2.35	3.91	-	8.60 3.20 - 11.50	1.870 0.850 - 4.440	8.58	8.21	7.87	99
15+15+35	1.98	1.98	4.63	-	8.60 3.20 - 11.50	2.530 0.850 - 4.440	11.62	11.11	10.65	99
15+15+42	1.88	1.88	5.25	-	9.00 3.20 - 11.60	2.614 0.850 - 4.434	12.00	11.48	11.00	99
15+15+50	1.69	1.69	5.63	-	9.00 3.20 - 11.60	2.544 0.850 - 4.434	11.68	11.17	10.70	99
15+15+60	1.50	1.50	6.00	-	9.00 3.20 - 11.60	2.507 0.850 - 4.417	11.51	11.01	10.55	99
15+15+71	1.34	1.34	6.33	-	9.00 3.20 - 11.60	2.491 0.850 - 4.421	11.44	10.94	10.48	99
15+18+18	2.26	2.72	2.72	-	7.70 3.20 - 10.80	1.641 0.850 - 4.261	7.54	7.21	6.91	99
15+18+20	2.43	2.92	3.25	-	8.60 3.20 - 11.30	1.838 0.850 - 4.378	8.44	8.07	7.73	99
15+18+22	2.35	2.81	3.44	-	8.60 3.20 - 11.50	1.861 0.850 - 4.431	8.54	8.17	7.83	99
15+18+25	1.91	2.30	3.19	-	7.40 3.10 - 11.10	1.631 0.850 - 4.431	7.49	7.16	6.86	99
15+18+35	1.99	2.38	4.63	-	9.00 3.20 - 11.60	2.691 0.850 - 4.431	12.36	11.82	11.33	99
15+18+42	1.80	2.16	5.04	-	9.00 3.20 - 11.60	2.545 0.850 - 4.425	11.69	11.18	10.71	99
15+18+60	1.45	1.74	5.81	-	9.00 3.20 - 11.60	2.488 0.850 - 4.408	11.43	10.93	10.47	99
15+18+71	1.30	1.56	6.14	-	9.00 3.20 - 11.60	2.472 0.850 - 4.412	11.35	10.86	10.41	99
15+20+20	2.35	3.13	3.13	-	8.60 3.20 - 11.50	1.875 0.850 - 4.445	8.60	8.23	7.89	99
15+20+22	2.05	2.74	3.01	-	7.80 3.20 - 11.20	1.718 0.850 - 4.438	7.89	7.55	7.24	99
15+20+25	1.65	2.20	2.75	-	6.60 3.10 - 10.80	1.488 0.850 - 4.438	6.83	6.53	6.26	99
15+20+35	1.93	2.57	4.50	-	9.00 3.20 - 11.60	2.658 0.850 - 4.438	12.20	11.67	11.18	99
15+20+42	1.75	2.34	4.91	-	9.00 3.20 - 11.60	2.552 0.850 - 4.432	11.72	11.21	10.74	99
15+20+50	1.59	2.12	5.29	-	9.00 3.20 - 11.60	2.532 0.850 - 4.432	11.63	11.12	10.66	99
15+20+60	1.42	1.89	5.68	-	9.00 3.20 - 11.60	2.495 0.850 - 4.415	11.46	10.96	10.50	99
15+20+71	1.27	1.70	6.03	-	9.00 3.20 - 11.60	2.479 0.850 - 4.419	11.39	10.89	10.44	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
15+22+22	1.78	2.61	2.61	-	7.00 3.10 - 10.90	1.561 0.850 - 4.431	7.17	6.86	6.57	99	
15+22+25	1.79	2.63	2.98	-	7.40 3.10 - 11.10	1.901 0.850 - 4.431	8.73	8.35	8.00	99	
15+22+35	1.88	2.75	4.38	-	9.00 3.20 - 11.60	2.611 0.850 - 4.431	11.99	11.47	10.99	99	
15+22+42	1.71	2.51	4.78	-	9.00 3.20 - 11.60	2.535 0.850 - 4.425	11.64	11.13	10.67	99	
15+22+50	1.55	2.28	5.17	-	9.00 3.20 - 11.60	2.525 0.850 - 4.425	11.59	11.09	10.63	99	
15+22+60	1.39	2.04	5.57	-	9.00 3.20 - 11.60	2.488 0.850 - 4.408	11.43	10.93	10.47	99	
15+22+71	1.25	1.83	5.92	-	9.00 3.20 - 11.60	2.472 0.850 - 4.412	11.35	10.86	10.41	99	
15+25+25	1.98	3.31	3.31	-	8.60 3.20 - 11.50	2.521 0.850 - 4.431	11.57	11.07	10.61	99	
15+25+35	1.80	3.00	4.20	-	9.00 3.20 - 11.60	2.551 0.850 - 4.431	11.71	11.20	10.73	99	
15+25+42	1.65	2.74	4.61	-	9.00 3.20 - 11.60	2.535 0.850 - 4.425	11.64	11.13	10.67	99	
15+25+50	1.50	2.50	5.00	-	9.00 3.20 - 11.60	2.515 0.850 - 4.425	11.55	11.05	10.59	99	
15+25+60	1.35	2.25	5.40	-	9.00 3.20 - 11.60	2.478 0.850 - 4.408	11.37	10.88	10.43	99	
15+25+71	1.22	2.03	5.76	-	9.00 3.20 - 11.60	2.462 0.850 - 4.412	11.30	10.81	10.36	99	
15+35+35	1.59	3.71	3.71	-	9.00 3.20 - 11.60	2.531 0.850 - 4.431	11.63	11.12	10.66	99	
15+35+42	1.47	3.42	4.11	-	9.00 3.20 - 11.60	2.515 0.850 - 4.425	11.55	11.05	10.59	99	
15+35+50	1.35	3.15	4.50	-	9.00 3.20 - 11.60	2.495 0.850 - 4.425	11.46	10.96	10.50	99	
15+35+60	1.23	2.86	4.91	-	9.00 3.20 - 11.60	2.458 0.850 - 4.408	11.28	10.79	10.34	99	
15+35+71	1.12	2.60	5.28	-	9.00 3.20 - 11.60	2.452 0.850 - 4.412	11.26	10.77	10.32	99	
15+42+42	1.36	3.82	3.82	-	9.00 3.20 - 11.60	2.489 0.850 - 4.419	11.43	10.93	10.47	99	
15+42+50	1.26	3.53	4.21	-	9.00 3.20 - 11.60	2.479 0.850 - 4.419	11.39	10.89	10.44	99	
15+42+60	1.15	3.23	4.62	-	9.00 3.20 - 11.60	2.442 0.850 - 4.402	11.21	10.72	10.27	99	
15+42+71	1.05	2.95	4.99	-	9.00 3.20 - 11.60	2.436 0.850 - 4.406	11.19	10.70	10.25	99	
15+50+50	1.17	3.91	3.91	-	9.00 3.20 - 11.60	2.469 0.850 - 4.419	11.33	10.84	10.39	99	
15+50+60	1.08	3.60	4.32	-	9.00 3.20 - 11.60	2.432 0.850 - 4.402	11.17	10.68	10.24	99	
15+50+71	0.99	3.31	4.70	-	9.00 3.20 - 11.60	2.436 0.850 - 4.406	11.19	10.70	10.25	99	
15+60+60	1.00	4.00	4.00	-	9.00 3.20 - 11.60	2.415 0.850 - 4.385	11.09	10.61	10.17	99	
18+18+18	3.00	3.00	3.00	-	9.00 3.20 - 11.60	1.922 0.850 - 4.422	8.82	8.44	8.09	99	
18+18+20	2.64	2.64	2.93	-	8.20 3.20 - 11.30	1.779 0.850 - 4.429	8.17	7.81	7.48	99	
18+18+22	2.30	2.30	2.81	-	7.40 3.10 - 11.10	1.622 0.850 - 4.422	7.44	7.12	6.82	99	
18+18+25	2.07	2.07	2.87	-	7.00 3.10 - 10.90	1.682 0.850 - 4.422	7.73	7.39	7.08	99	
18+18+35	2.28	2.28	4.44	-	9.00 3.20 - 11.60	2.622 0.850 - 4.422	12.04	11.52	11.04	99	
18+18+42	2.08	2.08	4.85	-	9.00 3.20 - 11.60	2.526 0.850 - 4.416	11.59	11.09	10.63	99	
18+18+50	1.88	1.88	5.23	-	9.00 3.20 - 11.60	2.516 0.850 - 4.416	11.55	11.05	10.59	99	
18+18+60	1.69	1.69	5.63	-	9.00 3.20 - 11.60	2.479 0.850 - 4.399	11.39	10.89	10.44	99	
18+18+71	1.51	1.51	5.97	-	9.00 3.20 - 11.60	2.463 0.850 - 4.403	11.31	10.82	10.37	99	
18+20+20	2.30	2.55	2.55	-	7.40 3.10 - 11.10	1.636 0.850 - 4.436	7.51	7.18	6.88	99	
18+20+22	1.98	2.20	2.42	-	6.60 3.10 - 10.80	1.479 0.850 - 4.429	6.80	6.50	6.23	99	
18+20+25	2.23	2.48	3.10	-	7.80 3.20 - 11.20	2.109 0.850 - 4.429	9.68	9.26	8.87	99	
18+20+35	2.22	2.47	4.32	-	9.00 3.20 - 11.60	2.589 0.850 - 4.429	11.89	11.37	10.90	99	
18+20+42	2.03	2.25	4.73	-	9.00 3.20 - 11.60	2.533 0.850 - 4.423	11.63	11.12	10.66	99	
18+20+50	1.84	2.05	5.11	-	9.00 3.20 - 11.60	2.513 0.850 - 4.423	11.54	11.04	10.58	99	
18+20+60	1.65	1.84	5.51	-	9.00 3.20 - 11.60	2.476 0.850 - 4.406	11.36	10.87	10.42	99	
18+20+71	1.49	1.65	5.86	-	9.00 3.20 - 11.60	2.460 0.850 - 4.410	11.29	10.80	10.35	99	
18+22+22	2.15	2.63	2.63	-	7.40 3.10 - 11.10	1.892 0.850 - 4.422	8.69	8.31	7.96	99	
18+22+25	2.38	2.91	3.31	-	8.60 3.20 - 11.50	2.512 0.850 - 4.422	11.53	11.03	10.57	99	

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+22+35	2.16	2.64	4.20	-	9.00 3.20 - 11.60	2.542 0.850 - 4.422	11.67	11.16	10.70	99
18+22+42	1.98	2.41	4.61	-	9.00 3.20 - 11.60	2.526 0.850 - 4.416	11.59	11.09	10.63	99
18+22+50	1.80	2.20	5.00	-	9.00 3.20 - 11.60	2.506 0.850 - 4.416	11.51	11.01	10.55	99
18+22+60	1.62	1.98	5.40	-	9.00 3.20 - 11.60	2.469 0.850 - 4.399	11.33	10.84	10.39	99
18+22+71	1.46	1.78	5.76	-	9.00 3.20 - 11.60	2.453 0.850 - 4.403	11.26	10.77	10.32	99
18+25+25	2.38	3.31	3.31	-	9.00 3.20 - 11.60	2.682 0.850 - 4.422	12.32	11.78	11.29	99
18+25+35	2.08	2.88	4.04	-	9.00 3.20 - 11.60	2.532 0.850 - 4.422	11.63	11.12	10.66	99
18+25+42	1.91	2.65	4.45	-	9.00 3.20 - 11.60	2.516 0.850 - 4.416	11.55	11.05	10.59	99
18+25+50	1.74	2.42	4.84	-	9.00 3.20 - 11.60	2.496 0.850 - 4.416	11.46	10.96	10.50	99
18+25+60	1.57	2.18	5.24	-	9.00 3.20 - 11.60	2.459 0.850 - 4.399	11.29	10.80	10.35	99
18+25+71	1.42	1.97	5.61	-	9.00 3.20 - 11.60	2.453 0.850 - 4.403	11.26	10.77	10.32	99
18+35+35	1.84	3.58	3.58	-	9.00 3.20 - 11.60	2.512 0.850 - 4.422	11.53	11.03	10.57	99
18+35+42	1.71	3.32	3.98	-	9.00 3.20 - 11.60	2.496 0.850 - 4.416	11.46	10.96	10.50	99
18+35+50	1.57	3.06	4.37	-	9.00 3.20 - 11.60	2.476 0.850 - 4.416	11.36	10.87	10.42	99
18+35+60	1.43	2.79	4.78	-	9.00 3.20 - 11.60	2.449 0.850 - 4.399	11.25	10.76	10.31	99
18+35+71	1.31	2.54	5.15	-	9.00 3.20 - 11.60	2.443 0.850 - 4.403	11.22	10.73	10.28	99
18+42+42	1.59	3.71	3.71	-	9.00 3.20 - 11.60	2.480 0.850 - 4.410	11.39	10.89	10.44	99
18+42+50	1.47	3.44	4.09	-	9.00 3.20 - 11.60	2.460 0.850 - 4.410	11.29	10.80	10.35	99
18+42+60	1.35	3.15	4.50	-	9.00 3.20 - 11.60	2.433 0.850 - 4.393	11.18	10.69	10.24	99
18+42+71	1.24	2.89	4.88	-	9.00 3.20 - 11.60	2.427 0.850 - 4.397	11.14	10.66	10.22	99
18+50+50	1.37	3.81	3.81	-	9.00 3.20 - 11.60	2.450 0.850 - 4.410	11.25	10.76	10.31	99
18+50+60	1.27	3.52	4.22	-	9.00 3.20 - 11.60	2.423 0.850 - 4.393	11.12	10.64	10.20	99
18+50+71	1.17	3.24	4.60	-	9.00 3.20 - 11.60	2.427 0.850 - 4.397	11.14	10.66	10.22	99
18+60+60	1.17	3.91	3.91	-	9.00 3.20 - 11.60	2.406 0.850 - 4.376	11.05	10.57	10.13	99
20+20+20	2.20	2.20	2.20	-	6.60 3.10 - 10.80	1.493 0.850 - 4.443	6.86	6.56	6.29	99
20+20+22	2.39	2.39	2.63	-	7.40 3.10 - 11.10	1.906 0.850 - 4.436	8.75	8.37	8.02	99
20+20+25	2.65	2.65	3.31	-	8.60 3.20 - 11.50	2.526 0.850 - 4.436	11.59	11.09	10.63	99
20+20+35	2.40	2.40	4.20	-	9.00 3.20 - 11.60	2.556 0.850 - 4.436	11.74	11.23	10.76	99
20+20+42	2.20	2.20	4.61	-	9.00 3.20 - 11.60	2.540 0.850 - 4.430	11.67	11.16	10.70	99
20+20+50	2.00	2.00	5.00	-	9.00 3.20 - 11.60	2.520 0.850 - 4.430	11.57	11.07	10.61	99
20+20+60	1.80	1.80	5.40	-	9.00 3.20 - 11.60	2.483 0.850 - 4.413	11.40	10.90	10.45	99
20+20+71	1.62	1.62	5.76	-	9.00 3.20 - 11.60	2.467 0.850 - 4.417	11.32	10.83	10.38	99
20+22+22	2.56	2.82	2.82	-	8.20 3.20 - 11.30	2.309 0.850 - 4.429	10.60	10.14	9.72	99
20+22+25	2.69	2.96	3.36	-	9.00 3.20 - 11.60	2.709 0.850 - 4.429	12.44	11.90	11.40	99
20+22+35	2.34	2.57	4.09	-	9.00 3.20 - 11.60	2.549 0.850 - 4.429	11.70	11.19	10.72	99
20+22+42	2.14	2.36	4.50	-	9.00 3.20 - 11.60	2.523 0.850 - 4.423	11.58	11.08	10.62	99
20+22+50	1.96	2.15	4.89	-	9.00 3.20 - 11.60	2.513 0.850 - 4.423	11.54	11.04	10.58	99
20+22+60	1.76	1.94	5.29	-	9.00 3.20 - 11.60	2.476 0.850 - 4.406	11.36	10.87	10.42	99
20+22+71	1.59	1.75	5.65	-	9.00 3.20 - 11.60	2.460 0.850 - 4.410	11.29	10.80	10.35	99
20+25+25	2.57	3.21	3.21	-	9.00 3.20 - 11.60	2.649 0.850 - 4.429	12.16	11.63	11.15	99
20+25+35	2.25	2.81	3.94	-	9.00 3.20 - 11.60	2.539 0.850 - 4.429	11.66	11.15	10.69	99
20+25+42	2.07	2.59	4.34	-	9.00 3.20 - 11.60	2.523 0.850 - 4.423	11.58	11.08	10.62	99
20+25+50	1.89	2.37	4.74	-	9.00 3.20 - 11.60	2.503 0.850 - 4.423	11.49	10.99	10.53	99
20+25+60	1.71	2.14	5.14	-	9.00 3.20 - 11.60	2.466 0.850 - 4.406	11.32	10.83	10.38	99
20+25+71	1.55	1.94	5.51	-	9.00 3.20 - 11.60	2.460 0.850 - 4.410	11.29	10.80	10.35	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
20+35+35	2.00	3.50	3.50	-	9.00 3.20 - 11.60	2.519 0.850 - 4.429	11.56	11.06	10.60	99	
20+35+42	1.86	3.25	3.90	-	9.00 3.20 - 11.60	2.503 0.850 - 4.423	11.49	10.99	10.53	99	
20+35+50	1.71	3.00	4.29	-	9.00 3.20 - 11.60	2.483 0.850 - 4.423	11.40	10.90	10.45	99	
20+35+60	1.57	2.74	4.70	-	9.00 3.20 - 11.60	2.456 0.850 - 4.406	11.28	10.79	10.34	99	
20+35+71	1.43	2.50	5.07	-	9.00 3.20 - 11.60	2.440 0.850 - 4.410	11.21	10.72	10.27	99	
20+42+42	1.73	3.63	3.63	-	9.00 3.20 - 11.60	2.477 0.850 - 4.417	11.37	10.88	10.43	99	
20+42+50	1.61	3.38	4.02	-	9.00 3.20 - 11.60	2.467 0.850 - 4.417	11.32	10.83	10.38	99	
20+42+60	1.48	3.10	4.43	-	9.00 3.20 - 11.60	2.440 0.850 - 4.400	11.21	10.72	10.27	99	
20+42+71	1.35	2.84	4.80	-	9.00 3.20 - 11.60	2.434 0.850 - 4.404	11.18	10.69	10.24	99	
20+50+50	1.50	3.75	3.75	-	9.00 3.20 - 11.60	2.457 0.850 - 4.417	11.28	10.79	10.34	99	
20+50+60	1.38	3.46	4.15	-	9.00 3.20 - 11.60	2.430 0.850 - 4.400	11.16	10.67	10.23	99	
20+50+71	1.28	3.19	4.53	-	9.00 3.20 - 11.60	2.434 0.850 - 4.404	11.18	10.69	10.24	99	
20+60+60	1.29	3.86	3.86	-	9.00 3.20 - 11.60	2.413 0.850 - 4.383	11.08	10.60	10.16	99	
22+22+22	3.00	3.00	3.00	-	9.00 3.20 - 11.60	2.722 0.850 - 4.422	12.49	11.95	11.45	99	
22+22+25	2.87	2.87	3.26	-	9.00 3.20 - 11.60	2.662 0.850 - 4.422	12.22	11.69	11.20	99	
22+22+35	2.51	2.51	3.99	-	9.00 3.20 - 11.60	2.532 0.850 - 4.422	11.63	11.12	10.66	99	
22+22+42	2.30	2.30	4.40	-	9.00 3.20 - 11.60	2.516 0.850 - 4.416	11.55	11.05	10.59	99	
22+22+50	2.11	2.11	4.79	-	9.00 3.20 - 11.60	2.496 0.850 - 4.416	11.46	10.96	10.50	99	
22+22+60	1.90	1.90	5.19	-	9.00 3.20 - 11.60	2.459 0.850 - 4.399	11.29	10.80	10.35	99	
22+22+71	1.72	1.72	5.56	-	9.00 3.20 - 11.60	2.453 0.850 - 4.403	11.26	10.77	10.32	99	
22+25+25	2.75	3.13	3.13	-	9.00 3.20 - 11.60	2.602 0.850 - 4.422	11.95	11.43	10.95	99	
22+25+35	2.41	2.74	3.84	-	9.00 3.20 - 11.60	2.532 0.850 - 4.422	11.63	11.12	10.66	99	
22+25+42	2.22	2.53	4.25	-	9.00 3.20 - 11.60	2.506 0.850 - 4.416	11.51	11.01	10.55	99	
22+25+50	2.04	2.32	4.64	-	9.00 3.20 - 11.60	2.496 0.850 - 4.416	11.46	10.96	10.50	99	
22+25+60	1.85	2.10	5.05	-	9.00 3.20 - 11.60	2.459 0.850 - 4.399	11.29	10.80	10.35	99	
22+25+71	1.68	1.91	5.42	-	9.00 3.20 - 11.60	2.443 0.850 - 4.403	11.22	10.73	10.28	99	
22+35+35	2.15	3.42	3.42	-	9.00 3.20 - 11.60	2.512 0.850 - 4.422	11.53	11.03	10.57	99	
22+35+42	2.00	3.18	3.82	-	9.00 3.20 - 11.60	2.486 0.850 - 4.416	11.42	10.92	10.47	99	
22+35+50	1.85	2.94	4.21	-	9.00 3.20 - 11.60	2.476 0.850 - 4.416	11.36	10.87	10.42	99	
22+35+60	1.69	2.69	4.62	-	9.00 3.20 - 11.60	2.439 0.850 - 4.399	11.20	10.71	10.26	99	
22+35+71	1.55	2.46	4.99	-	9.00 3.20 - 11.60	2.433 0.850 - 4.403	11.18	10.69	10.24	99	
22+42+42	1.87	3.57	3.57	-	9.00 3.20 - 11.60	2.470 0.850 - 4.410	11.34	10.85	10.40	99	
22+42+50	1.74	3.32	3.95	-	9.00 3.20 - 11.60	2.460 0.850 - 4.410	11.29	10.80	10.35	99	
22+42+60	1.60	3.05	4.35	-	9.00 3.20 - 11.60	2.433 0.850 - 4.393	11.18	10.69	10.24	99	
22+42+71	1.47	2.80	4.73	-	9.00 3.20 - 11.60	2.427 0.850 - 4.397	11.14	10.66	10.22	99	
22+50+50	1.62	3.69	3.69	-	9.00 3.20 - 11.60	2.450 0.850 - 4.410	11.25	10.76	10.31	99	
22+50+60	1.50	3.41	4.09	-	9.00 3.20 - 11.60	2.423 0.850 - 4.393	11.12	10.64	10.20	99	
22+50+71	1.38	3.15	4.47	-	9.00 3.20 - 11.60	2.427 0.850 - 4.397	11.14	10.66	10.22	99	
22+60+60	1.39	3.80	3.80	-	9.00 3.20 - 11.60	2.406 0.850 - 4.376	11.05	10.57	10.13	99	
25+25+25	3.00	3.00	3.00	-	9.00 3.20 - 11.60	2.542 0.850 - 4.422	11.67	11.16	10.70	99	
25+25+35	2.65	2.65	3.71	-	9.00 3.20 - 11.60	2.522 0.850 - 4.422	11.58	11.08	10.62	99	
25+25+42	2.45	2.45	4.11	-	9.00 3.20 - 11.60	2.506 0.850 - 4.416	11.51	11.01	10.55	99	
25+25+50	2.25	2.25	4.50	-	9.00 3.20 - 11.60	2.486 0.850 - 4.416	11.42	10.92	10.47	99	
25+25+60	2.05	2.05	4.91	-	9.00 3.20 - 11.60	2.449 0.850 - 4.399	11.25	10.76	10.31	99	
25+25+71	1.86	1.86	5.28	-	9.00 3.20 - 11.60	2.443 0.850 - 4.403	11.22	10.73	10.28	99	

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+35+35	2.37	3.32	3.32	-	9.00 3.20 - 11.60	2.502 0.850 - 4.422	11.49	10.99	10.53	99
25+35+42	2.21	3.09	3.71	-	9.00 3.20 - 11.60	2.486 0.850 - 4.416	11.42	10.92	10.47	99
25+35+50	2.05	2.86	4.09	-	9.00 3.20 - 11.60	2.466 0.850 - 4.416	11.32	10.83	10.38	99
25+35+60	1.88	2.63	4.50	-	9.00 3.20 - 11.60	2.439 0.850 - 4.399	11.20	10.71	10.26	99
25+35+71	1.72	2.40	4.88	-	9.00 3.20 - 11.60	2.433 0.850 - 4.403	11.18	10.69	10.24	99
25+42+42	2.06	3.47	3.47	-	9.00 3.20 - 11.60	2.460 0.850 - 4.410	11.29	10.80	10.35	99
25+42+50	1.92	3.23	3.85	-	9.00 3.20 - 11.60	2.450 0.850 - 4.410	11.25	10.76	10.31	99
25+42+60	1.77	2.98	4.25	-	9.00 3.20 - 11.60	2.423 0.850 - 4.393	11.12	10.64	10.20	99
25+42+71	1.63	2.74	4.63	-	9.00 3.20 - 11.60	2.427 0.850 - 4.397	11.14	10.66	10.22	99
25+50+50	1.80	3.60	3.60	-	9.00 3.20 - 11.60	2.440 0.850 - 4.410	11.21	10.72	10.27	99
25+50+60	1.67	3.33	4.00	-	9.00 3.20 - 11.60	2.423 0.850 - 4.393	11.12	10.64	10.20	99
25+60+60	1.55	3.72	3.72	-	9.00 3.20 - 11.60	2.406 0.850 - 4.376	11.05	10.57	10.13	99
35+35+35	3.00	3.00	3.00	-	9.00 3.20 - 11.60	2.482 0.850 - 4.422	11.40	10.90	10.45	99
35+35+42	2.81	2.81	3.38	-	9.00 3.20 - 11.60	2.466 0.850 - 4.416	11.32	10.83	10.38	99
35+35+50	2.63	2.63	3.75	-	9.00 3.20 - 11.60	2.456 0.850 - 4.416	11.28	10.79	10.34	99
35+35+60	2.42	2.42	4.15	-	9.00 3.20 - 11.60	2.429 0.850 - 4.399	11.16	10.67	10.23	99
35+35+71	2.23	2.23	4.53	-	9.00 3.20 - 11.60	2.433 0.850 - 4.403	11.18	10.69	10.24	99
35+42+42	2.65	3.18	3.18	-	9.00 3.20 - 11.60	2.450 0.850 - 4.410	11.25	10.76	10.31	99
35+42+50	2.48	2.98	3.54	-	9.00 3.20 - 11.60	2.440 0.850 - 4.410	11.21	10.72	10.27	99
35+42+60	2.30	2.76	3.94	-	9.00 3.20 - 11.60	2.423 0.850 - 4.393	11.12	10.64	10.20	99
35+50+50	2.33	3.33	3.33	-	9.00 3.20 - 11.60	2.440 0.850 - 4.410	11.21	10.72	10.27	99
35+50+60	2.17	3.10	3.72	-	9.00 3.20 - 11.60	2.423 0.850 - 4.393	11.12	10.64	10.20	99
42+42+42	3.00	3.00	3.00	-	9.00 3.20 - 11.60	2.434 0.850 - 4.404	11.18	10.69	10.24	99
42+42+50	2.82	2.82	3.36	-	9.00 3.20 - 11.60	2.434 0.850 - 4.404	11.18	10.69	10.24	99
42+42+60	2.63	2.63	3.75	-	9.00 3.20 - 11.60	2.417 0.850 - 4.387	11.09	10.61	10.17	99
42+50+50	2.66	3.17	3.17	-	9.00 3.20 - 11.60	2.434 0.850 - 4.404	11.18	10.69	10.24	99
15+15+15+15	1.60	1.60	1.60	1.60	6.40 3.10 - 9.90	1.432 0.850 - 3.162	6.58	6.29	6.03	99
15+15+15+18	1.69	1.69	1.69	2.03	7.10 3.10 - 10.30	1.533 0.850 - 3.473	7.04	6.73	6.45	99
15+15+15+20	1.68	1.68	1.68	2.25	7.30 3.10 - 10.60	1.610 0.850 - 3.690	7.39	7.07	6.78	99
15+15+15+22	1.75	1.75	1.75	2.56	7.80 3.20 - 10.90	1.673 0.850 - 3.893	7.68	7.35	7.04	99
15+15+15+25	1.78	1.78	1.78	2.96	8.30 3.20 - 11.30	1.773 0.850 - 4.213	8.14	7.79	7.47	99
15+15+15+35	1.63	1.63	1.63	3.81	8.70 3.40 - 11.60	1.713 0.850 - 4.423	7.86	7.52	7.21	99
15+15+15+42	1.50	1.50	1.50	4.20	8.70 3.40 - 11.60	1.737 0.850 - 4.417	7.98	7.63	7.31	99
15+15+15+50	1.37	1.37	1.37	4.58	8.70 3.20 - 11.60	1.847 0.850 - 4.417	8.48	8.11	7.77	99
15+15+15+60	1.24	1.24	1.24	4.97	8.70 3.20 - 11.60	1.820 0.850 - 4.400	8.35	7.99	7.66	99
15+15+15+71	1.13	1.13	1.13	5.33	8.70 3.20 - 11.60	1.814 0.850 - 4.404	8.33	7.97	7.64	99
15+15+18+18	1.75	1.75	2.10	2.10	7.70 3.20 - 10.80	1.624 0.850 - 3.784	7.45	7.13	6.83	99
15+15+18+20	1.76	1.76	2.12	2.35	8.00 3.20 - 11.00	1.701 0.850 - 4.001	7.81	7.47	7.16	99
15+15+18+22	1.80	1.80	2.16	2.64	8.40 3.20 - 11.30	1.764 0.850 - 4.204	8.10	7.75	7.43	99
15+15+18+25	1.81	1.81	2.17	3.01	8.80 3.20 - 11.60	1.814 0.850 - 4.414	8.33	7.97	7.64	99
15+15+18+42	1.47	1.47	1.76	4.11	8.80 3.20 - 11.60	1.848 0.850 - 4.408	8.49	8.12	7.78	99
15+15+18+50	1.35	1.35	1.62	4.49	8.80 3.20 - 11.60	1.828 0.850 - 4.408	8.40	8.03	7.70	99
15+15+18+60	1.22	1.22	1.47	4.89	8.80 3.20 - 11.60	1.811 0.850 - 4.391	8.31	7.95	7.62	99
15+15+18+71	1.11	1.11	1.33	5.25	8.80 3.20 - 11.60	1.805 0.850 - 4.395	8.29	7.93	7.60	99
15+15+20+20	1.76	1.76	2.34	2.34	8.20 3.20 - 11.30	1.778 0.850 - 4.218	8.17	7.81	7.48	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+22	1.81	1.81	2.42	2.66	8.70 3.20 - 11.60	1.841 0.850 - 4.421	8.46	8.09	7.75	99
15+15+20+25	1.74	1.74	2.32	2.90	8.70 3.30 - 11.60	1.791 0.850 - 4.421	8.23	7.87	7.54	99
15+15+20+35	1.54	1.54	2.05	3.58	8.70 3.50 - 11.60	1.641 0.850 - 4.421	7.54	7.21	6.91	99
15+15+20+42	1.42	1.42	1.89	3.97	8.70 3.20 - 11.60	1.845 0.850 - 4.415	8.47	8.10	7.76	99
15+15+20+50	1.31	1.31	1.74	4.35	8.70 3.20 - 11.60	1.835 0.850 - 4.415	8.43	8.06	7.72	99
15+15+20+60	1.19	1.19	1.58	4.75	8.70 3.20 - 11.60	1.818 0.850 - 4.398	8.34	7.98	7.65	99
15+15+20+71	1.08	1.08	1.44	5.10	8.70 3.20 - 11.60	1.812 0.850 - 4.402	8.32	7.96	7.63	99
15+15+22+22	1.78	1.78	2.62	2.62	8.80 3.20 - 11.60	1.804 0.850 - 4.414	8.28	7.92	7.59	99
15+15+22+25	1.71	1.71	2.51	2.86	8.80 3.30 - 11.60	1.754 0.850 - 4.414	8.05	7.70	7.38	99
15+15+22+35	1.52	1.52	2.23	3.54	8.80 3.40 - 11.60	1.734 0.850 - 4.414	7.97	7.62	7.30	99
15+15+22+42	1.40	1.40	2.06	3.93	8.80 3.20 - 11.60	1.838 0.850 - 4.408	8.44	8.07	7.73	99
15+15+22+50	1.29	1.29	1.90	4.31	8.80 3.20 - 11.60	1.828 0.850 - 4.408	8.40	8.03	7.70	99
15+15+22+60	1.18	1.18	1.73	4.71	8.80 3.20 - 11.60	1.801 0.850 - 4.391	8.27	7.91	7.58	99
15+15+22+71	1.07	1.07	1.57	5.08	8.80 3.20 - 11.60	1.805 0.850 - 4.395	8.29	7.93	7.60	99
15+15+25+25	1.65	1.65	2.75	2.75	8.80 3.40 - 11.60	1.704 0.850 - 4.414	7.82	7.48	7.17	99
15+15+25+35	1.47	1.47	2.44	3.42	8.80 3.20 - 11.60	1.854 0.850 - 4.414	8.51	8.14	7.80	99
15+15+25+42	1.36	1.36	2.27	3.81	8.80 3.20 - 11.60	1.838 0.850 - 4.408	8.44	8.07	7.73	99
15+15+25+50	1.26	1.26	2.10	4.19	8.80 3.20 - 11.60	1.828 0.850 - 4.408	8.40	8.03	7.70	99
15+15+25+60	1.15	1.15	1.91	4.59	8.80 3.20 - 11.60	1.801 0.850 - 4.391	8.27	7.91	7.58	99
15+15+25+71	1.05	1.05	1.75	4.96	8.80 3.20 - 11.60	1.805 0.850 - 4.395	8.29	7.93	7.60	99
15+15+35+35	1.32	1.32	3.08	3.08	8.80 3.20 - 11.60	1.834 0.850 - 4.414	8.42	8.05	7.71	99
15+15+35+42	1.23	1.23	2.88	3.45	8.80 3.20 - 11.60	1.828 0.850 - 4.408	8.40	8.03	7.70	99
15+15+35+50	1.15	1.15	2.68	3.83	8.80 3.20 - 11.60	1.818 0.850 - 4.408	8.34	7.98	7.65	99
15+15+35+60	1.06	1.06	2.46	4.22	8.80 3.20 - 11.60	1.801 0.850 - 4.391	8.27	7.91	7.58	99
15+15+35+71	0.97	0.97	2.26	4.59	8.80 3.20 - 11.60	1.795 0.850 - 4.395	8.24	7.88	7.55	99
15+15+42+42	1.16	1.16	3.24	3.24	8.80 3.20 - 11.60	1.812 0.850 - 4.402	8.32	7.96	7.63	99
15+15+42+50	1.08	1.08	3.03	3.61	8.80 3.20 - 11.60	1.812 0.850 - 4.402	8.32	7.96	7.63	99
15+15+42+60	1.00	1.00	2.80	4.00	8.80 3.20 - 11.60	1.785 0.850 - 4.385	8.20	7.84	7.51	99
15+15+42+71	0.92	0.92	2.58	4.37	8.80 3.20 - 11.60	1.789 0.850 - 4.389	8.22	7.86	7.53	99
15+15+50+50	1.02	1.02	3.38	3.38	8.80 3.20 - 11.60	1.812 0.850 - 4.402	8.32	7.96	7.63	99
15+15+50+60	0.94	0.94	3.14	3.77	8.80 3.20 - 11.60	1.785 0.850 - 4.385	8.20	7.84	7.51	99
15+18+18+18	1.83	2.19	2.19	2.19	8.40 3.20 - 11.20	1.725 0.850 - 4.085	7.92	7.58	7.26	99
15+18+18+20	1.82	2.18	2.18	2.42	8.60 3.20 - 11.50	1.802 0.850 - 4.302	8.27	7.91	7.58	99
15+18+18+22	1.83	2.19	2.19	2.68	8.90 3.20 - 11.60	1.805 0.850 - 4.405	8.29	7.93	7.60	99
15+18+18+25	1.76	2.11	2.11	2.93	8.90 3.30 - 11.60	1.765 0.850 - 4.405	8.10	7.75	7.43	99
15+18+18+35	1.55	1.86	1.86	3.62	8.90 3.50 - 11.60	1.605 0.850 - 4.405	7.37	7.05	6.76	99
15+18+18+42	1.44	1.72	1.72	4.02	8.90 3.20 - 11.60	1.829 0.850 - 4.399	8.40	8.03	7.70	99
15+18+18+50	1.32	1.59	1.59	4.41	8.90 3.20 - 11.60	1.819 0.850 - 4.399	8.35	7.99	7.66	99
15+18+18+60	1.20	1.44	1.44	4.81	8.90 3.20 - 11.60	1.792 0.850 - 4.382	8.23	7.87	7.54	99
15+18+18+71	1.09	1.31	1.31	5.18	8.90 3.20 - 11.60	1.796 0.850 - 4.386	8.25	7.89	7.56	99
15+18+20+20	1.79	2.15	2.38	2.38	8.70 3.20 - 11.60	1.819 0.850 - 4.419	8.35	7.99	7.66	99
15+18+20+22	1.76	2.11	2.35	2.58	8.80 3.30 - 11.60	1.782 0.850 - 4.412	8.19	7.83	7.50	99
15+18+20+25	1.69	2.03	2.26	2.82	8.80 3.30 - 11.60	1.742 0.850 - 4.412	8.00	7.65	7.33	99
15+18+20+35	1.50	1.80	2.00	3.50	8.80 3.20 - 11.60	1.852 0.850 - 4.412	8.50	8.13	7.79	99
15+18+20+42	1.39	1.67	1.85	3.89	8.80 3.20 - 11.60	1.836 0.850 - 4.406	8.43	8.06	7.72	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+50	1.28	1.54	1.71	4.27	8.80 3.20 - 11.60	1.826 0.850 - 4.406	8.38	8.02	7.69	99
15+18+20+60	1.17	1.40	1.56	4.67	8.80 3.20 - 11.60	1.799 0.850 - 4.389	8.26	7.90	7.57	99
15+18+20+71	1.06	1.28	1.42	5.04	8.80 3.20 - 11.60	1.803 0.850 - 4.393	8.28	7.92	7.59	99
15+18+22+22	1.73	2.08	2.54	2.54	8.90 3.30 - 11.60	1.745 0.850 - 4.405	8.01	7.66	7.34	99
15+18+22+25	1.67	2.00	2.45	2.78	8.90 3.40 - 11.60	1.695 0.850 - 4.405	7.78	7.44	7.13	99
15+18+22+35	1.48	1.78	2.18	3.46	8.90 3.20 - 11.60	1.845 0.850 - 4.405	8.47	8.10	7.76	99
15+18+22+42	1.38	1.65	2.02	3.85	8.90 3.20 - 11.60	1.829 0.850 - 4.399	8.40	8.03	7.70	99
15+18+22+50	1.27	1.53	1.86	4.24	8.90 3.20 - 11.60	1.819 0.850 - 4.399	8.35	7.99	7.66	99
15+18+22+60	1.16	1.39	1.70	4.64	8.90 3.20 - 11.60	1.792 0.850 - 4.382	8.23	7.87	7.54	99
15+18+22+71	1.06	1.27	1.55	5.02	8.90 3.20 - 11.60	1.796 0.850 - 4.386	8.25	7.89	7.56	99
15+18+25+35	1.44	1.72	2.39	3.35	8.90 3.20 - 11.60	1.835 0.850 - 4.405	8.43	8.06	7.72	99
15+18+25+42	1.34	1.60	2.23	3.74	8.90 3.20 - 11.60	1.819 0.850 - 4.399	8.35	7.99	7.66	99
15+18+25+50	1.24	1.48	2.06	4.12	8.90 3.20 - 11.60	1.819 0.850 - 4.399	8.35	7.99	7.66	99
15+18+25+60	1.13	1.36	1.89	4.53	8.90 3.20 - 11.60	1.792 0.850 - 4.382	8.23	7.87	7.54	99
15+18+25+71	1.03	1.24	1.72	4.90	8.90 3.20 - 11.60	1.796 0.850 - 4.386	8.25	7.89	7.56	99
15+18+35+35	1.30	1.56	3.02	3.02	8.90 3.20 - 11.60	1.825 0.850 - 4.405	8.37	8.01	7.68	99
15+18+35+42	1.21	1.46	2.83	3.40	8.90 3.20 - 11.60	1.819 0.850 - 4.399	8.35	7.99	7.66	99
15+18+35+50	1.13	1.36	2.64	3.77	8.90 3.20 - 11.60	1.809 0.850 - 4.399	8.30	7.94	7.61	99
15+18+35+60	1.04	1.25	2.43	4.17	8.90 3.20 - 11.60	1.792 0.850 - 4.382	8.23	7.87	7.54	99
15+18+35+71	0.96	1.15	2.24	4.55	8.90 3.20 - 11.60	1.786 0.850 - 4.386	8.20	7.84	7.51	99
15+18+42+42	1.14	1.37	3.19	3.19	8.90 3.20 - 11.60	1.803 0.850 - 4.393	8.28	7.92	7.59	99
15+18+42+50	1.07	1.28	2.99	3.56	8.90 3.20 - 11.60	1.803 0.850 - 4.393	8.28	7.92	7.59	99
15+18+42+60	0.99	1.19	2.77	3.96	8.90 3.20 - 11.60	1.776 0.850 - 4.376	8.15	7.80	7.48	99
15+18+50+50	1.00	1.20	3.35	3.35	8.90 3.20 - 11.60	1.793 0.850 - 4.393	8.23	7.87	7.54	99
15+18+50+60	0.93	1.12	3.11	3.73	8.90 3.20 - 11.60	1.776 0.850 - 4.376	8.15	7.80	7.48	99
15+20+20+20	1.72	2.29	2.29	2.29	8.60 3.30 - 11.60	1.796 0.850 - 4.426	8.25	7.89	7.56	99
15+20+20+22	1.69	2.26	2.26	2.49	8.70 3.30 - 11.60	1.759 0.850 - 4.419	8.08	7.73	7.41	99
15+20+20+25	1.63	2.18	2.18	2.72	8.70 3.40 - 11.60	1.709 0.850 - 4.419	7.85	7.51	7.20	99
15+20+20+35	1.45	1.93	1.93	3.38	8.70 3.20 - 11.60	1.859 0.850 - 4.419	8.53	8.16	7.82	99
15+20+20+42	1.35	1.79	1.79	3.77	8.70 3.20 - 11.60	1.843 0.850 - 4.413	8.46	8.09	7.75	99
15+20+20+50	1.24	1.66	1.66	4.14	8.70 3.20 - 11.60	1.833 0.850 - 4.413	8.42	8.05	7.71	99
15+20+20+60	1.13	1.51	1.51	4.54	8.70 3.20 - 11.60	1.806 0.850 - 4.396	8.29	7.93	7.60	99
15+20+20+71	1.04	1.38	1.38	4.90	8.70 3.20 - 11.60	1.810 0.850 - 4.400	8.31	7.95	7.62	99
15+20+22+22	1.67	2.23	2.45	2.45	8.80 3.40 - 11.60	1.722 0.850 - 4.412	7.90	7.56	7.25	99
15+20+22+25	1.61	2.15	2.36	2.68	8.80 3.40 - 11.60	1.672 0.850 - 4.412	7.67	7.34	7.03	99
15+20+22+35	1.43	1.91	2.10	3.35	8.80 3.20 - 11.60	1.842 0.850 - 4.412	8.46	8.09	7.75	99
15+20+22+42	1.33	1.78	1.96	3.73	8.80 3.20 - 11.60	1.826 0.850 - 4.406	8.38	8.02	7.69	99
15+20+22+50	1.23	1.64	1.81	4.11	8.80 3.20 - 11.60	1.826 0.850 - 4.406	8.38	8.02	7.69	99
15+20+22+60	1.13	1.50	1.65	4.51	8.80 3.20 - 11.60	1.799 0.850 - 4.389	8.26	7.90	7.57	99
15+20+22+71	1.03	1.38	1.51	4.88	8.80 3.20 - 11.60	1.803 0.850 - 4.393	8.28	7.92	7.59	99
15+20+25+25	1.55	2.07	2.59	2.59	8.80 3.50 - 11.60	1.632 0.850 - 4.412	7.50	7.17	6.87	99
15+20+25+35	1.39	1.85	2.32	3.24	8.80 3.20 - 11.60	1.842 0.850 - 4.412	8.46	8.09	7.75	99
15+20+25+42	1.29	1.73	2.16	3.62	8.80 3.20 - 11.60	1.826 0.850 - 4.406	8.38	8.02	7.69	99
15+20+25+50	1.20	1.60	2.00	4.00	8.80 3.20 - 11.60	1.826 0.850 - 4.406	8.38	8.02	7.69	99
15+20+25+60	1.10	1.47	1.83	4.40	8.80 3.20 - 11.60	1.799 0.850 - 4.389	8.26	7.90	7.57	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+25+71	1.01	1.34	1.68	4.77	8.80 3.20 - 11.60	1.793 0.850 - 4.393	8.23	7.87	7.54	99
15+20+35+35	1.26	1.68	2.93	2.93	8.80 3.20 - 11.60	1.832 0.850 - 4.412	8.42	8.05	7.71	99
15+20+35+42	1.18	1.57	2.75	3.30	8.80 3.20 - 11.60	1.816 0.850 - 4.406	8.34	7.98	7.65	99
15+20+35+50	1.10	1.47	2.57	3.67	8.80 3.20 - 11.60	1.816 0.850 - 4.406	8.34	7.98	7.65	99
15+20+35+60	1.02	1.35	2.37	4.06	8.80 3.20 - 11.60	1.799 0.850 - 4.389	8.26	7.90	7.57	99
15+20+35+71	0.94	1.25	2.18	4.43	8.80 3.20 - 11.60	1.793 0.850 - 4.393	8.23	7.87	7.54	99
15+20+42+42	1.11	1.48	3.11	3.11	8.80 3.20 - 11.60	1.810 0.850 - 4.400	8.31	7.95	7.62	99
15+20+42+50	1.04	1.39	2.91	3.46	8.80 3.20 - 11.60	1.810 0.850 - 4.400	8.31	7.95	7.62	99
15+20+42+60	0.96	1.28	2.70	3.85	8.80 3.20 - 11.60	1.783 0.850 - 4.383	8.19	7.83	7.50	99
15+20+50+50	0.98	1.30	3.26	3.26	8.80 3.20 - 11.60	1.800 0.850 - 4.400	8.27	7.91	7.58	99
15+20+50+60	0.91	1.21	3.03	3.64	8.80 3.20 - 11.60	1.783 0.850 - 4.383	8.19	7.83	7.50	99
15+22+22+22	1.65	2.42	2.42	2.42	8.90 3.40 - 11.60	1.685 0.850 - 4.405	7.74	7.40	7.09	99
15+22+22+25	1.59	2.33	2.33	2.65	8.90 3.50 - 11.60	1.635 0.850 - 4.405	7.51	7.18	6.88	99
15+22+22+35	1.42	2.08	2.08	3.31	8.90 3.20 - 11.60	1.835 0.850 - 4.405	8.43	8.06	7.72	99
15+22+22+42	1.32	1.94	1.94	3.70	8.90 3.20 - 11.60	1.819 0.850 - 4.399	8.35	7.99	7.66	99
15+22+22+50	1.22	1.80	1.80	4.08	8.90 3.20 - 11.60	1.819 0.850 - 4.399	8.35	7.99	7.66	99
15+22+22+60	1.12	1.65	1.65	4.49	8.90 3.20 - 11.60	1.792 0.850 - 4.382	8.23	7.87	7.54	99
15+22+22+71	1.03	1.51	1.51	4.86	8.90 3.20 - 11.60	1.796 0.850 - 4.386	8.25	7.89	7.56	99
15+22+25+25	1.53	2.25	2.56	2.56	8.90 3.40 - 11.60	1.725 0.850 - 4.405	7.92	7.58	7.26	99
15+22+25+35	1.38	2.02	2.29	3.21	8.90 3.20 - 11.60	1.835 0.850 - 4.405	8.43	8.06	7.72	99
15+22+25+42	1.28	1.88	2.14	3.59	8.90 3.20 - 11.60	1.819 0.850 - 4.399	8.35	7.99	7.66	99
15+22+25+50	1.19	1.75	1.99	3.97	8.90 3.20 - 11.60	1.809 0.850 - 4.399	8.30	7.94	7.61	99
15+22+25+60	1.09	1.60	1.82	4.38	8.90 3.20 - 11.60	1.792 0.850 - 4.382	8.23	7.87	7.54	99
15+22+25+71	1.00	1.47	1.67	4.75	8.90 3.20 - 11.60	1.786 0.850 - 4.386	8.20	7.84	7.51	99
15+22+35+35	1.25	1.83	2.91	2.91	8.90 3.20 - 11.60	1.825 0.850 - 4.405	8.37	8.01	7.68	99
15+22+35+42	1.17	1.72	2.73	3.28	8.90 3.20 - 11.60	1.809 0.850 - 4.399	8.30	7.94	7.61	99
15+22+35+50	1.09	1.60	2.55	3.65	8.90 3.20 - 11.60	1.809 0.850 - 4.399	8.30	7.94	7.61	99
15+22+35+60	1.01	1.48	2.36	4.05	8.90 3.20 - 11.60	1.782 0.850 - 4.382	8.19	7.83	7.50	99
15+22+35+71	0.93	1.37	2.18	4.42	8.90 3.20 - 11.60	1.786 0.850 - 4.386	8.20	7.84	7.51	99
15+22+42+42	1.10	1.62	3.09	3.09	8.90 3.20 - 11.60	1.803 0.850 - 4.393	8.28	7.92	7.59	99
15+22+42+50	1.03	1.52	2.90	3.45	8.90 3.20 - 11.60	1.803 0.850 - 4.393	8.28	7.92	7.59	99
15+22+42+60	0.96	1.41	2.69	3.84	8.90 3.20 - 11.60	1.776 0.850 - 4.376	8.15	7.80	7.48	99
15+22+50+50	0.97	1.43	3.25	3.25	8.90 3.20 - 11.60	1.793 0.850 - 4.393	8.23	7.87	7.54	99
15+25+25+25	1.48	2.47	2.47	2.47	8.90 3.20 - 11.60	1.845 0.850 - 4.405	8.47	8.10	7.76	99
15+25+25+35	1.34	2.23	2.23	3.12	8.90 3.20 - 11.60	1.825 0.850 - 4.405	8.37	8.01	7.68	99
15+25+25+42	1.25	2.08	2.08	3.49	8.90 3.20 - 11.60	1.819 0.850 - 4.399	8.35	7.99	7.66	99
15+25+25+50	1.16	1.93	1.93	3.87	8.90 3.20 - 11.60	1.809 0.850 - 4.399	8.30	7.94	7.61	99
15+25+25+60	1.07	1.78	1.78	4.27	8.90 3.20 - 11.60	1.792 0.850 - 4.382	8.23	7.87	7.54	99
15+25+25+71	0.98	1.64	1.64	4.65	8.90 3.20 - 11.60	1.786 0.850 - 4.386	8.20	7.84	7.51	99
15+25+35+35	1.21	2.02	2.83	2.83	8.90 3.20 - 11.60	1.825 0.850 - 4.405	8.37	8.01	7.68	99
15+25+35+42	1.14	1.90	2.66	3.19	8.90 3.20 - 11.60	1.809 0.850 - 4.399	8.30	7.94	7.61	99
15+25+35+50	1.07	1.78	2.49	3.56	8.90 3.20 - 11.60	1.809 0.850 - 4.399	8.30	7.94	7.61	99
15+25+35+60	0.99	1.65	2.31	3.96	8.90 3.20 - 11.60	1.782 0.850 - 4.382	8.19	7.83	7.50	99
15+25+42+42	1.08	1.79	3.01	3.01	8.90 3.20 - 11.60	1.803 0.850 - 4.393	8.28	7.92	7.59	99
15+25+42+50	1.01	1.69	2.83	3.37	8.90 3.20 - 11.60	1.793 0.850 - 4.393	8.23	7.87	7.54	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+25+42+60	0.94	1.57	2.63	3.76	8.90 3.20 - 11.60	1.776 0.850 - 4.376	8.15	7.80	7.48	99
15+25+50+50	0.95	1.59	3.18	3.18	8.90 3.20 - 11.60	1.793 0.850 - 4.393	8.23	7.87	7.54	99
15+35+35+35	1.11	2.60	2.60	2.60	8.90 3.20 - 11.60	1.815 0.850 - 4.405	8.33	7.97	7.64	99
15+35+35+42	1.05	2.45	2.45	2.94	8.90 3.20 - 11.60	1.809 0.850 - 4.399	8.30	7.94	7.61	99
15+35+35+50	0.99	2.31	2.31	3.30	8.90 3.20 - 11.60	1.799 0.850 - 4.399	8.26	7.90	7.57	99
15+35+35+60	0.92	2.15	2.15	3.68	8.90 3.20 - 11.60	1.782 0.850 - 4.382	8.19	7.83	7.50	99
15+35+42+42	1.00	2.32	2.79	2.79	8.90 3.20 - 11.60	1.793 0.850 - 4.393	8.23	7.87	7.54	99
15+35+42+50	0.94	2.19	2.63	3.13	8.90 3.20 - 11.60	1.793 0.850 - 4.393	8.23	7.87	7.54	99
15+42+42+42	0.95	2.65	2.65	2.65	8.90 3.20 - 11.60	1.787 0.850 - 4.387	8.21	7.85	7.52	99
18+18+18+18	2.25	2.25	2.25	2.25	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99
18+18+18+20	2.16	2.16	2.16	2.41	8.90 3.20 - 11.60	1.793 0.850 - 4.403	8.23	7.87	7.54	99
18+18+18+22	2.13	2.13	2.13	2.61	9.00 3.30 - 11.60	1.756 0.850 - 4.396	8.06	7.71	7.39	99
18+18+18+25	2.05	2.05	2.05	2.85	9.00 3.40 - 11.60	1.706 0.850 - 4.396	7.83	7.49	7.18	99
18+18+18+35	1.82	1.82	1.82	3.54	9.00 3.20 - 11.60	1.836 0.850 - 4.396	8.43	8.06	7.72	99
18+18+18+42	1.69	1.69	1.69	3.94	9.00 3.20 - 11.60	1.820 0.850 - 4.390	8.35	7.99	7.66	99
18+18+18+50	1.56	1.56	1.56	4.33	9.00 3.20 - 11.60	1.810 0.850 - 4.390	8.31	7.95	7.62	99
18+18+18+60	1.42	1.42	1.42	4.74	9.00 3.20 - 11.60	1.783 0.850 - 4.373	8.19	7.83	7.50	99
18+18+18+71	1.30	1.30	1.30	5.11	9.00 3.20 - 11.60	1.787 0.850 - 4.377	8.21	7.85	7.52	99
18+18+20+20	2.08	2.08	2.32	2.32	8.80 3.30 - 11.60	1.770 0.850 - 4.410	8.12	7.77	7.45	99
18+18+20+22	2.05	2.05	2.28	2.51	8.90 3.30 - 11.60	1.733 0.850 - 4.403	7.96	7.61	7.29	99
18+18+20+25	1.98	1.98	2.20	2.75	8.90 3.40 - 11.60	1.683 0.850 - 4.403	7.73	7.39	7.08	99
18+18+20+35	1.76	1.76	1.96	3.42	8.90 3.20 - 11.60	1.843 0.850 - 4.403	8.46	8.09	7.75	99
18+18+20+42	1.63	1.63	1.82	3.81	8.90 3.20 - 11.60	1.817 0.850 - 4.397	8.34	7.98	7.65	99
18+18+20+50	1.51	1.51	1.68	4.20	8.90 3.20 - 11.60	1.817 0.850 - 4.397	8.34	7.98	7.65	99
18+18+20+60	1.38	1.38	1.53	4.60	8.90 3.20 - 11.60	1.790 0.850 - 4.380	8.22	7.86	7.53	99
18+18+20+71	1.26	1.26	1.40	4.98	8.90 3.20 - 11.60	1.794 0.850 - 4.384	8.24	7.88	7.55	99
18+18+22+22	2.03	2.03	2.48	2.48	9.00 3.40 - 11.60	1.686 0.850 - 4.396	7.74	7.40	7.09	99
18+18+22+35	1.74	1.74	2.13	3.39	9.00 3.20 - 11.60	1.826 0.850 - 4.396	8.38	8.02	7.69	99
18+18+22+42	1.62	1.62	1.98	3.78	9.00 3.20 - 11.60	1.810 0.850 - 4.390	8.31	7.95	7.62	99
18+18+22+50	1.50	1.50	1.83	4.17	9.00 3.20 - 11.60	1.810 0.850 - 4.390	8.31	7.95	7.62	99
18+18+22+60	1.37	1.37	1.68	4.58	9.00 3.20 - 11.60	1.783 0.850 - 4.373	8.19	7.83	7.50	99
18+18+22+71	1.26	1.26	1.53	4.95	9.00 3.20 - 11.60	1.787 0.850 - 4.377	8.21	7.85	7.52	99
18+18+25+25	1.88	1.88	2.62	2.62	9.00 3.50 - 11.60	1.596 0.850 - 4.396	7.33	7.01	6.72	99
18+18+25+35	1.69	1.69	2.34	3.28	9.00 3.20 - 11.60	1.826 0.850 - 4.396	8.38	8.02	7.69	99
18+18+25+42	1.57	1.57	2.18	3.67	9.00 3.20 - 11.60	1.810 0.850 - 4.390	8.31	7.95	7.62	99
18+18+25+50	1.46	1.46	2.03	4.05	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+18+25+60	1.34	1.34	1.86	4.46	9.00 3.20 - 11.60	1.783 0.850 - 4.373	8.19	7.83	7.50	99
18+18+25+71	1.23	1.23	1.70	4.84	9.00 3.20 - 11.60	1.777 0.850 - 4.377	8.15	7.80	7.48	99
18+18+35+35	1.53	1.53	2.97	2.97	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99
18+18+35+42	1.43	1.43	2.79	3.35	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+18+35+50	1.34	1.34	2.60	3.72	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+18+35+60	1.24	1.24	2.40	4.12	9.00 3.20 - 11.60	1.773 0.850 - 4.373	8.14	7.79	7.47	99
18+18+35+71	1.14	1.14	2.22	4.50	9.00 3.20 - 11.60	1.777 0.850 - 4.377	8.15	7.80	7.48	99
18+18+42+42	1.35	1.35	3.15	3.15	9.00 3.20 - 11.60	1.794 0.850 - 4.384	8.24	7.88	7.55	99
18+18+42+50	1.27	1.27	2.95	3.52	9.00 3.20 - 11.60	1.794 0.850 - 4.384	8.24	7.88	7.55	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+42+60	1.17	1.17	2.74	3.91	9.00 3.20 - 11.60	1.767 0.850 - 4.367	8.11	7.76	7.44	99
18+18+50+50	1.19	1.19	3.31	3.31	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+20+20+20	2.01	2.23	2.23	2.23	8.70 3.30 - 11.60	1.747 0.850 - 4.417	8.02	7.67	7.35	99
18+20+20+22	1.98	2.20	2.20	2.42	8.80 3.40 - 11.60	1.700 0.850 - 4.410	7.81	7.47	7.16	99
18+20+20+35	1.70	1.89	1.89	3.31	8.80 3.20 - 11.60	1.840 0.850 - 4.410	8.45	8.08	7.74	99
18+20+20+42	1.58	1.76	1.76	3.70	8.80 3.20 - 11.60	1.824 0.850 - 4.404	8.37	8.01	7.68	99
18+20+20+50	1.47	1.63	1.63	4.07	8.80 3.20 - 11.60	1.824 0.850 - 4.404	8.37	8.01	7.68	99
18+20+20+60	1.34	1.49	1.49	4.47	8.80 3.20 - 11.60	1.797 0.850 - 4.387	8.25	7.89	7.56	99
18+20+20+71	1.23	1.36	1.36	4.84	8.80 3.20 - 11.60	1.801 0.850 - 4.391	8.27	7.91	7.58	99
18+20+22+22	1.95	2.17	2.39	2.39	8.90 3.40 - 11.60	1.663 0.850 - 4.403	7.63	7.30	7.00	99
18+20+22+25	1.88	2.09	2.30	2.62	8.90 3.50 - 11.60	1.623 0.850 - 4.403	7.45	7.13	6.83	99
18+20+22+35	1.69	1.87	2.06	3.28	8.90 3.20 - 11.60	1.833 0.850 - 4.403	8.42	8.05	7.71	99
18+20+22+42	1.57	1.75	1.92	3.66	8.90 3.20 - 11.60	1.817 0.850 - 4.397	8.34	7.98	7.65	99
18+20+22+50	1.46	1.62	1.78	4.05	8.90 3.20 - 11.60	1.817 0.850 - 4.397	8.34	7.98	7.65	99
18+20+22+60	1.34	1.48	1.63	4.45	8.90 3.20 - 11.60	1.790 0.850 - 4.380	8.22	7.86	7.53	99
18+20+22+71	1.22	1.36	1.49	4.82	8.90 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+20+25+25	1.82	2.02	2.53	2.53	8.90 3.20 - 11.60	1.843 0.850 - 4.403	8.46	8.09	7.75	99
18+20+25+35	1.63	1.82	2.27	3.18	8.90 3.20 - 11.60	1.823 0.850 - 4.403	8.37	8.01	7.68	99
18+20+25+42	1.53	1.70	2.12	3.56	8.90 3.20 - 11.60	1.817 0.850 - 4.397	8.34	7.98	7.65	99
18+20+25+50	1.42	1.58	1.97	3.94	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
18+20+25+60	1.30	1.45	1.81	4.34	8.90 3.20 - 11.60	1.790 0.850 - 4.380	8.22	7.86	7.53	99
18+20+25+71	1.20	1.33	1.66	4.72	8.90 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+20+35+35	1.48	1.65	2.88	2.88	8.90 3.20 - 11.60	1.823 0.850 - 4.403	8.37	8.01	7.68	99
18+20+35+42	1.39	1.55	2.71	3.25	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
18+20+35+50	1.30	1.45	2.53	3.62	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
18+20+35+60	1.20	1.34	2.34	4.02	8.90 3.20 - 11.60	1.780 0.850 - 4.380	8.18	7.82	7.49	99
18+20+35+71	1.11	1.24	2.16	4.39	8.90 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+20+42+42	1.31	1.46	3.06	3.06	8.90 3.20 - 11.60	1.801 0.850 - 4.391	8.27	7.91	7.58	99
18+20+42+50	1.23	1.37	2.88	3.42	8.90 3.20 - 11.60	1.801 0.850 - 4.391	8.27	7.91	7.58	99
18+20+42+60	1.14	1.27	2.67	3.81	8.90 3.20 - 11.60	1.774 0.850 - 4.374	8.14	7.79	7.47	99
18+20+50+50	1.16	1.29	3.22	3.22	8.90 3.20 - 11.60	1.791 0.850 - 4.391	8.23	7.87	7.54	99
18+22+22+22	1.93	2.36	2.36	2.36	9.00 3.50 - 11.60	1.626 0.850 - 4.396	7.46	7.14	6.84	99
18+22+22+25	1.86	2.28	2.28	2.59	9.00 3.40 - 11.60	1.716 0.850 - 4.396	7.88	7.54	7.23	99
18+22+22+35	1.67	2.04	2.04	3.25	9.00 3.20 - 11.60	1.826 0.850 - 4.396	8.38	8.02	7.69	99
18+22+22+42	1.56	1.90	1.90	3.63	9.00 3.20 - 11.60	1.810 0.850 - 4.390	8.31	7.95	7.62	99
18+22+22+50	1.45	1.77	1.77	4.02	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+22+22+60	1.33	1.62	1.62	4.43	9.00 3.20 - 11.60	1.783 0.850 - 4.373	8.19	7.83	7.50	99
18+22+22+71	1.22	1.49	1.49	4.80	9.00 3.20 - 11.60	1.777 0.850 - 4.377	8.15	7.80	7.48	99
18+22+25+25	1.80	2.20	2.50	2.50	9.00 3.20 - 11.60	1.836 0.850 - 4.396	8.43	8.06	7.72	99
18+22+25+35	1.62	1.98	2.25	3.15	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99
18+22+25+42	1.51	1.85	2.10	3.53	9.00 3.20 - 11.60	1.810 0.850 - 4.390	8.31	7.95	7.62	99
18+22+25+50	1.41	1.72	1.96	3.91	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+22+25+60	1.30	1.58	1.80	4.32	9.00 3.20 - 11.60	1.783 0.850 - 4.373	8.19	7.83	7.50	99
18+22+25+71	1.19	1.46	1.65	4.70	9.00 3.20 - 11.60	1.777 0.850 - 4.377	8.15	7.80	7.48	99
18+22+35+35	1.47	1.80	2.86	2.86	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+22+35+42	1.38	1.69	2.69	3.23	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+22+35+50	1.30	1.58	2.52	3.60	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+22+35+60	1.20	1.47	2.33	4.00	9.00 3.20 - 11.60	1.773 0.850 - 4.373	8.14	7.79	7.47	99
18+22+42+42	1.31	1.60	3.05	3.05	9.00 3.20 - 11.60	1.794 0.850 - 4.384	8.24	7.88	7.55	99
18+22+42+50	1.23	1.50	2.86	3.41	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+22+42+60	1.14	1.39	2.66	3.80	9.00 3.20 - 11.60	1.767 0.850 - 4.367	8.11	7.76	7.44	99
18+22+50+50	1.16	1.41	3.21	3.21	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+25+25+25	1.74	2.42	2.42	2.42	9.00 3.20 - 11.60	1.826 0.850 - 4.396	8.38	8.02	7.69	99
18+25+25+35	1.57	2.18	2.18	3.06	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99
18+25+25+42	1.47	2.05	2.05	3.44	9.00 3.20 - 11.60	1.810 0.850 - 4.390	8.31	7.95	7.62	99
18+25+25+50	1.37	1.91	1.91	3.81	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+25+25+60	1.27	1.76	1.76	4.22	9.00 3.20 - 11.60	1.783 0.850 - 4.373	8.19	7.83	7.50	99
18+25+25+71	1.17	1.62	1.62	4.60	9.00 3.20 - 11.60	1.777 0.850 - 4.377	8.15	7.80	7.48	99
18+25+35+35	1.43	1.99	2.79	2.79	9.00 3.20 - 11.60	1.806 0.850 - 4.396	8.29	7.93	7.60	99
18+25+35+42	1.35	1.88	2.63	3.15	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+25+35+50	1.27	1.76	2.46	3.52	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+25+35+60	1.17	1.63	2.28	3.91	9.00 3.20 - 11.60	1.773 0.850 - 4.373	8.14	7.79	7.47	99
18+25+42+42	1.28	1.77	2.98	2.98	9.00 3.20 - 11.60	1.794 0.850 - 4.384	8.24	7.88	7.55	99
18+25+42+50	1.20	1.67	2.80	3.33	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+25+42+60	1.12	1.55	2.61	3.72	9.00 3.20 - 11.60	1.767 0.850 - 4.367	8.11	7.76	7.44	99
18+25+50+50	1.13	1.57	3.15	3.15	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+35+35+35	1.32	2.56	2.56	2.56	9.00 3.20 - 11.60	1.806 0.850 - 4.396	8.29	7.93	7.60	99
18+35+35+42	1.25	2.42	2.42	2.91	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
18+35+35+50	1.17	2.28	2.28	3.26	9.00 3.20 - 11.60	1.790 0.850 - 4.390	8.22	7.86	7.53	99
18+35+42+42	1.18	2.30	2.76	2.76	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+35+42+50	1.12	2.17	2.61	3.10	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
18+42+42+42	1.13	2.63	2.63	2.63	9.00 3.20 - 11.60	1.778 0.850 - 4.378	8.17	7.81	7.48	99
20+20+20+20	2.15	2.15	2.15	2.15	8.60 3.40 - 11.60	1.714 0.850 - 4.424	7.87	7.53	7.22	99
20+20+20+22	2.12	2.12	2.12	2.33	8.70 3.40 - 11.60	1.677 0.850 - 4.417	7.69	7.36	7.05	99
20+20+20+25	2.05	2.05	2.05	2.56	8.70 3.50 - 11.60	1.637 0.850 - 4.417	7.52	7.19	6.89	99
20+20+20+35	1.83	1.83	1.83	3.21	8.70 3.20 - 11.60	1.847 0.850 - 4.417	8.48	8.11	7.77	99
20+20+20+42	1.71	1.71	1.71	3.58	8.70 3.20 - 11.60	1.831 0.850 - 4.411	8.41	8.04	7.71	99
20+20+20+50	1.58	1.58	1.58	3.95	8.70 3.20 - 11.60	1.831 0.850 - 4.411	8.41	8.04	7.71	99
20+20+20+60	1.45	1.45	1.45	4.35	8.70 3.20 - 11.60	1.804 0.850 - 4.394	8.28	7.92	7.59	99
20+20+20+71	1.33	1.33	1.33	4.72	8.70 3.20 - 11.60	1.798 0.850 - 4.398	8.26	7.90	7.57	99
20+20+22+22	2.10	2.10	2.30	2.30	8.80 3.50 - 11.60	1.640 0.850 - 4.410	7.53	7.20	6.90	99
20+20+22+25	2.02	2.02	2.23	2.53	8.80 3.40 - 11.60	1.730 0.850 - 4.410	7.95	7.60	7.28	99
20+20+22+35	1.81	1.81	2.00	3.18	8.80 3.20 - 11.60	1.840 0.850 - 4.410	8.45	8.08	7.74	99
20+20+22+42	1.69	1.69	1.86	3.55	8.80 3.20 - 11.60	1.824 0.850 - 4.404	8.37	8.01	7.68	99
20+20+22+50	1.57	1.57	1.73	3.93	8.80 3.20 - 11.60	1.814 0.850 - 4.404	8.33	7.97	7.64	99
20+20+22+60	1.44	1.44	1.59	4.33	8.80 3.20 - 11.60	1.797 0.850 - 4.387	8.25	7.89	7.56	99
20+20+22+71	1.32	1.32	1.46	4.70	8.80 3.20 - 11.60	1.791 0.850 - 4.391	8.23	7.87	7.54	99
20+20+25+25	1.96	1.96	2.44	2.44	8.80 3.20 - 11.60	1.850 0.850 - 4.410	8.49	8.12	7.78	99
20+20+25+35	1.76	1.76	2.20	3.08	8.80 3.20 - 11.60	1.830 0.850 - 4.410	8.41	8.04	7.71	99
20+20+25+42	1.64	1.64	2.06	3.45	8.80 3.20 - 11.60	1.824 0.850 - 4.404	8.37	8.01	7.68	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+25+50	1.53	1.53	1.91	3.83	8.80 3.20 - 11.60	1.814 0.850 - 4.404	8.33	7.97	7.64	99
20+20+25+60	1.41	1.41	1.76	4.22	8.80 3.20 - 11.60	1.797 0.850 - 4.387	8.25	7.89	7.56	99
20+20+25+71	1.29	1.29	1.62	4.59	8.80 3.20 - 11.60	1.791 0.850 - 4.391	8.23	7.87	7.54	99
20+20+35+35	1.60	1.60	2.80	2.80	8.80 3.20 - 11.60	1.830 0.850 - 4.410	8.41	8.04	7.71	99
20+20+35+42	1.50	1.50	2.63	3.16	8.80 3.20 - 11.60	1.814 0.850 - 4.404	8.33	7.97	7.64	99
20+20+35+50	1.41	1.41	2.46	3.52	8.80 3.20 - 11.60	1.814 0.850 - 4.404	8.33	7.97	7.64	99
20+20+35+60	1.30	1.30	2.28	3.91	8.80 3.20 - 11.60	1.787 0.850 - 4.387	8.21	7.85	7.52	99
20+20+42+42	1.42	1.42	2.98	2.98	8.80 3.20 - 11.60	1.808 0.850 - 4.398	8.30	7.94	7.61	99
20+20+42+50	1.33	1.33	2.80	3.33	8.80 3.20 - 11.60	1.798 0.850 - 4.398	8.26	7.90	7.57	99
20+20+42+60	1.24	1.24	2.60	3.72	8.80 3.20 - 11.60	1.781 0.850 - 4.381	8.18	7.82	7.49	99
20+20+50+50	1.26	1.26	3.14	3.14	8.80 3.20 - 11.60	1.798 0.850 - 4.398	8.26	7.90	7.57	99
20+22+22+22	2.07	2.28	2.28	2.28	8.90 3.50 - 11.60	1.603 0.850 - 4.403	7.36	7.04	6.75	99
20+22+22+25	2.00	2.20	2.20	2.50	8.90 3.20 - 11.60	1.843 0.850 - 4.403	8.46	8.09	7.75	99
20+22+22+35	1.80	1.98	1.98	3.15	8.90 3.20 - 11.60	1.823 0.850 - 4.403	8.37	8.01	7.68	99
20+22+22+42	1.68	1.85	1.85	3.53	8.90 3.20 - 11.60	1.817 0.850 - 4.397	8.34	7.98	7.65	99
20+22+22+50	1.56	1.72	1.72	3.90	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
20+22+22+60	1.44	1.58	1.58	4.31	8.90 3.20 - 11.60	1.790 0.850 - 4.380	8.22	7.86	7.53	99
20+22+22+71	1.32	1.45	1.45	4.68	8.90 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
20+22+25+25	1.93	2.13	2.42	2.42	8.90 3.20 - 11.60	1.833 0.850 - 4.403	8.42	8.05	7.71	99
20+22+25+35	1.75	1.92	2.18	3.05	8.90 3.20 - 11.60	1.823 0.850 - 4.403	8.37	8.01	7.68	99
20+22+25+42	1.63	1.80	2.04	3.43	8.90 3.20 - 11.60	1.817 0.850 - 4.397	8.34	7.98	7.65	99
20+22+25+50	1.52	1.67	1.90	3.80	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
20+22+25+60	1.40	1.54	1.75	4.20	8.90 3.20 - 11.60	1.790 0.850 - 4.380	8.22	7.86	7.53	99
20+22+25+71	1.29	1.42	1.61	4.58	8.90 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
20+22+35+35	1.59	1.75	2.78	2.78	8.90 3.20 - 11.60	1.813 0.850 - 4.403	8.32	7.96	7.63	99
20+22+35+42	1.50	1.65	2.62	3.14	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
20+22+35+50	1.40	1.54	2.45	3.50	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
20+22+35+60	1.30	1.43	2.27	3.90	8.90 3.20 - 11.60	1.780 0.850 - 4.380	8.18	7.82	7.49	99
20+22+42+42	1.41	1.55	2.97	2.97	8.90 3.20 - 11.60	1.801 0.850 - 4.391	8.27	7.91	7.58	99
20+22+42+50	1.33	1.46	2.79	3.32	8.90 3.20 - 11.60	1.791 0.850 - 4.391	8.23	7.87	7.54	99
20+22+42+60	1.24	1.36	2.60	3.71	8.90 3.20 - 11.60	1.774 0.850 - 4.374	8.14	7.79	7.47	99
20+22+50+50	1.25	1.38	3.13	3.13	8.90 3.20 - 11.60	1.791 0.850 - 4.391	8.23	7.87	7.54	99
20+25+25+25	1.87	2.34	2.34	2.34	8.90 3.20 - 11.60	1.833 0.850 - 4.403	8.42	8.05	7.71	99
20+25+25+35	1.70	2.12	2.12	2.97	8.90 3.20 - 11.60	1.823 0.850 - 4.403	8.37	8.01	7.68	99
20+25+25+42	1.59	1.99	1.99	3.34	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
20+25+25+50	1.48	1.85	1.85	3.71	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
20+25+25+60	1.37	1.71	1.71	4.11	8.90 3.20 - 11.60	1.790 0.850 - 4.380	8.22	7.86	7.53	99
20+25+25+71	1.26	1.58	1.58	4.48	8.90 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
20+25+35+35	1.55	1.93	2.71	2.71	8.90 3.20 - 11.60	1.813 0.850 - 4.403	8.32	7.96	7.63	99
20+25+35+42	1.46	1.82	2.55	3.06	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
20+25+35+50	1.37	1.71	2.40	3.42	8.90 3.20 - 11.60	1.807 0.850 - 4.397	8.30	7.94	7.61	99
20+25+35+60	1.27	1.59	2.23	3.81	8.90 3.20 - 11.60	1.780 0.850 - 4.380	8.18	7.82	7.49	99
20+25+42+42	1.38	1.72	2.90	2.90	8.90 3.20 - 11.60	1.801 0.850 - 4.391	8.27	7.91	7.58	99
20+25+42+50	1.30	1.62	2.73	3.25	8.90 3.20 - 11.60	1.791 0.850 - 4.391	8.23	7.87	7.54	99
20+25+50+50	1.23	1.53	3.07	3.07	8.90 3.20 - 11.60	1.791 0.850 - 4.391	8.23	7.87	7.54	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35+35	1.42	2.49	2.49	2.49	8.90 3.20 - 11.60	1.813 0.850 - 4.403	8.32	7.96	7.63	99
20+35+35+42	1.35	2.36	2.36	2.83	8.90 3.20 - 11.60	1.797 0.850 - 4.397	8.25	7.89	7.56	99
20+35+35+50	1.27	2.23	2.23	3.18	8.90 3.20 - 11.60	1.797 0.850 - 4.397	8.25	7.89	7.56	99
20+35+42+42	1.28	2.24	2.69	2.69	8.90 3.20 - 11.60	1.791 0.850 - 4.391	8.23	7.87	7.54	99
22+22+22+22	2.25	2.25	2.25	2.25	9.00 3.20 - 11.60	1.836 0.850 - 4.396	8.43	8.06	7.72	99
22+22+22+25	2.18	2.18	2.18	2.47	9.00 3.20 - 11.60	1.836 0.850 - 4.396	8.43	8.06	7.72	99
22+22+22+35	1.96	1.96	1.96	3.12	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99
22+22+22+42	1.83	1.83	1.83	3.50	9.00 3.20 - 11.60	1.810 0.850 - 4.390	8.31	7.95	7.62	99
22+22+22+50	1.71	1.71	1.71	3.88	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
22+22+22+60	1.57	1.57	1.57	4.29	9.00 3.20 - 11.60	1.783 0.850 - 4.373	8.19	7.83	7.50	99
22+22+22+71	1.45	1.45	1.45	4.66	9.00 3.20 - 11.60	1.777 0.850 - 4.377	8.15	7.80	7.48	99
22+22+25+25	2.11	2.11	2.39	2.39	9.00 3.20 - 11.60	1.826 0.850 - 4.396	8.38	8.02	7.69	99
22+22+25+35	1.90	1.90	2.16	3.03	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99
22+22+25+42	1.78	1.78	2.03	3.41	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
22+22+25+50	1.66	1.66	1.89	3.78	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
22+22+25+60	1.53	1.53	1.74	4.19	9.00 3.20 - 11.60	1.783 0.850 - 4.373	8.19	7.83	7.50	99
22+22+25+71	1.41	1.41	1.61	4.56	9.00 3.20 - 11.60	1.777 0.850 - 4.377	8.15	7.80	7.48	99
22+22+35+35	1.74	1.74	2.76	2.76	9.00 3.20 - 11.60	1.806 0.850 - 4.396	8.29	7.93	7.60	99
22+22+35+42	1.64	1.64	2.60	3.12	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
22+22+35+50	1.53	1.53	2.44	3.49	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
22+22+35+60	1.42	1.42	2.27	3.88	9.00 3.20 - 11.60	1.773 0.850 - 4.373	8.14	7.79	7.47	99
22+22+42+42	1.55	1.55	2.95	2.95	9.00 3.20 - 11.60	1.794 0.850 - 4.384	8.24	7.88	7.55	99
22+22+42+50	1.46	1.46	2.78	3.31	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
22+22+50+50	1.38	1.38	3.13	3.13	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
22+25+25+25	2.04	2.32	2.32	2.32	9.00 3.20 - 11.60	1.826 0.850 - 4.396	8.38	8.02	7.69	99
22+25+25+35	1.85	2.10	2.10	2.94	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99
22+25+25+42	1.74	1.97	1.97	3.32	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
22+25+25+50	1.62	1.84	1.84	3.69	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
22+25+25+60	1.50	1.70	1.70	4.09	9.00 3.20 - 11.60	1.773 0.850 - 4.373	8.14	7.79	7.47	99
22+25+25+71	1.38	1.57	1.57	4.47	9.00 3.20 - 11.60	1.777 0.850 - 4.377	8.15	7.80	7.48	99
22+25+35+35	1.69	1.92	2.69	2.69	9.00 3.20 - 11.60	1.806 0.850 - 4.396	8.29	7.93	7.60	99
22+25+35+42	1.60	1.81	2.54	3.05	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
22+25+35+50	1.50	1.70	2.39	3.41	9.00 3.20 - 11.60	1.790 0.850 - 4.390	8.22	7.86	7.53	99
22+25+35+60	1.39	1.58	2.22	3.80	9.00 3.20 - 11.60	1.773 0.850 - 4.373	8.14	7.79	7.47	99
22+25+42+42	1.51	1.72	2.89	2.89	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
22+25+42+50	1.42	1.62	2.72	3.24	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
22+35+35+35	1.56	2.48	2.48	2.48	9.00 3.20 - 11.60	1.806 0.850 - 4.396	8.29	7.93	7.60	99
22+35+35+42	1.48	2.35	2.35	2.82	9.00 3.20 - 11.60	1.790 0.850 - 4.390	8.22	7.86	7.53	99
22+35+35+50	1.39	2.22	2.22	3.17	9.00 3.20 - 11.60	1.790 0.850 - 4.390	8.22	7.86	7.53	99
22+35+42+42	1.40	2.23	2.68	2.68	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
25+25+25+25	2.25	2.25	2.25	2.25	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99
25+25+25+35	2.05	2.05	2.05	2.86	9.00 3.20 - 11.60	1.816 0.850 - 4.396	8.34	7.98	7.65	99
25+25+25+42	1.92	1.92	1.92	3.23	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
25+25+25+50	1.80	1.80	1.80	3.60	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
25+25+25+60	1.67	1.67	1.67	4.00	9.00 3.20 - 11.60	1.773 0.850 - 4.373	8.14	7.79	7.47	99

MXZ-4F83VFHZ MXZ-4F83VFHZ2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
25+25+35+35	1.88	1.88	2.63	2.63	9.00 3.20 - 11.60	1.806 0.850 - 4.396	8.29	7.93	7.60	99
25+25+35+42	1.77	1.77	2.48	2.98	9.00 3.20 - 11.60	1.800 0.850 - 4.390	8.27	7.91	7.58	99
25+25+35+50	1.67	1.67	2.33	3.33	9.00 3.20 - 11.60	1.790 0.850 - 4.390	8.22	7.86	7.53	99
25+25+35+60	1.55	1.55	2.17	3.72	9.00 3.20 - 11.60	1.773 0.850 - 4.373	8.14	7.79	7.47	99
25+25+42+42	1.68	1.68	2.82	2.82	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
25+25+42+50	1.58	1.58	2.66	3.17	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
25+35+35+35	1.73	2.42	2.42	2.42	9.00 3.20 - 11.60	1.806 0.850 - 4.396	8.29	7.93	7.60	99
25+35+35+42	1.64	2.30	2.30	2.76	9.00 3.20 - 11.60	1.790 0.850 - 4.390	8.22	7.86	7.53	99
25+35+35+50	1.55	2.17	2.17	3.10	9.00 3.20 - 11.60	1.790 0.850 - 4.390	8.22	7.86	7.53	99
25+35+42+42	1.56	2.19	2.63	2.63	9.00 3.20 - 11.60	1.784 0.850 - 4.384	8.19	7.83	7.50	99
35+35+35+35	2.25	2.25	2.25	2.25	9.00 3.20 - 11.60	1.796 0.850 - 4.396	8.25	7.89	7.56	99

Mitsubishi Electric at your service

Mitsubishi Electric Europe B.V. Belgium Living Environment Systems

Main office

Autobaan 2 - 8210 Loppem
T 050 40 48 48 - info@mitsubishi-electric.be

Service centre

Preflexbaan 151 - 1740 Ternat
T 02 582 77 50 - service.as@mee.com

www.mitsubishi-electric.be

