


MXZ-4F83VF

MXZ-4F83VF2

COMBINATION TABLE



MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
15	1.50	-	-	-	1.50 1.50 - 2.20	0.570 0.570 - 0.870	2.61	2.50	2.40	99	
18	1.80	-	-	-	1.80 1.50 - 4.20	0.580 0.580 - 1.060	2.67	2.55	2.44	99	
20	2.00	-	-	-	2.00 1.50 - 2.40	0.580 0.570 - 0.870	2.67	2.55	2.44	99	
22	2.20	-	-	-	2.20 1.50 - 4.20	0.610 0.580 - 1.060	2.80	2.68	2.57	99	
25	2.50	-	-	-	2.50 1.50 - 4.20	0.630 0.580 - 1.060	2.90	2.77	2.65	99	
35	3.50	-	-	-	3.50 1.50 - 4.30	0.790 0.580 - 1.120	3.63	3.47	3.33	99	
42	4.20	-	-	-	4.20 1.50 - 5.00	0.960 0.580 - 1.740	4.41		4.04	99	
50	5.00	-	-	-	5.00 1.50 - 5.50	1.270 0.620 - 1.780	5.83	5.58	5.35	99	
60	6.00	-	-	-	6.00 1.50 - 6.40	1.780 0.620 - 1.950	8.18	7.82	7.49	99	
71	7.10	-	-	-	7.10 1.50 - 7.40	2.480 0.650 - 2.930	11.39	10.89	10.44	99	
15+15	1.50	1.50	-	-	3.00 2.00 - 4.40	0.606 0.600 - 1.486	2.78	2.66	2.55	99	
15+18	1.50	1.80	-	-	3.30 2.00 - 5.00	0.697 0.600 - 1.477	3.20	3.06	2.93	99	
15+20	1.50	2.00	-	-	3.50 2.00 - 5.40	0.774 0.600 - 1.484	3.55	3.40	3.26	99	
15+22	1.50	2.20	-	-	3.70 2.00 - 5.60	0.817 0.600 - 1.477	3.75	3.59	3.44	99	
15+25	1.50	2.50	-	-	4.00 2.00 - 5.60	0.887 0.600 - 1.477	4.08	3.90	3.74	99	
15+35	1.50	3.50	-	-	5.00 2.00 - 6.20	1.197 0.590 - 1.807	5.50	5.26	5.04	99	
15+42	1.50	4.20	-	-	5.70 2.00 - 6.70	1.481 0.590 - 2.151	6.80	6.50	6.23	99	
15+50	1.50	5.00	-	-	6.50 2.00 - 7.30	1.811 0.580 - 2.541	8.31	7.95	7.62	99	
15+60	1.46	5.84	-	-	7.30 2.00 - 8.10	2.234 0.580 - 2.854	10.26	9.81	9.40	99	
15+71	1.38	6.52	-	-	7.90 2.00 - 8.80	2.688 0.580 - 3.028	12.35	11.81	11.32	99	
18+18	1.80	1.80	-	-	3.60 2.00 - 5.60	0.788 0.600 - 1.468	3.62	3.46	3.32	99	
18+20	1.80	2.00	-	-	3.80 2.00 - 5.60	0.845 0.600 - 1.475	3.88	3.71	3.56	99	
18+22	1.80	2.20	-	-	4.00 2.00 - 5.60	0.878 0.600 - 1.468	4.04	3.86	3.70	99	
18+25	1.80	2.50	-	-	4.30 2.00 - 5.60	0.948 0.600 - 1.468	4.35	4.16	3.99	99	
18+35	1.80	3.50	-	-	5.30 2.00 - 6.40	1.308 0.590 - 1.948	6.00	5.74	5.50	99	
18+42	1.80	4.20	-	-	6.00 2.00 - 7.00	1.602 0.590 - 2.292	7.36	7.04	6.75	99	
18+50	1.80	5.00	-	-	6.80 2.00 - 7.60	1.932 0.580 - 2.682	8.87	8.48	8.13	99	
18+60	1.73	5.77	-	-	7.50 2.00 - 8.30	2.365 0.580 - 2.895	10.86	10.39	9.96	99	
18+71	1.62	6.38	-	-	8.00 2.00 - 8.90	2.739 0.580 - 3.069	12.58	12.03	11.53	99	
20+20	2.00	2.00	-	-	4.00 2.00 - 5.60	0.892 0.600 - 1.482	4.10	3.92	3.76	99	
20+22	2.00	2.20	-	-	4.20 2.00 - 5.60	0.935 0.600 - 1.475	4.30	4.11	3.94	99	
20+25	2.00	2.50	-	-	4.50 2.00 - 5.70	1.015 0.600 - 1.535	4.66	4.46	4.27	99	
20+35	2.00	3.50	-	-	5.50 2.00 - 6.60	1.405 0.590 - 2.055	6.45	6.17	5.91	99	
20+42	2.00	4.20	-	-	6.20 2.00 - 7.10	1.689 0.580 - 2.389	7.76	7.42	7.11	99	
20+50	2.00	5.00	-	-	7.00 2.00 - 7.70	2.019 0.580 - 2.789	9.27	8.87	8.50	99	
20+60	1.90	5.70	-	-	7.60 2.00 - 8.50	2.462 0.580 - 2.932	11.30	10.81	10.36	99	
20+71	1.76	6.24	-	-	8.00 2.00 - 8.90	2.786 0.580 - 3.106	12.80	12.24	11.73	99	
22+22	2.20	2.20	-	-	4.40 2.00 - 5.60	0.968 0.600 - 1.468	4.44	4.25	4.07	99	
22+25	2.20	2.50	-	-	4.70 2.00 - 5.90	1.078 0.600 - 1.638	4.95	4.73	4.53	99	
22+35	2.20	3.50	-	-	5.70 2.00 - 6.70	1.478 0.590 - 2.148	6.79	6.49	6.22	99	
22+42	2.20	4.20	-	-	6.40 2.00 - 7.30	1.762 0.580 - 2.482	8.09	7.74	7.42	99	
22+50	2.17	4.93	-	-	7.10 2.00 - 7.90	2.102 0.580 - 2.812	9.65	9.23	8.85	99	
22+60	2.07	5.63	-	-	7.70 2.00 - 8.60	2.545 0.580 - 2.955	11.69	11.18	10.71	99	
22+71	1.92	6.18	-	-	8.10 2.10 - 9.00	2.809 0.580 - 3.129	12.90	12.34	11.83	99	
25+25	2.50	2.50	-	-	5.00 2.00 - 6.20	1.188 0.590 - 1.798	5.46	5.22	5.00	99	

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
25+35	2.50	3.50	-	-	6.00 2.00 - 7.00	1.608 0.590 - 2.298	7.38	7.06	6.77	99	
25+42	2.50	4.20	-	-	6.70 2.00 - 7.50	1.892 0.580 - 2.632	8.69	8.31	7.96	99	
25+50	2.43	4.87	-	-	7.30 2.00 - 8.10	2.242 0.580 - 2.862	10.30	9.85	9.44	99	
25+60	2.29	5.51	-	-	7.80 2.00 - 8.80	2.655 0.580 - 3.005	12.19	11.66	11.17	99	
25+71	2.14	6.06	-	-	8.20 2.10 - 9.00	2.869 0.580 - 3.179	13.17	12.60	12.08	99	
35+35	3.50	3.50	-	-	7.00 2.00 - 7.70	2.018 0.580 - 2.788	9.26	8.86	8.49	99	
35+42	3.36	4.04	-	-	7.40 2.00 - 8.30	2.332 0.580 - 2.892	10.71	10.24	9.81	99	
35+50	3.21	4.59	-	-	7.80 2.00 - 8.80	2.672 0.580 - 3.022	12.26	11.73	11.24	99	
35+60	2.98	5.12	-	-	8.10 2.10 - 9.00	2.845 0.580 - 3.155	13.06	12.49	11.97	99	
35+71	2.74	5.56	-	-	8.30 2.10 - 9.10	2.949 0.570 - 3.269	13.54	12.95	12.41	99	
42+42	3.90	3.90	-	-	7.80 2.00 - 8.80	2.646 0.580 - 2.996	12.15	11.62	11.14	99	
42+50	3.70	4.40	-	-	8.10 2.10 - 9.00	2.806 0.580 - 3.126	12.88	12.32	11.81	99	
42+71	3.08	5.22	-	-	8.30 2.10 - 9.20	2.933 0.560 - 3.303	13.47	12.88	12.34	99	
50+50	4.15	4.15	-	-	8.30 2.10 - 9.10	2.956 0.580 - 3.246	13.57	12.98	12.44	99	
50+60	3.77	4.53	-	-	8.30 2.10 - 9.20	2.939 0.570 - 3.289	13.50	12.91	12.37	99	
50+71	3.43	4.87	-	-	8.30 2.10 - 9.20	2.933 0.550 - 3.353	13.47	12.88	12.34	99	
60+60	4.15	4.15	-	-	8.30 2.10 - 9.20	2.912 0.550 - 3.322	13.37	12.79	12.26	99	
60+71	3.80	4.50	-	-	8.30 2.10 - 9.20	2.916 0.550 - 3.416	13.39	12.81	12.28	99	
71+71	4.15	4.15	-	-	8.30 2.10 - 9.20	2.910 0.550 - 3.510	13.36	12.78	12.25	99	
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 6.30	1.009 0.690 - 2.359	4.63	4.43	4.25	99	
15+15+18	1.50	1.50	1.80	-	4.80 2.90 - 6.90	1.070 0.690 - 2.350	4.91	4.70	4.50	99	
15+15+20	1.50	1.50	2.00	-	5.00 2.90 - 7.30	1.127 0.690 - 2.357	5.18	4.95	4.74	99	
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.70	1.160 0.690 - 2.350	5.32	5.09	4.88	99	
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 8.10	1.230 0.690 - 2.350	5.65	5.40	5.18	99	
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	1.480 0.690 - 2.350	6.80	6.50	6.23	99	
15+15+42	1.50	1.50	4.20 *	-	7.20 2.90 - 8.70	1.654 0.690 - 2.614	7.59	7.26	6.96	99	
15+15+50	1.43	1.43	4.75 *	-	7.60 2.90 - 9.00	1.884 0.690 - 2.774	8.65	8.27	7.93	99	
15+15+60	1.32	1.32	5.27	-	7.90 2.90 - 9.10	2.167 0.690 - 2.787	9.95	9.52	9.12	99	
15+15+71	1.22	1.22	5.76	-	8.20 2.90 - 9.20	2.501 0.690 - 2.821	11.48	10.98	10.52	99	
15+18+18	1.50	1.80	1.80	-	5.10 2.90 - 7.50	1.131 0.690 - 2.341	5.20	4.97	4.76	99	
15+18+20	1.50	1.80	2.00	-	5.30 2.90 - 7.90	1.188 0.690 - 2.348	5.46	5.22	5.00	99	
15+18+22	1.50	1.80	2.20	-	5.50 2.90 - 8.10	1.221 0.690 - 2.341	5.60	5.36	5.14	99	
15+18+25	1.50	1.80	2.50	-	5.80 2.90 - 8.10	1.291 0.690 - 2.341	5.93	5.67	5.43	99	
15+18+35	1.50	1.80	3.50	-	6.80 2.90 - 8.30	1.541 0.690 - 2.431	7.08	6.77	6.49	99	
15+18+42	1.50	1.80	4.20 *	-	7.50 2.90 - 9.00	1.725 0.690 - 2.745	7.92	7.58	7.26	99	
15+18+60	1.29	1.55	5.16	-	8.00 2.90 - 9.10	2.248 0.690 - 2.778	10.32	9.87	9.46	99	
15+18+71	1.20	1.44	5.67	-	8.30 2.90 - 9.20	2.582 0.690 - 2.822	11.86	11.34	10.87	99	
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 8.10	1.235 0.690 - 2.355	5.67	5.42	5.19	99	
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 8.10	1.278 0.690 - 2.348	5.87	5.61	5.38	99	
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	1.348 0.690 - 2.348	6.19	5.92	5.67	99	
15+20+35	1.50	2.00	3.50	-	7.00 2.90 - 8.50	1.608 0.690 - 2.528	7.38	7.06	6.77	99	
15+20+42	1.48	1.97	4.15 *	-	7.60 2.90 - 9.00	1.792 0.690 - 2.762	8.23	7.87	7.54	99	
15+20+50	1.38	1.84	4.59 *	-	7.80 2.90 - 9.10	2.032 0.690 - 2.782	9.33	8.92	8.55	99	
15+20+60	1.26	1.68	5.05	-	8.00 2.90 - 9.10	2.315 0.690 - 2.795	10.63	10.17	9.75	99	
15+20+71	1.17	1.57	5.56	-	8.30 2.90 - 9.20	2.619 0.690 - 2.829	12.02	11.50	11.02	99	

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.10	1.321 0.690 - 2.341	6.06	5.80	5.56	99
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	1.391 0.690 - 2.341	6.39	6.11	5.86	99
15+22+35	1.50	2.20	3.50	-	7.20 2.90 - 8.70	1.651 0.690 - 2.611	7.58	7.25	6.95	99
15+22+42	1.44	2.12	4.04 *	-	7.60 2.90 - 9.00	1.845 0.690 - 2.755	8.47	8.10	7.76	99
15+22+50	1.34	1.97	4.48 *	-	7.80 2.90 - 9.10	2.085 0.690 - 2.785	9.58	9.16	8.78	99
15+22+60	1.25	1.84	5.01	-	8.10 2.90 - 9.10	2.368 0.690 - 2.798	10.87	10.40	9.97	99
15+22+71	1.15	1.69	5.46	-	8.30 2.90 - 9.20	2.602 0.690 - 2.832	11.95	11.43	10.95	99
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	1.471 0.690 - 2.341	6.75	6.46	6.19	99
15+25+35	1.50	2.50	3.50	-	7.50 2.90 - 9.00	1.731 0.690 - 2.751	7.95	7.60	7.28	99
15+25+42	1.41	2.35	3.94 *	-	7.70 2.90 - 9.00	1.935 0.690 - 2.765	8.89	8.50	8.15	99
15+25+50	1.32	2.19	4.39 *	-	7.90 2.90 - 9.10	2.175 0.690 - 2.795	9.98	9.55	9.15	99
15+25+60	1.23	2.05	4.92	-	8.20 2.90 - 9.20	2.458 0.690 - 2.808	11.28	10.79	10.34	99
15+25+71	1.12	1.87	5.31	-	8.30 2.90 - 9.20	2.602 0.690 - 2.842	11.95	11.43	10.95	99
15+35+35	1.38	3.21	3.21	-	7.80 2.90 - 9.10	2.031 0.690 - 2.781	9.33	8.92	8.55	99
15+35+42	1.30	3.04	3.65 *	-	8.00 2.90 - 9.10	2.235 0.690 - 2.795	10.27	9.82	9.41	99
15+35+50	1.23	2.87	4.10 *	-	8.20 2.90 - 9.20	2.475 0.690 - 2.825	11.36	10.87	10.42	99
15+35+60	1.13	2.64	4.53	-	8.30 2.90 - 9.20	2.598 0.690 - 2.838	11.93	11.41	10.93	99
15+35+71	1.03	2.40	4.87	-	8.30 2.90 - 9.20	2.572 0.690 - 2.882	11.81	11.30	10.83	99
15+42+42	1.23	3.44	3.44 *	-	8.10 2.90 - 9.20	2.439 0.690 - 2.809	11.20	10.71	10.26	99
15+42+50	1.16	3.26	3.88 *	-	8.30 2.90 - 9.20	2.619 0.690 - 2.839	12.02	11.50	11.02	99
15+42+60	1.06	2.98	4.26	-	8.30 2.90 - 9.20	2.572 0.690 - 2.862	11.81	11.30	10.83	99
15+42+71	0.97	2.72	4.60	-	8.30 2.90 - 9.20	2.546 0.690 - 2.906	11.69	11.18	10.71	99
15+50+50	1.08	3.61	3.61 *	-	8.30 2.90 - 9.20	2.599 0.690 - 2.869	11.93	11.41	10.93	99
15+50+60	1.00	3.32	3.98	-	8.30 2.90 - 9.20	2.552 0.690 - 2.892	11.72	11.21	10.74	99
15+50+71	0.92	3.05	4.33	-	8.30 2.90 - 9.20	2.526 0.690 - 2.966	11.59	11.09	10.63	99
15+60+60	0.92	3.69	3.69	-	8.30 2.90 - 9.20	2.515 0.690 - 2.945	11.55	11.05	10.59	99
18+18+18	1.80	1.80	1.80	-	5.40 2.90 - 8.10	1.192 0.690 - 2.332	5.47	5.23	5.01	99
18+18+20	1.80	1.80	2.00	-	5.60 2.90 - 8.10	1.249 0.690 - 2.339	5.74	5.49	5.26	99
18+18+22	1.80	1.80	2.20	-	5.80 2.90 - 8.10	1.282 0.690 - 2.332	5.89	5.63	5.40	99
18+18+25	1.80	1.80	2.50	-	6.10 2.90 - 8.10	1.362 0.690 - 2.332	6.25	5.98	5.73	99
18+18+35	1.80	1.80	3.50	-	7.10 2.90 - 8.60	1.612 0.690 - 2.562	7.40	7.08	6.79	99
18+18+42	1.75	1.75	4.09 *	-	7.60 2.90 - 9.00	1.806 0.690 - 2.746	8.29	7.93	7.60	99
18+18+50	1.63	1.63	4.53 *	-	7.80 2.90 - 9.10	2.046 0.690 - 2.766	9.40	8.99	8.62	99
18+18+60	1.52	1.52	5.06	-	8.10 2.90 - 9.10	2.329 0.690 - 2.779	10.70	10.23	9.80	99
18+18+71	1.40	1.40	5.51	-	8.30 2.90 - 9.20	2.603 0.690 - 2.823	11.95	11.43	10.95	99
18+20+20	1.80	2.00	2.00	-	5.80 2.90 - 8.10	1.296 0.690 - 2.346	5.95	5.69	5.45	99
18+20+22	1.80	2.00	2.20	-	6.00 2.90 - 8.10	1.339 0.690 - 2.339	6.15	5.88	5.64	99
18+20+25	1.80	2.00	2.50	-	6.30 2.90 - 8.10	1.419 0.690 - 2.339	6.51	6.23	5.97	99
18+20+35	1.80	2.00	3.50	-	7.30 2.90 - 8.80	1.679 0.690 - 2.659	7.71	7.37	7.06	99
18+20+42	1.71	1.90	3.99 *	-	7.60 2.90 - 9.00	1.873 0.690 - 2.763	8.60	8.23	7.89	99
18+20+50	1.60	1.77	4.43 *	-	7.80 2.90 - 9.10	2.113 0.690 - 2.783	9.70	9.28	8.89	99
18+20+60	1.49	1.65	4.96	-	8.10 2.90 - 9.20	2.396 0.690 - 2.796	11.00	10.52	10.08	99
18+20+71	1.37	1.52	5.41	-	8.30 2.90 - 9.20	2.600 0.690 - 2.840	11.94	11.42	10.94	99
18+22+22	1.80	2.20	2.20	-	6.20 2.90 - 8.10	1.382 0.690 - 2.332	6.35	6.07	5.82	99
18+22+25	1.80	2.20	2.50	-	6.50 2.90 - 8.10	1.462 0.690 - 2.332	6.71	6.42	6.15	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
18+22+35	1.80	2.20	3.50	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.90	7.56	7.25	99	
18+22+42	1.69	2.07	3.94 *	-	7.70 2.90 - 9.00	1.926 0.690 - 2.756	8.84	8.46	8.11	99	
18+22+50	1.58	1.93	4.39 *	-	7.90 2.90 - 9.10	2.166 0.690 - 2.786	9.94	9.51	9.11	99	
18+22+60	1.48	1.80	4.92	-	8.20 2.90 - 9.20	2.449 0.690 - 2.799	11.25	10.76	10.31	99	
18+22+71	1.35	1.65	5.31	-	8.30 2.90 - 9.20	2.593 0.690 - 2.833	11.91	11.39	10.92	99	
18+25+25	1.80	2.50	2.50	-	6.80 2.90 - 8.30	1.532 0.690 - 2.422	7.04	6.73	6.45	99	
18+25+35	1.75	2.44	3.41	-	7.60 2.90 - 9.00	1.812 0.690 - 2.752	8.32	7.96	7.63	99	
18+25+42	1.65	2.29	3.85 *	-	7.80 2.90 - 9.10	2.016 0.690 - 2.766	9.25	8.85	8.48	99	
18+25+50	1.55	2.15	4.30 *	-	8.00 2.90 - 9.10	2.256 0.690 - 2.786	10.36	9.91	9.50	99	
18+25+60	1.43	1.99	4.78	-	8.20 2.90 - 9.20	2.539 0.690 - 2.799	11.66	11.15	10.69	99	
18+25+71	1.31	1.82	5.17	-	8.30 2.90 - 9.20	2.583 0.690 - 2.843	11.86	11.34	10.87	99	
18+35+35	1.60	3.10	3.10	-	7.80 2.90 - 9.10	2.112 0.690 - 2.782	9.70	9.28	8.89	99	
18+35+42	1.52	2.95	3.54 *	-	8.00 2.90 - 9.10	2.316 0.690 - 2.796	10.63	10.17	9.75	99	
18+35+50	1.43	2.79	3.98 *	-	8.20 2.90 - 9.20	2.556 0.690 - 2.816	11.74	11.23	10.76	99	
18+35+60	1.32	2.57	4.41	-	8.30 2.90 - 9.20	2.579 0.690 - 2.839	11.85	11.33	10.86	99	
18+35+71	1.20	2.34	4.75	-	8.30 2.90 - 9.20	2.553 0.690 - 2.883	11.72	11.21	10.74	99	
18+42+42	1.45	3.38	3.38 *	-	8.20 2.90 - 9.20	2.520 0.690 - 2.810	11.57	11.07	10.61	99	
18+42+50	1.36	3.17	3.77 *	-	8.30 2.90 - 9.20	2.600 0.690 - 2.840	11.94	11.42	10.94	99	
18+42+60	1.25	2.91	4.15	-	8.30 2.90 - 9.20	2.553 0.690 - 2.863	11.72	11.21	10.74	99	
18+42+71	1.14	2.66	4.50	-	8.30 2.90 - 9.20	2.537 0.690 - 2.927	11.65	11.14	10.68	99	
18+50+50	1.27	3.52	3.52 *	-	8.30 2.90 - 9.20	2.580 0.690 - 2.870	11.85	11.33	10.86	99	
18+50+60	1.17	3.24	3.89	-	8.30 2.90 - 9.20	2.533 0.690 - 2.893	11.63	11.12	10.66	99	
18+50+71	1.07	2.99	4.24	-	8.30 2.90 - 9.20	2.517 0.690 - 2.987	11.55	11.05	10.59	99	
18+60+60	1.08	3.61	3.61	-	8.30 2.90 - 9.20	2.496 0.690 - 2.956	11.46	10.96	10.50	99	
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.353 0.690 - 2.353	6.21	5.94	5.69	99	
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.396 0.690 - 2.346	6.41	6.13	5.87	99	
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.476 0.690 - 2.346	6.77	6.48	6.21	99	
20+20+35	2.00	2.00	3.50	-	7.50 2.90 - 9.00	1.736 0.690 - 2.756	7.97	7.62	7.30	99	
20+20+42	1.88	1.88	3.94 *	-	7.70 2.90 - 9.00	1.940 0.690 - 2.770	8.91	8.52	8.17	99	
20+20+50	1.76	1.76	4.39 *	-	7.90 2.90 - 9.10	2.180 0.690 - 2.800	10.01	9.57	9.17	99	
20+20+60	1.64	1.64	4.92	-	8.20 2.90 - 9.20	2.463 0.690 - 2.813	11.31	10.82	10.37	99	
20+20+71	1.50	1.50	5.31	-	8.30 2.90 - 9.20	2.607 0.690 - 2.847	11.97	11.45	10.97	99	
20+22+22	2.00	2.20	2.20	-	6.40 2.90 - 8.10	1.439 0.690 - 2.339	6.61	6.32	6.06	99	
20+22+25	2.00	2.20	2.50	-	6.70 2.90 - 8.20	1.519 0.690 - 2.389	6.97	6.67	6.39	99	
20+22+35	1.97	2.17	3.45	-	7.60 2.90 - 9.00	1.789 0.690 - 2.759	8.22	7.86	7.53	99	
20+22+42	1.83	2.02	3.85 *	-	7.70 2.90 - 9.10	1.993 0.690 - 2.773	9.15	8.75	8.39	99	
20+22+50	1.74	1.91	4.35 *	-	8.00 2.90 - 9.10	2.233 0.690 - 2.793	10.26	9.81	9.40	99	
20+22+60	1.61	1.77	4.82	-	8.20 2.90 - 9.20	2.516 0.690 - 2.806	11.55	11.05	10.59	99	
20+22+71	1.47	1.62	5.22	-	8.30 2.90 - 9.20	2.590 0.690 - 2.850	11.89	11.37	10.90	99	
20+25+25	2.00	2.50	2.50	-	7.00 2.90 - 8.50	1.599 0.690 - 2.519	7.34	7.02	6.73	99	
20+25+35	1.90	2.38	3.33	-	7.60 2.90 - 9.00	1.879 0.690 - 2.769	8.63	8.25	7.91	99	
20+25+42	1.79	2.24	3.77 *	-	7.80 2.90 - 9.10	2.083 0.690 - 2.783	9.57	9.15	8.77	99	
20+25+50	1.68	2.11	4.21 *	-	8.00 2.90 - 9.10	2.323 0.690 - 2.803	10.66	10.20	9.78	99	
20+25+60	1.58	1.98	4.74	-	8.30 2.90 - 9.20	2.606 0.690 - 2.816	11.96	11.44	10.96	99	
20+25+71	1.43	1.79	5.08	-	8.30 2.90 - 9.20	2.580 0.690 - 2.860	11.85	11.33	10.86	99	

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
20+35+35	1.76	3.07	3.07	-	7.90 2.90 - 9.10	2.179 0.690 - 2.799	10.01	9.57	9.17	99
20+35+42	1.67	2.92	3.51 *	-	8.10 2.90 - 9.10	2.383 0.690 - 2.813	10.95	10.47	10.03	99
20+35+50	1.58	2.77	3.95 *	-	8.30 2.90 - 9.20	2.623 0.690 - 2.833	12.04	11.52	11.04	99
20+35+60	1.44	2.53	4.33	-	8.30 2.90 - 9.20	2.586 0.690 - 2.856	11.88	11.36	10.89	99
20+35+71	1.32	2.31	4.68	-	8.30 2.90 - 9.20	2.560 0.690 - 2.900	11.75	11.24	10.77	99
20+42+42	1.60	3.35	3.35 *	-	8.30 2.90 - 9.20	2.587 0.690 - 2.827	11.88	11.36	10.89	99
20+42+50	1.48	3.11	3.71 *	-	8.30 2.90 - 9.20	2.597 0.690 - 2.857	11.93	11.41	10.93	99
20+42+60	1.36	2.86	4.08	-	8.30 2.90 - 9.20	2.560 0.690 - 2.870	11.75	11.24	10.77	99
20+42+71	1.25	2.62	4.43	-	8.30 2.90 - 9.20	2.534 0.690 - 2.944	11.64	11.13	10.67	99
20+50+50	1.38	3.46	3.46 *	-	8.30 2.90 - 9.20	2.577 0.690 - 2.887	11.83	11.32	10.85	99
20+50+60	1.28	3.19	3.83	-	8.30 2.90 - 9.20	2.540 0.690 - 2.920	11.67	11.16	10.70	99
20+50+71	1.18	2.94	4.18	-	8.30 2.90 - 9.20	2.514 0.690 - 3.004	11.54	11.04	10.58	99
20+60+60	1.19	3.56	3.56	-	8.30 2.90 - 9.20	2.493 0.690 - 2.973	11.45	10.95	10.49	99
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.482 0.690 - 2.332	6.81	6.51	6.24	99
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.40	1.562 0.690 - 2.472	7.17	6.86	6.57	99
22+22+35	2.12	2.12	3.37	-	7.60 2.90 - 9.00	1.842 0.690 - 2.752	8.46	8.09	7.75	99
22+22+42	2.00	2.00	3.81 *	-	7.80 2.90 - 9.10	2.046 0.690 - 2.766	9.40	8.99	8.62	99
22+22+50	1.87	1.87	4.26 *	-	8.00 2.90 - 9.10	2.286 0.690 - 2.796	10.50	10.04	9.62	99
22+22+60	1.76	1.76	4.79	-	8.30 2.90 - 9.20	2.569 0.690 - 2.809	11.79	11.28	10.81	99
22+22+71	1.59	1.59	5.12	-	8.30 2.90 - 9.20	2.583 0.690 - 2.853	11.86	11.34	10.87	99
22+25+25	2.20	2.50	2.50	-	7.20 2.90 - 8.70	1.642 0.690 - 2.602	7.54	7.21	6.91	99
22+25+35	2.07	2.35	3.29	-	7.70 2.90 - 9.00	1.932 0.690 - 2.762	8.87	8.48	8.13	99
22+25+42	1.95	2.22	3.73 *	-	7.90 2.90 - 9.10	2.136 0.690 - 2.776	9.81	9.38	8.99	99
22+25+50	1.84	2.09	4.18 *	-	8.10 2.90 - 9.10	2.376 0.690 - 2.806	10.90	10.43	10.00	99
22+25+60	1.71	1.94	4.65	-	8.30 2.90 - 9.20	2.599 0.690 - 2.819	11.93	11.41	10.93	99
22+25+71	1.55	1.76	4.99	-	8.30 2.90 - 9.20	2.573 0.690 - 2.863	11.81	11.30	10.83	99
22+35+35	1.91	3.04	3.04	-	8.00 2.90 - 9.10	2.232 0.690 - 2.792	10.25	9.80	9.39	99
22+35+42	1.80	2.86	3.44 *	-	8.10 2.90 - 9.20	2.436 0.690 - 2.806	11.19	10.70	10.25	99
22+35+50	1.71	2.71	3.88 *	-	8.30 2.90 - 9.20	2.616 0.690 - 2.836	12.01	11.49	11.01	99
22+35+60	1.56	2.48	4.26	-	8.30 2.90 - 9.20	2.569 0.690 - 2.859	11.79	11.28	10.81	99
22+35+71	1.43	2.27	4.60	-	8.30 2.90 - 9.20	2.543 0.690 - 2.903	11.68	11.17	10.70	99
22+42+42	1.72	3.29	3.29 *	-	8.30 2.90 - 9.20	2.610 0.690 - 2.820	11.98	11.46	10.98	99
22+42+50	1.60	3.06	3.64 *	-	8.30 2.90 - 9.20	2.590 0.690 - 2.850	11.89	11.37	10.90	99
22+42+60	1.47	2.81	4.02	-	8.30 2.90 - 9.20	2.543 0.690 - 2.873	11.68	11.17	10.70	99
22+42+71	1.35	2.58	4.37	-	8.30 2.90 - 9.20	2.527 0.690 - 2.957	11.60	11.10	10.64	99
22+50+50	1.50	3.40	3.40 *	-	8.30 2.90 - 9.20	2.570 0.690 - 2.880	11.80	11.29	10.82	99
22+50+60	1.38	3.14	3.77	-	8.30 2.90 - 9.20	2.523 0.690 - 2.923	11.58	11.08	10.62	99
22+50+71	1.28	2.90	4.12	-	8.30 2.90 - 9.20	2.507 0.690 - 3.017	11.51	11.01	10.55	99
22+60+60	1.29	3.51	3.51	-	8.30 2.90 - 9.20	2.486 0.690 - 2.986	11.42	10.92	10.47	99
25+25+25	2.50	2.50	2.50	-	7.50 2.90 - 9.00	1.722 0.690 - 2.742	7.90	7.56	7.25	99
25+25+35	2.29	2.29	3.21	-	7.80 2.90 - 9.10	2.022 0.690 - 2.772	9.28	8.88	8.51	99
25+25+42	2.17	2.17	3.65 *	-	8.00 2.90 - 9.10	2.226 0.690 - 2.786	10.22	9.78	9.37	99
25+25+50	2.05	2.05	4.10 *	-	8.20 2.90 - 9.20	2.466 0.690 - 2.816	11.32	10.83	10.38	99
25+25+60	1.89	1.89	4.53	-	8.30 2.90 - 9.20	2.589 0.690 - 2.829	11.89	11.37	10.90	99
25+25+71	1.71	1.71	4.87	-	8.30 2.90 - 9.20	2.563 0.690 - 2.873	11.77	11.26	10.79	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+35+35	2.11	2.95	2.95	-	8.00 2.90 - 9.10	2.322 0.690 - 2.802	10.66	10.20	9.78	99
25+35+42	2.01	2.81	3.38 *	-	8.20 2.90 - 9.20	2.526 0.690 - 2.816	11.59	11.09	10.63	99
25+35+50	1.89	2.64	3.77 *	-	8.30 2.90 - 9.20	2.606 0.690 - 2.846	11.96	11.44	10.96	99
25+35+60	1.73	2.42	4.15	-	8.30 2.90 - 9.20	2.559 0.690 - 2.869	11.75	11.24	10.77	99
25+35+71	1.58	2.22	4.50	-	8.30 2.90 - 9.20	2.543 0.690 - 2.933	11.68	11.17	10.70	99
25+42+42	1.90	3.20	3.20 *	-	8.30 2.90 - 9.20	2.600 0.690 - 2.840	11.94	11.42	10.94	99
25+42+50	1.77	2.98	3.55 *	-	8.30 2.90 - 9.20	2.580 0.690 - 2.870	11.85	11.33	10.86	99
25+42+60	1.63	2.74	3.92	-	8.30 2.90 - 9.20	2.543 0.690 - 2.893	11.68	11.17	10.70	99
25+42+71	1.50	2.53	4.27	-	8.30 2.90 - 9.20	2.517 0.690 - 2.977	11.55	11.05	10.59	99
25+50+50	1.66	3.32	3.32 *	-	8.30 2.90 - 9.20	2.560 0.690 - 2.900	11.75	11.24	10.77	99
25+50+60	1.54	3.07	3.69	-	8.30 2.90 - 9.20	2.523 0.690 - 2.953	11.58	11.08	10.62	99
25+60+60	1.43	3.43	3.43	-	8.30 2.90 - 9.20	2.476 0.690 - 3.006	11.36	10.87	10.42	99
35+35+35	2.77	2.77	2.77	-	8.30 2.90 - 9.20	2.622 0.690 - 2.832	12.04	11.52	11.04	99
35+35+42	2.59	2.59	3.11 *	-	8.30 2.90 - 9.20	2.596 0.690 - 2.856	11.92	11.40	10.93	99
35+35+50	2.42	2.42	3.46 *	-	8.30 2.90 - 9.20	2.576 0.690 - 2.886	11.82	11.31	10.84	99
35+35+60	2.23	2.23	3.83	-	8.30 2.90 - 9.20	2.539 0.690 - 2.919	11.66	11.15	10.69	99
35+35+71	2.06	2.06	4.18	-	8.30 2.90 - 9.20	2.513 0.690 - 3.003	11.54	11.04	10.58	99
35+42+42	2.44	2.93	2.93 *	-	8.30 2.90 - 9.20	2.580 0.690 - 2.870	11.85	11.33	10.86	99
35+42+50	2.29	2.74	3.27 *	-	8.30 2.90 - 9.20	2.560 0.690 - 2.910	11.75	11.24	10.77	99
35+42+60	2.12	2.54	3.64	-	8.30 2.90 - 9.20	2.513 0.690 - 2.963	11.54	11.04	10.58	99
35+50+50	2.15	3.07	3.07 *	-	8.30 2.90 - 9.20	2.540 0.690 - 2.970	11.67	11.16	10.70	99
35+50+60	2.00	2.86	3.43	-	8.30 2.90 - 9.20	2.493 0.690 - 3.023	11.45	10.95	10.49	99
42+42+42	2.77	2.77	2.77 *	-	8.30 2.90 - 9.20	2.554 0.690 - 2.894	11.73	11.22	10.75	99
42+42+50	2.60	2.60	3.10 *	-	8.30 2.90 - 9.20	2.534 0.690 - 2.954	11.64	11.13	10.67	99
42+42+60	2.42	2.42	3.46	-	8.30 2.90 - 9.20	2.487 0.690 - 3.007	11.42	10.92	10.47	99
42+50+50	2.45	2.92	2.92 *	-	8.30 2.90 - 9.20	2.514 0.690 - 3.014	11.54	11.04	10.58	99
15+15+15+15	1.40	1.40	1.40	1.40	5.60 3.70 - 7.20	1.352 0.660 - 2.972	6.21	5.94	5.69	99
15+15+15+18	1.43	1.43	1.43	1.71	6.00 3.70 - 7.70	1.413 0.660 - 3.233	6.49	6.21	5.95	99
15+15+15+20	1.41	1.41	1.41	1.88	6.10 3.70 - 8.00	1.470 0.660 - 3.420	6.75	6.46	6.19	99
15+15+15+22	1.43	1.43	1.43	2.10	6.40 3.70 - 8.40	1.513 0.660 - 3.593	6.94	6.64	6.36	99
15+15+15+25	1.44	1.44	1.44	2.39	6.70 3.70 - 8.90	1.583 0.660 - 3.863	7.27	6.95	6.66	99
15+15+15+35	1.41	1.41	1.41	3.28	7.50 3.70 - 9.20	1.783 0.660 - 4.043	8.19	7.83	7.50	99
15+15+15+42	1.38	1.38	1.38	3.86 *	8.00 3.70 - 9.20	1.897 0.660 - 4.037	8.71	8.33	7.98	99
15+15+15+50	1.26	1.26	1.26	4.21 *	8.00 3.70 - 9.20	1.897 0.660 - 4.037	8.71	8.33	7.98	99
15+15+15+60	1.14	1.14	1.14	4.57	8.00 3.70 - 9.20	1.880 0.660 - 4.020	8.64	8.26	7.92	99
15+15+15+71	1.03	1.03	1.03	4.90	8.00 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	7.93	99
15+15+18+18	1.45	1.45	1.75	1.75	6.40 3.70 - 8.20	1.484 0.660 - 3.494	6.82	6.52	6.25	99
15+15+18+20	1.43	1.43	1.72	1.91	6.50 3.70 - 8.50	1.531 0.660 - 3.681	7.03	6.72	6.44	99
15+15+18+22	1.46	1.46	1.75	2.14	6.80 3.70 - 8.90	1.574 0.660 - 3.854	7.22	6.91	6.62	99
15+15+18+25	1.46	1.46	1.75	2.43	7.10 3.70 - 9.20	1.644 0.660 - 4.034	7.55	7.22	6.92	99
15+15+18+42	1.35	1.35	1.62	3.78 *	8.10 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	7.94	99
15+15+18+50	1.24	1.24	1.49	4.13 *	8.10 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	7.94	99
15+15+18+60	1.13	1.13	1.35	4.50	8.10 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
15+15+18+71	1.02	1.02	1.23	4.83	8.10 3.70 - 9.20	1.875 0.660 - 4.015	8.60	8.23	7.89	99
15+15+20+20	1.41	1.41	1.89	1.89	6.60 3.70 - 8.90	1.588 0.660 - 3.868	7.29	6.97	6.68	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+22	1.44	1.44	1.92	2.11	6.90 3.70 - 9.20	1.631 0.660 - 4.041	7.49	7.16	6.86	99
15+15+20+25	1.42	1.42	1.89	2.37	7.10 3.70 - 9.20	1.691 0.660 - 4.041	7.77	7.43	7.12	99
15+15+20+35	1.39	1.39	1.86	3.25	7.90 3.70 - 9.20	1.871 0.660 - 4.041	8.59	8.22	7.88	99
15+15+20+42	1.30	1.30	1.74	3.65 *	8.00 3.70 - 9.20	1.895 0.660 - 4.035	8.70	8.32	7.97	99
15+15+20+50	1.20	1.20	1.60	4.00 *	8.00 3.70 - 9.20	1.895 0.660 - 4.035	8.70	8.32	7.97	99
15+15+20+60	1.09	1.09	1.45	4.36	8.00 3.70 - 9.20	1.878 0.660 - 4.018	8.63	8.25	7.91	99
15+15+20+71	0.99	0.99	1.32	4.69	8.00 3.70 - 9.20	1.882 0.660 - 4.022	8.65	8.27	7.93	99
15+15+22+22	1.46	1.46	2.14	2.14	7.20 3.70 - 9.20	1.664 0.660 - 4.034	7.64	7.31	7.01	99
15+15+22+25	1.44	1.44	2.11	2.40	7.40 3.70 - 9.20	1.714 0.660 - 4.034	7.87	7.53	7.22	99
15+15+22+35	1.40	1.40	2.05	3.26	8.10 3.70 - 9.20	1.894 0.660 - 4.034	8.70	8.32	7.97	99
15+15+22+42	1.29	1.29	1.90	3.62 *	8.10 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	7.94	99
15+15+22+50	1.19	1.19	1.75	3.97 *	8.10 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	7.94	99
15+15+22+60	1.08	1.08	1.59	4.34	8.10 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
15+15+22+71	0.99	0.99	1.45	4.68	8.10 3.70 - 9.20	1.875 0.660 - 4.015	8.60	8.23	7.89	99
15+15+25+25	1.43	1.43	2.38	2.38	7.60 3.70 - 9.20	1.774 0.660 - 4.034	8.14	7.79	7.47	99
15+15+25+35	1.35	1.35	2.25	3.15	8.10 3.70 - 9.20	1.894 0.660 - 4.034	8.70	8.32	7.97	99
15+15+25+42	1.25	1.25	2.09	3.51 *	8.10 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	7.94	99
15+15+25+50	1.16	1.16	1.93	3.86 *	8.10 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	7.94	99
15+15+25+60	1.06	1.06	1.76	4.23	8.10 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
15+15+25+71	0.96	0.96	1.61	4.56	8.10 3.70 - 9.20	1.875 0.660 - 4.015	8.60	8.23	7.89	99
15+15+35+35	1.22	1.22	2.84	2.84	8.10 3.70 - 9.20	1.894 0.660 - 4.034	8.70	8.32	7.97	99
15+15+35+42	1.14	1.14	2.65	3.18 *	8.10 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	7.94	99
15+15+35+50	1.06	1.06	2.47	3.52 *	8.10 3.70 - 9.20	1.888 0.660 - 4.028	8.67	8.29	7.94	99
15+15+35+60	0.97	0.97	2.27	3.89	8.10 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
15+15+35+71	0.89	0.89	2.08	4.23	8.10 3.70 - 9.20	1.875 0.660 - 4.015	8.60	8.23	7.89	99
15+15+42+42	1.07	1.07	2.98 *	2.98 *	8.10 3.70 - 9.20	1.882 0.660 - 4.022	8.65	8.27	7.93	99
15+15+42+50	1.00	1.00	2.79 *	3.32 *	8.10 3.70 - 9.20	1.882 0.660 - 4.022	8.65	8.27	7.93	99
15+15+42+60	0.92	0.92	2.58 *	3.68	8.10 3.70 - 9.20	1.865 0.660 - 4.005	8.56	8.19	7.85	99
15+15+42+71	0.85	0.85	2.38 *	4.02	8.10 3.70 - 9.20	1.869 0.660 - 4.009	8.58	8.21	7.87	99
15+15+50+50	0.93	0.93	3.12 *	3.12 *	8.10 3.70 - 9.20	1.882 0.660 - 4.022	8.65	8.27	7.93	99
15+15+50+60	0.87	0.87	2.89 *	3.47	8.10 3.70 - 9.20	1.865 0.660 - 4.005	8.56	8.19	7.85	99
15+18+18+18	1.48	1.77	1.77	1.77	6.80 3.70 - 8.70	1.545 0.660 - 3.755	7.10	6.79	6.51	99
15+18+18+20	1.46	1.75	1.75	1.94	6.90 3.70 - 9.00	1.602 0.660 - 3.942	7.36	7.04	6.75	99
15+18+18+22	1.48	1.78	1.78	2.17	7.20 3.70 - 9.20	1.635 0.660 - 4.025	7.51	7.18	6.88	99
15+18+18+25	1.46	1.75	1.75	2.43	7.40 3.70 - 9.20	1.685 0.660 - 4.025	7.74	7.40	7.09	99
15+18+18+35	1.43	1.72	1.72	3.34	8.20 3.70 - 9.20	1.875 0.660 - 4.025	8.60	8.23	7.89	99
15+18+18+42	1.32	1.59	1.59	3.70 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+18+18+50	1.22	1.46	1.46	4.06 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+18+18+60	1.11	1.33	1.33	4.43	8.20 3.70 - 9.20	1.862 0.660 - 4.002	8.55	8.18	7.84	99
15+18+18+71	1.01	1.21	1.21	4.77	8.20 3.70 - 9.20	1.866 0.660 - 4.006	8.56	8.19	7.85	99
15+18+20+20	1.44	1.73	1.92	1.92	7.00 3.70 - 9.20	1.649 0.660 - 4.039	7.57	7.24	6.94	99
15+18+20+22	1.44	1.73	1.92	2.11	7.20 3.70 - 9.20	1.682 0.660 - 4.032	7.73	7.39	7.08	99
15+18+20+25	1.44	1.73	1.92	2.40	7.50 3.70 - 9.20	1.732 0.660 - 4.032	7.96	7.61	7.29	99
15+18+20+35	1.38	1.66	1.84	3.22	8.10 3.70 - 9.20	1.892 0.660 - 4.032	8.69	8.31	7.96	99
15+18+20+42	1.28	1.53	1.71	3.58 *	8.10 3.70 - 9.20	1.886 0.660 - 4.026	8.66	8.28	7.94	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+50	1.18	1.42	1.57	3.93 *	8.10 3.70 - 9.20	1.886 0.660 - 4.026	8.66	8.28	7.94	99
15+18+20+60	1.08	1.29	1.43	4.30	8.10 3.70 - 9.20	1.869 0.660 - 4.009	8.58	8.21	7.87	99
15+18+20+71	0.98	1.18	1.31	4.64	8.10 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+18+22+22	1.46	1.75	2.14	2.14	7.50 3.70 - 9.20	1.705 0.660 - 4.025	7.83	7.49	7.18	99
15+18+22+25	1.44	1.73	2.12	2.41	7.70 3.70 - 9.20	1.765 0.660 - 4.025	8.10	7.75	7.43	99
15+18+22+35	1.37	1.64	2.00	3.19	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+18+22+42	1.27	1.52	1.86	3.55 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+18+22+50	1.17	1.41	1.72	3.90 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+18+22+60	1.07	1.28	1.57	4.28	8.20 3.70 - 9.20	1.862 0.660 - 4.002	8.55	8.18	7.84	99
15+18+22+71	0.98	1.17	1.43	4.62	8.20 3.70 - 9.20	1.866 0.660 - 4.006	8.56	8.19	7.85	99
15+18+25+35	1.32	1.59	2.20	3.09	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+18+25+42	1.23	1.48	2.05	3.44 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+18+25+50	1.14	1.37	1.90	3.80 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+18+25+60	1.04	1.25	1.74	4.17	8.20 3.70 - 9.20	1.862 0.660 - 4.002	8.55	8.18	7.84	99
15+18+25+71	0.95	1.14	1.59	4.51	8.20 3.70 - 9.20	1.866 0.660 - 4.006	8.56	8.19	7.85	99
15+18+35+35	1.19	1.43	2.79	2.79	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+18+35+42	1.12	1.34	2.61	3.13 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+18+35+50	1.04	1.25	2.43	3.47 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+18+35+60	0.96	1.15	2.24	3.84	8.20 3.70 - 9.20	1.862 0.660 - 4.002	8.55	8.18	7.84	99
15+18+35+71	0.88	1.06	2.06	4.19	8.20 3.70 - 9.20	1.866 0.660 - 4.006	8.56	8.19	7.85	99
15+18+42+42	1.05	1.26	2.94 *	2.94 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+18+42+50	0.98	1.18	2.76 *	3.28 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+18+42+60	0.91	1.09	2.55 *	3.64	8.20 3.70 - 9.20	1.856 0.660 - 3.996	8.52	8.15	7.81	99
15+18+50+50	0.92	1.11	3.08 *	3.08 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+18+50+60	0.86	1.03	2.87 *	3.44	8.20 3.70 - 9.20	1.856 0.660 - 3.996	8.52	8.15	7.81	99
15+20+20+20	1.40	1.87	1.87	1.87	7.00 3.70 - 9.20	1.696 0.660 - 4.046	7.79	7.45	7.14	99
15+20+20+22	1.42	1.90	1.90	2.09	7.30 3.70 - 9.20	1.719 0.660 - 4.039	7.89	7.55	7.24	99
15+20+20+25	1.41	1.88	1.88	2.34	7.50 3.70 - 9.20	1.779 0.660 - 4.039	8.17	7.81	7.48	99
15+20+20+35	1.33	1.78	1.78	3.11	8.00 3.70 - 9.20	1.899 0.660 - 4.039	8.72	8.34	7.99	99
15+20+20+42	1.24	1.65	1.65	3.46 *	8.00 3.70 - 9.20	1.893 0.660 - 4.033	8.69	8.31	7.96	99
15+20+20+50	1.14	1.52	1.52	3.81 *	8.00 3.70 - 9.20	1.893 0.660 - 4.033	8.69	8.31	7.96	99
15+20+20+60	1.04	1.39	1.39	4.17	8.00 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
15+20+20+71	0.95	1.27	1.27	4.51	8.00 3.70 - 9.20	1.880 0.660 - 4.020	8.64	8.26	7.92	99
15+20+22+22	1.44	1.92	2.12	2.12	7.60 3.70 - 9.20	1.752 0.660 - 4.032	8.04	7.69	7.37	99
15+20+22+25	1.43	1.90	2.09	2.38	7.80 3.70 - 9.20	1.812 0.660 - 4.032	8.32	7.96	7.63	99
15+20+22+35	1.32	1.76	1.94	3.08	8.10 3.70 - 9.20	1.892 0.660 - 4.032	8.69	8.31	7.96	99
15+20+22+42	1.23	1.64	1.80	3.44 *	8.10 3.70 - 9.20	1.886 0.660 - 4.026	8.66	8.28	7.94	99
15+20+22+50	1.14	1.51	1.67	3.79 *	8.10 3.70 - 9.20	1.886 0.660 - 4.026	8.66	8.28	7.94	99
15+20+22+60	1.04	1.38	1.52	4.15	8.10 3.70 - 9.20	1.869 0.660 - 4.009	8.58	8.21	7.87	99
15+20+22+71	0.95	1.27	1.39	4.49	8.10 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+20+25+25	1.41	1.88	2.35	2.35	8.00 3.70 - 9.20	1.862 0.660 - 4.032	8.55	8.18	7.84	99
15+20+25+35	1.28	1.71	2.13	2.98	8.10 3.70 - 9.20	1.892 0.660 - 4.032	8.69	8.31	7.96	99
15+20+25+42	1.19	1.59	1.99	3.34 *	8.10 3.70 - 9.20	1.886 0.660 - 4.026	8.66	8.28	7.94	99
15+20+25+50	1.10	1.47	1.84	3.68 *	8.10 3.70 - 9.20	1.886 0.660 - 4.026	8.66	8.28	7.94	99
15+20+25+60	1.01	1.35	1.69	4.05	8.10 3.70 - 9.20	1.869 0.660 - 4.009	8.58	8.21	7.87	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+25+71	0.93	1.24	1.55	4.39	8.10 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+20+35+35	1.16	1.54	2.70	2.70	8.10 3.70 - 9.20	1.892 0.660 - 4.032	8.69	8.31	7.96	99
15+20+35+42	1.08	1.45	2.53	3.04 *	8.10 3.70 - 9.20	1.886 0.660 - 4.026	8.66	8.28	7.94	99
15+20+35+50	1.01	1.35	2.36	3.38 *	8.10 3.70 - 9.20	1.886 0.660 - 4.026	8.66	8.28	7.94	99
15+20+35+60	0.93	1.25	2.18	3.74	8.10 3.70 - 9.20	1.869 0.660 - 4.009	8.58	8.21	7.87	99
15+20+35+71	0.86	1.15	2.01	4.08	8.10 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+20+42+42	1.02	1.36	2.86 *	2.86 *	8.10 3.70 - 9.20	1.880 0.660 - 4.020	8.64	8.26	7.92	99
15+20+42+50	0.96	1.28	2.68 *	3.19 *	8.10 3.70 - 9.20	1.880 0.660 - 4.020	8.64	8.26	7.92	99
15+20+42+60	0.89	1.18	2.48 *	3.55	8.10 3.70 - 9.20	1.863 0.660 - 4.003	8.55	8.18	7.84	99
15+20+50+50	0.90	1.20	3.00 *	3.00 *	8.10 3.70 - 9.20	1.880 0.660 - 4.020	8.64	8.26	7.92	99
15+20+50+60	0.84	1.12	2.79 *	3.35	8.10 3.70 - 9.20	1.863 0.660 - 4.003	8.55	8.18	7.84	99
15+22+22+22	1.44	2.12	2.12	2.12	7.80 3.70 - 9.20	1.785 0.660 - 4.025	8.20	7.84	7.51	99
15+22+22+25	1.43	2.10	2.10	2.38	8.00 3.70 - 9.20	1.835 0.660 - 4.025	8.43	8.06	7.72	99
15+22+22+35	1.31	1.92	1.92	3.05	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+22+22+42	1.22	1.79	1.79	3.41 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+22+22+50	1.13	1.66	1.66	3.76 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+22+22+60	1.03	1.52	1.52	4.13	8.20 3.70 - 9.20	1.862 0.660 - 4.002	8.55	8.18	7.84	99
15+22+22+71	0.95	1.39	1.39	4.48	8.20 3.70 - 9.20	1.866 0.660 - 4.006	8.56	8.19	7.85	99
15+22+25+25	1.41	2.07	2.36	2.36	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+22+25+35	1.27	1.86	2.11	2.96	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+22+25+42	1.18	1.73	1.97	3.31 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+22+25+50	1.10	1.61	1.83	3.66 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+22+25+60	1.01	1.48	1.68	4.03	8.20 3.70 - 9.20	1.862 0.660 - 4.002	8.55	8.18	7.84	99
15+22+25+71	0.92	1.36	1.54	4.38	8.20 3.70 - 9.20	1.866 0.660 - 4.006	8.56	8.19	7.85	99
15+22+35+35	1.15	1.69	2.68	2.68	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+22+35+42	1.08	1.58	2.52	3.02 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+22+35+50	1.01	1.48	2.35	3.36 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+22+35+60	0.93	1.37	2.17	3.73	8.20 3.70 - 9.20	1.862 0.660 - 4.002	8.55	8.18	7.84	99
15+22+35+71	0.86	1.26	2.01	4.07	8.20 3.70 - 9.20	1.866 0.660 - 4.006	8.56	8.19	7.85	99
15+22+42+42	1.02	1.49	2.85 *	2.85 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+22+42+50	0.95	1.40	2.67 *	3.18 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+22+42+60	0.88	1.30	2.48 *	3.54	8.20 3.70 - 9.20	1.856 0.660 - 3.996	8.52	8.15	7.81	99
15+22+50+50	0.90	1.32	2.99 *	2.99 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+25+25+25	1.37	2.28	2.28	2.28	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+25+25+35	1.23	2.05	2.05	2.87	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+25+25+42	1.15	1.92	1.92	3.22 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+25+25+50	1.07	1.78	1.78	3.57 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+25+25+60	0.98	1.64	1.64	3.94	8.20 3.70 - 9.20	1.862 0.660 - 4.002	8.55	8.18	7.84	99
15+25+25+71	0.90	1.51	1.51	4.28	8.20 3.70 - 9.20	1.866 0.660 - 4.006	8.56	8.19	7.85	99
15+25+35+35	1.12	1.86	2.61	2.61	8.20 3.70 - 9.20	1.885 0.660 - 4.025	8.66	8.28	7.94	99
15+25+35+42	1.05	1.75	2.45	2.94 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+25+35+50	0.98	1.64	2.30	3.28 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019	8.63	8.25	7.91	99
15+25+35+60	0.91	1.52	2.13	3.64	8.20 3.70 - 9.20	1.862 0.660 - 4.002	8.55	8.18	7.84	99
15+25+42+42	0.99	1.65	2.78 *	2.78 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99
15+25+42+50	0.93	1.55	2.61 *	3.11 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013	8.60	8.23	7.89	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+25+42+60	0.87	1.44	2.43 *	3.46	8.20 3.70 - 9.20	1.856 0.660 - 3.996		8.52	8.15	7.81	99
15+25+50+50	0.88	1.46	2.93 *	2.93 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013		8.60	8.23	7.89	99
15+35+35+35	1.03	2.39	2.39	2.39	8.20 3.70 - 9.20	1.885 0.660 - 4.025		8.66	8.28	7.94	99
15+35+35+42	0.97	2.26	2.26	2.71 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019		8.63	8.25	7.91	99
15+35+35+50	0.91	2.13	2.13	3.04 *	8.20 3.70 - 9.20	1.879 0.660 - 4.019		8.63	8.25	7.91	99
15+35+35+60	0.85	1.98	1.98	3.39	8.20 3.70 - 9.20	1.862 0.660 - 4.002		8.55	8.18	7.84	99
15+35+42+42	0.92	2.14	2.57 *	2.57 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013		8.60	8.23	7.89	99
15+35+42+50	0.87	2.02	2.43 *	2.89 *	8.20 3.70 - 9.20	1.873 0.660 - 4.013		8.60	8.23	7.89	99
15+42+42+42	0.87	2.44	2.44 *	2.44 *	8.20 3.70 - 9.20	1.867 0.660 - 4.007		8.57	8.20	7.86	99
18+18+18+18	1.80	1.80	1.80	1.80	7.20 3.70 - 9.20	1.606 0.660 - 4.016		7.37	7.05	6.76	99
18+18+18+20	1.78	1.78	1.78	1.97	7.30 3.70 - 9.20	1.653 0.660 - 4.023		7.59	7.26	6.96	99
18+18+18+22	1.78	1.78	1.78	2.17	7.50 3.70 - 9.20	1.676 0.660 - 4.016		7.69	7.36	7.05	99
18+18+18+25	1.78	1.78	1.78	2.47	7.80 3.70 - 9.20	1.736 0.660 - 4.016		7.97	7.62	7.30	99
18+18+18+35	1.68	1.68	1.68	3.26	8.30 3.70 - 9.20	1.876 0.660 - 4.016		8.61	8.24	7.90	99
18+18+18+42	1.56	1.56	1.56	3.63 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010		8.58	8.21	7.87	99
18+18+18+50	1.44	1.44	1.44	3.99 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010		8.58	8.21	7.87	99
18+18+18+60	1.31	1.31	1.31	4.37	8.30 3.70 - 9.20	1.853 0.660 - 3.993		8.51	8.14	7.80	99
18+18+18+71	1.20	1.20	1.20	4.71	8.30 3.70 - 9.20	1.857 0.660 - 3.997		8.53	8.16	7.82	99
18+18+20+20	1.73	1.73	1.92	1.92	7.30 3.70 - 9.20	1.690 0.660 - 4.030		7.76	7.42	7.11	99
18+18+20+22	1.75	1.75	1.95	2.14	7.60 3.70 - 9.20	1.723 0.660 - 4.023		7.91	7.57	7.25	99
18+18+20+25	1.73	1.73	1.93	2.41	7.80 3.70 - 9.20	1.783 0.660 - 4.023		8.19	7.83	7.50	99
18+18+20+35	1.62	1.62	1.80	3.15	8.20 3.70 - 9.20	1.883 0.660 - 4.023		8.65	8.27	7.93	99
18+18+20+42	1.51	1.51	1.67	3.51 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017		8.61	8.24	7.90	99
18+18+20+50	1.39	1.39	1.55	3.87 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017		8.61	8.24	7.90	99
18+18+20+60	1.27	1.27	1.41	4.24	8.20 3.70 - 9.20	1.860 0.660 - 4.000		8.54	8.17	7.83	99
18+18+20+71	1.16	1.16	1.29	4.58	8.20 3.70 - 9.20	1.864 0.660 - 4.004		8.56	8.19	7.85	99
18+18+22+22	1.76	1.76	2.15	2.15	7.80 3.70 - 9.20	1.756 0.660 - 4.016		8.06	7.71	7.39	99
18+18+22+35	1.61	1.61	1.96	3.12	8.30 3.70 - 9.20	1.876 0.660 - 4.016		8.61	8.24	7.90	99
18+18+22+42	1.49	1.49	1.83	3.49 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010		8.58	8.21	7.87	99
18+18+22+50	1.38	1.38	1.69	3.84 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010		8.58	8.21	7.87	99
18+18+22+60	1.27	1.27	1.55	4.22	8.30 3.70 - 9.20	1.853 0.660 - 3.993		8.51	8.14	7.80	99
18+18+22+71	1.16	1.16	1.42	4.57	8.30 3.70 - 9.20	1.857 0.660 - 3.997		8.53	8.16	7.82	99
18+18+25+25	1.74	1.74	2.41	2.41	8.30 3.70 - 9.20	1.866 0.660 - 4.016		8.56	8.19	7.85	99
18+18+25+35	1.56	1.56	2.16	3.03	8.30 3.70 - 9.20	1.876 0.660 - 4.016		8.61	8.24	7.90	99
18+18+25+42	1.45	1.45	2.01	3.38 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010		8.58	8.21	7.87	99
18+18+25+50	1.35	1.35	1.87	3.74 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010		8.58	8.21	7.87	99
18+18+25+60	1.23	1.23	1.71	4.12	8.30 3.70 - 9.20	1.853 0.660 - 3.993		8.51	8.14	7.80	99
18+18+25+71	1.13	1.13	1.57	4.46	8.30 3.70 - 9.20	1.857 0.660 - 3.997		8.53	8.16	7.82	99
18+18+35+35	1.41	1.41	2.74	2.74	8.30 3.70 - 9.20	1.876 0.660 - 4.016		8.61	8.24	7.90	99
18+18+35+42	1.32	1.32	2.57	3.08 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010		8.58	8.21	7.87	99
18+18+35+50	1.23	1.23	2.40	3.43 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010		8.58	8.21	7.87	99
18+18+35+60	1.14	1.14	2.22	3.80	8.30 3.70 - 9.20	1.853 0.660 - 3.993		8.51	8.14	7.80	99
18+18+35+71	1.05	1.05	2.05	4.15	8.30 3.70 - 9.20	1.857 0.660 - 3.997		8.53	8.16	7.82	99
18+18+42+42	1.25	1.25	2.91 *	2.91 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004		8.56	8.19	7.85	99
18+18+42+50	1.17	1.17	2.72 *	3.24 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004		8.56	8.19	7.85	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+42+60	1.08	1.08	2.53 *	3.61	8.30 3.70 - 9.20	1.847 0.660 - 3.987	8.48	8.11	7.77	99
18+18+50+50	1.10	1.10	3.05 *	3.05 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+20+20+20	1.71	1.90	1.90	1.90	7.40 3.70 - 9.20	1.737 0.660 - 4.037	7.98	7.63	7.31	99
18+20+20+22	1.71	1.90	1.90	2.09	7.60 3.70 - 9.20	1.770 0.660 - 4.030	8.12	7.77	7.45	99
18+20+20+35	1.57	1.74	1.74	3.05	8.10 3.70 - 9.20	1.890 0.660 - 4.030	8.68	8.30	7.95	99
18+20+20+42	1.46	1.62	1.62	3.40 *	8.10 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	7.93	99
18+20+20+50	1.35	1.50	1.50	3.75 *	8.10 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	7.93	99
18+20+20+60	1.24	1.37	1.37	4.12	8.10 3.70 - 9.20	1.867 0.660 - 4.007	8.57	8.20	7.86	99
18+20+20+71	1.13	1.26	1.26	4.46	8.10 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
18+20+22+22	1.73	1.93	2.12	2.12	7.90 3.70 - 9.20	1.803 0.660 - 4.023	8.28	7.92	7.59	99
18+20+22+25	1.72	1.91	2.10	2.38	8.10 3.70 - 9.20	1.853 0.660 - 4.023	8.51	8.14	7.80	99
18+20+22+35	1.55	1.73	1.90	3.02	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
18+20+22+42	1.45	1.61	1.77	3.38 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
18+20+22+50	1.34	1.49	1.64	3.73 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
18+20+22+60	1.23	1.37	1.50	4.10	8.20 3.70 - 9.20	1.860 0.660 - 4.000	8.54	8.17	7.83	99
18+20+22+71	1.13	1.25	1.38	4.44	8.20 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+20+25+25	1.68	1.86	2.33	2.33	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
18+20+25+35	1.51	1.67	2.09	2.93	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
18+20+25+42	1.41	1.56	1.95	3.28 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
18+20+25+50	1.31	1.45	1.81	3.63 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
18+20+25+60	1.20	1.33	1.67	4.00	8.20 3.70 - 9.20	1.860 0.660 - 4.000	8.54	8.17	7.83	99
18+20+25+71	1.10	1.22	1.53	4.34	8.20 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+20+35+35	1.37	1.52	2.66	2.66	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
18+20+35+42	1.28	1.43	2.50	2.99 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
18+20+35+50	1.20	1.33	2.33	3.33 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
18+20+35+60	1.11	1.23	2.16	3.70	8.20 3.70 - 9.20	1.860 0.660 - 4.000	8.54	8.17	7.83	99
18+20+35+71	1.03	1.14	1.99	4.04	8.20 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+20+42+42	1.21	1.34	2.82 *	2.82 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
18+20+42+50	1.14	1.26	2.65 *	3.15 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
18+20+42+60	1.05	1.17	2.46 *	3.51	8.20 3.70 - 9.20	1.854 0.660 - 3.994	8.51	8.14	7.80	99
18+20+50+50	1.07	1.19	2.97 *	2.97 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
18+22+22+22	1.74	2.12	2.12	2.12	8.10 3.70 - 9.20	1.826 0.660 - 4.016	8.38	8.02	7.69	99
18+22+22+25	1.72	2.10	2.10	2.39	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
18+22+22+35	1.54	1.88	1.88	2.99	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
18+22+22+42	1.44	1.76	1.76	3.35 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+22+22+50	1.33	1.63	1.63	3.71 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+22+22+60	1.22	1.50	1.50	4.08	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
18+22+22+71	1.12	1.37	1.37	4.43	8.30 3.70 - 9.20	1.857 0.660 - 3.997	8.53	8.16	7.82	99
18+22+25+25	1.66	2.03	2.31	2.31	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
18+22+25+35	1.49	1.83	2.08	2.91	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
18+22+25+42	1.40	1.71	1.94	3.26 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+22+25+50	1.30	1.59	1.80	3.61 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+22+25+60	1.20	1.46	1.66	3.98	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
18+22+25+71	1.10	1.34	1.53	4.33	8.30 3.70 - 9.20	1.857 0.660 - 3.997	8.53	8.16	7.82	99
18+22+35+35	1.36	1.66	2.64	2.64	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+22+35+42	1.28	1.56	2.48	2.98 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+22+35+50	1.20	1.46	2.32	3.32 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+22+35+60	1.11	1.35	2.15	3.69	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
18+22+42+42	1.20	1.47	2.81 *	2.81 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+22+42+50	1.13	1.38	2.64 *	3.14 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+22+42+60	1.05	1.29	2.45 *	3.51	8.30 3.70 - 9.20	1.847 0.660 - 3.987	8.48	8.11	7.77	99
18+22+50+50	1.07	1.30	2.96 *	2.96 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+25+25+25	1.61	2.23	2.23	2.23	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
18+25+25+35	1.45	2.01	2.01	2.82	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
18+25+25+42	1.36	1.89	1.89	3.17 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+25+25+50	1.27	1.76	1.76	3.52 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+25+25+60	1.17	1.62	1.62	3.89	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
18+25+25+71	1.07	1.49	1.49	4.24	8.30 3.70 - 9.20	1.857 0.660 - 3.997	8.53	8.16	7.82	99
18+25+35+35	1.32	1.84	2.57	2.57	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
18+25+35+42	1.25	1.73	2.42	2.91 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+25+35+50	1.17	1.62	2.27	3.24 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+25+35+60	1.08	1.50	2.11	3.61	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
18+25+42+42	1.18	1.63	2.74 *	2.74 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+25+42+50	1.11	1.54	2.58 *	3.07 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+25+42+60	1.03	1.43	2.40 *	3.43	8.30 3.70 - 9.20	1.847 0.660 - 3.987	8.48	8.11	7.77	99
18+25+50+50	1.04	1.45	2.90 *	2.90 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+35+35+35	1.21	2.36	2.36	2.36	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
18+35+35+42	1.15	2.23	2.23	2.68 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+35+35+50	1.08	2.11	2.11	3.01 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
18+35+42+42	1.09	2.12	2.54 *	2.54 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+35+42+50	1.03	2.00	2.40 *	2.86 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
18+42+42+42	1.04	2.42	2.42 *	2.42 *	8.30 3.70 - 9.20	1.858 0.660 - 3.998	8.53	8.16	7.82	99
20+20+20+20	1.85	1.85	1.85	1.85	7.40 3.70 - 9.20	1.784 0.660 - 4.044	8.19	7.83	7.50	99
20+20+20+22	1.88	1.88	1.88	2.07	7.70 3.70 - 9.20	1.817 0.660 - 4.037	8.34	7.98	7.65	99
20+20+20+25	1.86	1.86	1.86	2.32	7.90 3.70 - 9.20	1.867 0.660 - 4.037	8.57	8.20	7.86	99
20+20+20+35	1.68	1.68	1.68	2.95	8.00 3.70 - 9.20	1.897 0.660 - 4.037	8.71	8.33	7.98	99
20+20+20+42	1.57	1.57	1.57	3.29 *	8.00 3.70 - 9.20	1.891 0.660 - 4.031	8.68	8.30	7.95	99
20+20+20+50	1.45	1.45	1.45	3.64 *	8.00 3.70 - 9.20	1.891 0.660 - 4.031	8.68	8.30	7.95	99
20+20+20+60	1.33	1.33	1.33	4.00	8.00 3.70 - 9.20	1.874 0.660 - 4.014	8.60	8.23	7.89	99
20+20+20+71	1.22	1.22	1.22	4.34	8.00 3.70 - 9.20	1.878 0.660 - 4.018	8.63	8.25	7.91	99
20+20+22+22	1.88	1.88	2.07	2.07	7.90 3.70 - 9.20	1.840 0.660 - 4.030	8.45	8.08	7.74	99
20+20+22+25	1.86	1.86	2.05	2.33	8.10 3.70 - 9.20	1.890 0.660 - 4.030	8.68	8.30	7.95	99
20+20+22+35	1.67	1.67	1.84	2.92	8.10 3.70 - 9.20	1.890 0.660 - 4.030	8.68	8.30	7.95	99
20+20+22+42	1.56	1.56	1.71	3.27 *	8.10 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	7.93	99
20+20+22+50	1.45	1.45	1.59	3.62 *	8.10 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	7.93	99
20+20+22+60	1.33	1.33	1.46	3.98	8.10 3.70 - 9.20	1.867 0.660 - 4.007	8.57	8.20	7.86	99
20+20+22+71	1.22	1.22	1.34	4.32	8.10 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
20+20+25+25	1.80	1.80	2.25	2.25	8.10 3.70 - 9.20	1.890 0.660 - 4.030	8.68	8.30	7.95	99
20+20+25+35	1.62	1.62	2.03	2.84	8.10 3.70 - 9.20	1.890 0.660 - 4.030	8.68	8.30	7.95	99
20+20+25+42	1.51	1.51	1.89	3.18 *	8.10 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	7.93	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+25+50	1.41	1.41	1.76	3.52 *	8.10 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	7.93	99
20+20+25+60	1.30	1.30	1.62	3.89	8.10 3.70 - 9.20	1.867 0.660 - 4.007	8.57	8.20	7.86	99
20+20+25+71	1.19	1.19	1.49	4.23	8.10 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
20+20+35+35	1.47	1.47	2.58	2.58	8.10 3.70 - 9.20	1.890 0.660 - 4.030	8.68	8.30	7.95	99
20+20+35+42	1.38	1.38	2.42	2.91 *	8.10 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	7.93	99
20+20+35+50	1.30	1.30	2.27	3.24 *	8.10 3.70 - 9.20	1.884 0.660 - 4.024	8.65	8.27	7.93	99
20+20+35+60	1.20	1.20	2.10	3.60	8.10 3.70 - 9.20	1.867 0.660 - 4.007	8.57	8.20	7.86	99
20+20+42+42	1.31	1.31	2.74 *	2.74 *	8.10 3.70 - 9.20	1.878 0.660 - 4.018	8.63	8.25	7.91	99
20+20+42+50	1.23	1.23	2.58 *	3.07 *	8.10 3.70 - 9.20	1.878 0.660 - 4.018	8.63	8.25	7.91	99
20+20+42+60	1.14	1.14	2.40 *	3.42	8.10 3.70 - 9.20	1.861 0.660 - 4.001	8.54	8.17	7.83	99
20+20+50+50	1.16	1.16	2.89 *	2.89 *	8.10 3.70 - 9.20	1.878 0.660 - 4.018	8.63	8.25	7.91	99
20+22+22+22	1.91	2.10	2.10	2.10	8.20 3.70 - 9.20	1.873 0.660 - 4.023	8.60	8.23	7.89	99
20+22+22+25	1.84	2.03	2.03	2.30	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
20+22+22+35	1.66	1.82	1.82	2.90	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
20+22+22+42	1.55	1.70	1.70	3.25 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+22+22+50	1.44	1.58	1.58	3.60 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+22+22+60	1.32	1.45	1.45	3.97	8.20 3.70 - 9.20	1.860 0.660 - 4.000	8.54	8.17	7.83	99
20+22+22+71	1.21	1.34	1.34	4.31	8.20 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
20+22+25+25	1.78	1.96	2.23	2.23	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
20+22+25+35	1.61	1.77	2.01	2.81	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
20+22+25+42	1.50	1.66	1.88	3.16 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+22+25+50	1.40	1.54	1.75	3.50 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+22+25+60	1.29	1.42	1.61	3.87	8.20 3.70 - 9.20	1.860 0.660 - 4.000	8.54	8.17	7.83	99
20+22+25+71	1.19	1.31	1.49	4.22	8.20 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
20+22+35+35	1.46	1.61	2.56	2.56	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
20+22+35+42	1.38	1.52	2.41	2.89 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+22+35+50	1.29	1.42	2.26	3.23 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+22+35+60	1.20	1.32	2.09	3.59	8.20 3.70 - 9.20	1.860 0.660 - 4.000	8.54	8.17	7.83	99
20+22+42+42	1.30	1.43	2.73 *	2.73 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
20+22+42+50	1.22	1.35	2.57 *	3.06 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
20+22+42+60	1.14	1.25	2.39 *	3.42	8.20 3.70 - 9.20	1.854 0.660 - 3.994	8.51	8.14	7.80	99
20+22+50+50	1.15	1.27	2.89 *	2.89 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
20+25+25+25	1.73	2.16	2.16	2.16	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
20+25+25+35	1.56	1.95	1.95	2.73	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
20+25+25+42	1.46	1.83	1.83	3.08 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+25+25+50	1.37	1.71	1.71	3.42 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+25+25+60	1.26	1.58	1.58	3.78	8.20 3.70 - 9.20	1.860 0.660 - 4.000	8.54	8.17	7.83	99
20+25+25+71	1.16	1.45	1.45	4.13	8.20 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
20+25+35+35	1.43	1.78	2.50	2.50	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
20+25+35+42	1.34	1.68	2.35	2.82 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+25+35+50	1.26	1.58	2.21	3.15 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+25+35+60	1.17	1.46	2.05	3.51	8.20 3.70 - 9.20	1.860 0.660 - 4.000	8.54	8.17	7.83	99
20+25+42+42	1.27	1.59	2.67 *	2.67 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
20+25+42+50	1.20	1.50	2.51 *	2.99 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
20+25+50+50	1.13	1.41	2.83 *	2.83 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35+35	1.31	2.30	2.30	2.30	8.20 3.70 - 9.20	1.883 0.660 - 4.023	8.65	8.27	7.93	99
20+35+35+42	1.24	2.17	2.17	2.61 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+35+35+50	1.17	2.05	2.05	2.93 *	8.20 3.70 - 9.20	1.877 0.660 - 4.017	8.61	8.24	7.90	99
20+35+42+42	1.18	2.06	2.48 *	2.48 *	8.20 3.70 - 9.20	1.871 0.660 - 4.011	8.59	8.22	7.88	99
22+22+22+22	2.08	2.08	2.08	2.08	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+22+22+25	2.01	2.01	2.01	2.28	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+22+22+35	1.81	1.81	1.81	2.88	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+22+22+42	1.69	1.69	1.69	3.23 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+22+22+50	1.57	1.57	1.57	3.58 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+22+22+60	1.45	1.45	1.45	3.95	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
22+22+22+71	1.33	1.33	1.33	4.30	8.30 3.70 - 9.20	1.857 0.660 - 3.997	8.53	8.16	7.82	99
22+22+25+25	1.94	1.94	2.21	2.21	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+22+25+35	1.76	1.76	2.00	2.79	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+22+25+42	1.65	1.65	1.87	3.14 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+22+25+50	1.53	1.53	1.74	3.49 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+22+25+60	1.42	1.42	1.61	3.86	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
22+22+25+71	1.30	1.30	1.48	4.21	8.30 3.70 - 9.20	1.857 0.660 - 3.997	8.53	8.16	7.82	99
22+22+35+35	1.60	1.60	2.55	2.55	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+22+35+42	1.51	1.51	2.40	2.88 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+22+35+50	1.42	1.42	2.25	3.22 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+22+35+60	1.31	1.31	2.09	3.58	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
22+22+42+42	1.43	1.43	2.72 *	2.72 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
22+22+42+50	1.34	1.34	2.56 *	3.05 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
22+22+50+50	1.27	1.27	2.88 *	2.88 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
22+25+25+25	1.88	2.14	2.14	2.14	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+25+25+35	1.71	1.94	1.94	2.71	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+25+25+42	1.60	1.82	1.82	3.06 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+25+25+50	1.50	1.70	1.70	3.40 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+25+25+60	1.38	1.57	1.57	3.77	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
22+25+25+71	1.28	1.45	1.45	4.12	8.30 3.70 - 9.20	1.857 0.660 - 3.997	8.53	8.16	7.82	99
22+25+35+35	1.56	1.77	2.48	2.48	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+25+35+42	1.47	1.67	2.34	2.81 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+25+35+50	1.38	1.57	2.20	3.14 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+25+35+60	1.29	1.46	2.05	3.51	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99
22+25+42+42	1.39	1.58	2.66 *	2.66 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
22+25+42+50	1.31	1.49	2.51 *	2.99 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
22+35+35+35	1.44	2.29	2.29	2.29	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
22+35+35+42	1.36	2.17	2.17	2.60 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+35+35+50	1.29	2.05	2.05	2.92 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
22+35+42+42	1.30	2.06	2.47 *	2.47 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99
25+25+25+25	2.08	2.08	2.08	2.08	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
25+25+25+35	1.89	1.89	1.89	2.64	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99
25+25+25+42	1.77	1.77	1.77	2.98 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
25+25+25+50	1.66	1.66	1.66	3.32 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99
25+25+25+60	1.54	1.54	1.54	3.69	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99

MXZ-4F83VF MXZ-4F83VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
25+25+35+35	1.73	1.73	2.42	2.42	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99	
25+25+35+42	1.63	1.63	2.29	2.74 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99	
25+25+35+50	1.54	1.54	2.15	3.07 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99	
25+25+35+60	1.43	1.43	2.00	3.43	8.30 3.70 - 9.20	1.853 0.660 - 3.993	8.51	8.14	7.80	99	
25+25+42+42	1.55	1.55	2.60 *	2.60 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99	
25+25+42+50	1.46	1.46	2.45 *	2.92 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99	
25+35+35+35	1.60	2.23	2.23	2.23	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99	
25+35+35+42	1.51	2.12	2.12	2.54 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99	
25+35+35+50	1.43	2.00	2.00	2.86 *	8.30 3.70 - 9.20	1.870 0.660 - 4.010	8.58	8.21	7.87	99	
25+35+42+42	1.44	2.02	2.42 *	2.42 *	8.30 3.70 - 9.20	1.864 0.660 - 4.004	8.56	8.19	7.85	99	
35+35+35+35	2.08	2.08	2.08	2.08	8.30 3.70 - 9.20	1.876 0.660 - 4.016	8.61	8.24	7.90	99	

* In case of MSZ-AP/AY42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3 or more units
MSZ-AP42VG	90%
MSZ-AY42VG	90%
MSZ-AP50VG	80%
MSZ-AY50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG2 + MSZ-LN25VG2 + MSZ-AP42VG

- MSZ-LN18VG2 :Rated capacity is 1.65kW.
- MSZ-LN25VG2 :Rated capacity is 2.29kW.
- MSZ-AP42VG : Rated capacity is 3.47kW. (=3.85*0.9)

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
15	1.70	-	-	-	1.70 1.50 - 3.20	0.590 0.590 - 1.300	2.71	2.59	2.48	99	
18	3.30	-	-	-	3.30 1.50 - 4.60	0.750 0.600 - 1.610	3.44	3.29	3.15	99	
20	2.20	-	-	-	2.20 1.50 - 3.40	0.620 0.590 - 1.380	2.84	2.72	2.61	99	
22	3.30	-	-	-	3.30 1.50 - 4.80	0.750 0.600 - 1.670	3.44	3.29	3.15	99	
25	3.60	-	-	-	3.60 1.50 - 5.10	0.800 0.600 - 1.720	3.67	3.51	3.36	99	
35	4.00	-	-	-	4.00 1.50 - 5.60	0.890 0.600 - 1.890	4.09	3.91	3.75	99	
42	5.40	-	-	-	5.40 1.50 - 6.50	1.250 0.600 - 2.180	5.74		5.26	99	
50	7.20	-	-	-	7.20 1.50 - 7.50	1.930 0.700 - 2.520	8.87	8.48	8.13	99	
60	7.90	-	-	-	7.90 1.50 - 8.60	2.200 0.700 - 2.970	10.10	9.66	9.26	99	
71	8.60	-	-	-	8.60 1.50 - 9.20	2.560 0.730 - 3.400	11.75	11.24	10.77	99	
15+15	3.30	3.30	-	-	6.60 3.00 - 7.20	1.386 0.780 - 2.466	6.37	6.09	5.84	99	
15+18	3.00	3.60	-	-	6.60 3.00 - 7.20	1.377 0.750 - 2.547	6.33	6.05	5.80	99	
15+20	2.83	3.77	-	-	6.60 3.00 - 7.20	1.384 0.730 - 2.614	6.36	6.08	5.83	99	
15+22	2.68	3.92	-	-	6.60 3.00 - 7.20	1.377 0.740 - 2.637	6.33	6.05	5.80	99	
15+25	2.48	4.13	-	-	6.60 3.00 - 7.20	1.377 0.780 - 2.637	6.33	6.05	5.80	99	
15+35	2.16	5.04	-	-	7.20 3.00 - 8.80	1.547 0.720 - 2.787	7.10	6.79	6.51	99	
15+42	1.97	5.53	-	-	7.50 3.00 - 9.20	1.651 0.720 - 2.841	7.58	7.25	6.95	99	
15+50	1.80	6.00	-	-	7.80 3.00 - 9.60	1.771 0.720 - 2.921	8.13	7.78	7.46	99	
15+60	1.68	6.72	-	-	8.40 3.00 - 10.20	2.004 0.710 - 3.024	9.20	8.80	8.43	99	
15+71	1.57	7.43	-	-	9.00 3.00 - 11.00	2.328 0.690 - 3.158	10.68	10.22	9.79	99	
18+18	3.30	3.30	-	-	6.60 3.00 - 7.20	1.368 0.720 - 2.628	6.28	6.01	5.76	99	
18+20	3.13	3.47	-	-	6.60 3.00 - 7.20	1.375 0.750 - 2.635	6.31	6.04	5.79	99	
18+22	2.97	3.63	-	-	6.60 3.00 - 7.20	1.368 0.780 - 2.628	6.28	6.01	5.76	99	
18+25	2.76	3.84	-	-	6.60 3.00 - 7.20	1.368 0.740 - 2.628	6.28	6.01	5.76	99	
18+35	2.48	4.82	-	-	7.30 3.00 - 9.00	1.588 0.720 - 2.808	7.29	6.97	6.68	99	
18+42	2.28	5.32	-	-	7.60 3.00 - 9.30	1.692 0.720 - 2.862	7.77	7.43	7.12	99	
18+50	2.09	5.81	-	-	7.90 3.00 - 9.70	1.812 0.720 - 2.932	8.32	7.96	7.63	99	
18+60	1.98	6.62	-	-	8.60 3.00 - 10.50	2.095 0.700 - 3.055	9.62	9.20	8.82	99	
18+71	1.84	7.26	-	-	9.10 3.00 - 11.00	2.339 0.690 - 3.149	10.74	10.27	9.84	99	
20+20	3.30	3.30	-	-	6.60 3.00 - 7.20	1.382 0.780 - 2.642	6.35	6.07	5.82	99	
20+22	3.14	3.46	-	-	6.60 3.00 - 7.20	1.375 0.750 - 2.635	6.31	6.04	5.79	99	
20+25	2.98	3.72	-	-	6.70 3.00 - 7.50	1.405 0.720 - 2.665	6.45	6.17	5.91	99	
20+35	2.69	4.71	-	-	7.40 3.00 - 9.10	1.625 0.720 - 2.835	7.46	7.14	6.84	99	
20+42	2.48	5.22	-	-	7.70 3.00 - 9.40	1.729 0.720 - 2.889	7.94	7.59	7.27	99	
20+50	2.29	5.71	-	-	8.00 3.00 - 9.80	1.849 0.720 - 2.959	8.49	8.12	7.78	99	
20+60	2.18	6.53	-	-	8.70 3.00 - 10.70	2.172 0.700 - 3.092	9.97	9.54	9.14	99	
20+71	2.00	7.10	-	-	9.10 3.00 - 11.00	2.366 0.690 - 3.156	10.86	10.39	9.96	99	
22+22	3.30	3.30	-	-	6.60 3.00 - 7.20	1.368 0.720 - 2.628	6.28	6.01	5.76	99	
22+25	3.23	3.67	-	-	6.90 3.00 - 8.00	1.458 0.720 - 2.708	6.69	6.40	6.13	99	
22+35	2.89	4.61	-	-	7.50 3.00 - 9.20	1.648 0.720 - 2.838	7.57	7.24	6.94	99	
22+42	2.68	5.12	-	-	7.80 3.00 - 9.50	1.752 0.720 - 2.902	8.04	7.69	7.37	99	
22+50	2.48	5.63	-	-	8.10 3.00 - 10.00	1.912 0.720 - 2.982	8.78	8.40	8.05	99	
22+60	2.39	6.51	-	-	8.90 3.00 - 10.80	2.225 0.690 - 3.115	10.21	9.77	9.36	99	
22+71	2.18	7.02	-	-	9.20 3.00 - 11.00	2.369 0.690 - 3.149	10.87	10.40	9.97	99	
25+25	3.60	3.60	-	-	7.20 3.00 - 8.80	1.538 0.720 - 2.778	7.06	6.75	6.47	99	

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
25+35	3.17	4.43	-	-	7.60 3.00 - 9.30	1.698 0.720 - 2.868	7.80	7.46	7.15	99	
25+42	2.95	4.95	-	-	7.90 3.00 - 9.70	1.792 0.720 - 2.922	8.23	7.87	7.54	99	
25+50	2.80	5.60	-	-	8.40 3.00 - 10.20	2.012 0.710 - 3.032	9.24	8.84	8.47	99	
25+60	2.65	6.35	-	-	9.00 3.00 - 11.00	2.305 0.690 - 3.145	10.58	10.12	9.70	99	
25+71	2.40	6.80	-	-	9.20 3.00 - 11.00	2.399 0.690 - 3.149	11.02	10.54	10.10	99	
35+35	4.00	4.00	-	-	8.00 3.00 - 9.80	1.848 0.720 - 2.958	8.49	8.12	7.78	99	
35+42	3.86	4.64	-	-	8.50 3.00 - 10.40	2.082 0.710 - 3.062	9.56	9.14	8.76	99	
35+50	3.71	5.29	-	-	9.00 3.00 - 11.00	2.322 0.690 - 3.162	10.66	10.20	9.78	99	
35+60	3.39	5.81	-	-	9.20 3.00 - 11.00	2.385 0.690 - 3.145	10.95	10.47	10.03	99	
35+71	3.07	6.23	-	-	9.30 3.00 - 11.00	2.429 0.690 - 3.149	11.16	10.67	10.23	99	
42+42	4.50	4.50	-	-	9.00 3.00 - 11.00	2.306 0.690 - 3.156	10.59	10.13	9.71	99	
42+50	4.20	5.00	-	-	9.20 3.00 - 11.00	2.376 0.690 - 3.156	10.90	10.43	10.00	99	
42+71	3.46	5.84	-	-	9.30 3.00 - 11.00	2.413 0.690 - 3.143	11.08	10.60	10.16	99	
50+50	4.65	4.65	-	-	9.30 3.00 - 11.00	2.436 0.690 - 3.156	11.19	10.70	10.25	99	
50+60	4.23	5.07	-	-	9.30 3.00 - 11.00	2.419 0.690 - 3.139	11.10	10.62	10.18	99	
50+71	3.84	5.46	-	-	9.30 3.00 - 11.00	2.413 0.690 - 3.143	11.08	10.60	10.16	99	
60+60	4.65	4.65	-	-	9.30 3.00 - 11.00	2.392 0.690 - 3.122	10.99	10.51	10.07	99	
60+71	4.26	5.04	-	-	9.30 3.00 - 11.00	2.396 0.690 - 3.126	11.00	10.52	10.08	99	
71+71	4.65	4.65	-	-	9.30 3.00 - 11.00	2.390 0.690 - 3.130	10.98	10.50	10.06	99	
15+15+15	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.719 0.530 - 3.879	7.89	7.55	7.24	99	
15+15+18	2.72	2.72	3.26	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870	7.85	7.51	7.20	99	
15+15+20	2.61	2.61	3.48	-	8.70 3.20 - 10.60	1.717 0.530 - 3.877	7.88	7.54	7.23	99	
15+15+22	2.51	2.51	3.68	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870	7.85	7.51	7.20	99	
15+15+25	2.37	2.37	3.95	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870	7.85	7.51	7.20	99	
15+15+35	2.01	2.01	4.68	-	8.70 3.20 - 10.60	1.710 0.530 - 3.870	7.85	7.51	7.20	99	
15+15+42	1.85	1.85	5.19	-	8.90 3.20 - 11.30	1.814 0.530 - 3.864	8.33	7.97	7.64	99	
15+15+50	1.71	1.71	5.69	-	9.10 3.20 - 11.60	1.994 0.560 - 3.864	9.16	8.76	8.40	99	
15+15+60	1.53	1.53	6.13	-	9.20 3.20 - 11.60	2.227 0.610 - 3.847	10.22	9.78	9.37	99	
15+15+71	1.38	1.38	6.54	-	9.30 3.20 - 11.60	2.501 0.660 - 3.851	11.48	10.98	10.52	99	
15+18+18	2.56	3.07	3.07	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99	
15+18+20	2.46	2.95	3.28	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868	7.84	7.50	7.19	99	
15+18+22	2.37	2.85	3.48	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99	
15+18+25	2.25	2.70	3.75	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99	
15+18+35	1.94	2.33	4.53	-	8.80 3.20 - 10.80	1.741 0.530 - 3.861	8.00	7.65	7.33	99	
15+18+42	1.80	2.16	5.04	-	9.00 3.20 - 11.60	1.865 0.530 - 3.855	8.56	8.19	7.85	99	
15+18+60	1.48	1.78	5.94	-	9.20 3.20 - 11.60	2.288 0.620 - 3.838	10.51	10.05	9.63	99	
15+18+71	1.34	1.61	6.35	-	9.30 3.20 - 11.60	2.572 0.680 - 3.842	11.81	11.30	10.83	99	
15+20+20	2.37	3.16	3.16	-	8.70 3.20 - 10.60	1.715 0.530 - 3.875	7.87	7.53	7.22	99	
15+20+22	2.29	3.05	3.36	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868	7.84	7.50	7.19	99	
15+20+25	2.18	2.90	3.63	-	8.70 3.20 - 10.60	1.708 0.530 - 3.868	7.84	7.50	7.19	99	
15+20+35	1.89	2.51	4.40	-	8.80 3.20 - 11.00	1.788 0.530 - 3.868	8.21	7.85	7.52	99	
15+20+42	1.75	2.34	4.91	-	9.00 3.20 - 11.60	1.922 0.540 - 3.862	8.82	8.44	8.09	99	
15+20+50	1.61	2.14	5.35	-	9.10 3.20 - 11.60	2.122 0.580 - 3.862	9.74	9.32	8.93	99	
15+20+60	1.45	1.94	5.81	-	9.20 3.20 - 11.60	2.345 0.630 - 3.845	10.77	10.30	9.87	99	
15+20+71	1.32	1.75	6.23	-	9.30 3.20 - 11.60	2.599 0.680 - 3.849	11.93	11.41	10.93	99	

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15+22+22	2.21	3.24	3.24	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99
15+22+25	2.10	3.09	3.51	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99
15+22+35	1.85	2.72	4.33	-	8.90 3.20 - 11.30	1.811 0.530 - 3.861	8.31	7.95	7.62	99
15+22+42	1.71	2.51	4.78	-	9.00 3.20 - 11.60	1.965 0.550 - 3.855	9.02	8.63	8.27	99
15+22+50	1.57	2.30	5.23	-	9.10 3.20 - 11.60	2.165 0.590 - 3.855	9.94	9.51	9.11	99
15+22+60	1.42	2.09	5.69	-	9.20 3.20 - 11.60	2.388 0.640 - 3.838	10.97	10.49	10.05	99
15+22+71	1.29	1.89	6.11	-	9.30 3.20 - 11.60	2.592 0.680 - 3.842	11.90	11.38	10.91	99
15+25+25	2.01	3.35	3.35	-	8.70 3.20 - 10.60	1.701 0.530 - 3.861	7.81	7.47	7.16	99
15+25+35	1.80	3.00	4.20	-	9.00 3.20 - 11.60	1.871 0.530 - 3.861	8.59	8.22	7.88	99
15+25+42	1.66	2.77	4.66	-	9.10 3.20 - 11.60	2.035 0.570 - 3.855	9.35	8.94	8.57	99
15+25+50	1.53	2.56	5.11	-	9.20 3.20 - 11.60	2.235 0.610 - 3.855	10.27	9.82	9.41	99
15+25+60	1.40	2.33	5.58	-	9.30 3.20 - 11.60	2.468 0.660 - 3.838	11.33	10.84	10.39	99
15+25+71	1.26	2.09	5.95	-	9.30 3.20 - 11.60	2.592 0.680 - 3.842	11.90	11.38	10.91	99
15+35+35	1.61	3.75	3.75	-	9.10 3.20 - 11.60	2.121 0.580 - 3.861	9.73	9.31	8.92	99
15+35+42	1.50	3.50	4.20	-	9.20 3.20 - 11.60	2.285 0.620 - 3.855	10.50	10.04	9.62	99
15+35+50	1.40	3.26	4.65	-	9.30 3.20 - 11.60	2.485 0.660 - 3.855	11.41	10.91	10.46	99
15+35+60	1.27	2.96	5.07	-	9.30 3.20 - 11.60	2.588 0.680 - 3.838	11.89	11.37	10.90	99
15+35+71	1.15	2.69	5.46	-	9.30 3.20 - 11.60	2.592 0.680 - 3.842	11.90	11.38	10.91	99
15+42+42	1.39	3.90	3.90	-	9.20 3.20 - 11.60	2.449 0.650 - 3.849	11.25	10.76	10.31	99
15+42+50	1.30	3.65	4.35	-	9.30 3.20 - 11.60	2.599 0.680 - 3.849	11.93	11.41	10.93	99
15+42+60	1.19	3.34	4.77	-	9.30 3.20 - 11.60	2.582 0.680 - 3.832	11.86	11.34	10.87	99
15+42+71	1.09	3.05	5.16	-	9.30 3.20 - 11.60	2.586 0.680 - 3.836	11.88	11.36	10.89	99
15+50+50	1.21	4.04	4.04	-	9.30 3.20 - 11.60	2.599 0.680 - 3.849	11.93	11.41	10.93	99
15+50+60	1.12	3.72	4.46	-	9.30 3.20 - 11.60	2.582 0.680 - 3.832	11.86	11.34	10.87	99
15+50+71	1.03	3.42	4.86	-	9.30 3.20 - 11.60	2.586 0.680 - 3.836	11.88	11.36	10.89	99
15+60+60	1.03	4.13	4.13	-	9.30 3.20 - 11.60	2.565 0.680 - 3.815	11.77	11.26	10.79	99
18+18+18	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99
18+18+20	2.80	2.80	3.11	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859	7.80	7.46	7.15	99
18+18+22	2.70	2.70	3.30	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99
18+18+25	2.57	2.57	3.57	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99
18+18+35	2.26	2.26	4.39	-	8.90 3.20 - 11.20	1.782 0.530 - 3.852	8.19	7.83	7.50	99
18+18+42	2.08	2.08	4.85	-	9.00 3.20 - 11.60	1.926 0.550 - 3.846	8.84	8.46	8.11	99
18+18+50	1.90	1.90	5.29	-	9.10 3.20 - 11.60	2.126 0.590 - 3.846	9.76	9.34	8.95	99
18+18+60	1.73	1.73	5.75	-	9.20 3.20 - 11.60	2.359 0.640 - 3.829	10.83	10.36	9.93	99
18+18+71	1.56	1.56	6.17	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	11.86	11.34	10.87	99
18+20+20	2.70	3.00	3.00	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866	7.83	7.49	7.18	99
18+20+22	2.61	2.90	3.19	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859	7.80	7.46	7.15	99
18+20+25	2.49	2.76	3.45	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859	7.80	7.46	7.15	99
18+20+35	2.19	2.44	4.27	-	8.90 3.20 - 11.40	1.829 0.530 - 3.859	8.40	8.03	7.70	99
18+20+42	2.05	2.28	4.78	-	9.10 3.20 - 11.60	1.983 0.560 - 3.853	9.11	8.71	8.35	99
18+20+50	1.86	2.07	5.17	-	9.10 3.20 - 11.60	2.183 0.600 - 3.853	10.03	9.59	9.19	99
18+20+60	1.69	1.88	5.63	-	9.20 3.20 - 11.60	2.416 0.650 - 3.836	11.09	10.61	10.17	99
18+20+71	1.54	1.71	6.06	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
18+22+22	2.53	3.09	3.09	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99
18+22+25	2.41	2.94	3.35	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+22+35	2.16	2.64	4.20	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852		8.55	8.18	7.84	99
18+22+42	2.00	2.44	4.66	-	9.10 3.20 - 11.60	2.026 0.570 - 3.846		9.30	8.90	8.53	99
18+22+50	1.84	2.25	5.11	-	9.20 3.20 - 11.60	2.226 0.610 - 3.846		10.22	9.78	9.37	99
18+22+60	1.67	2.05	5.58	-	9.30 3.20 - 11.60	2.459 0.660 - 3.829		11.29	10.80	10.35	99
18+22+71	1.51	1.84	5.95	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833		11.86	11.34	10.87	99
18+25+25	2.33	3.24	3.24	-	8.80 3.20 - 10.80	1.732 0.530 - 3.852		7.96	7.61	7.29	99
18+25+35	2.08	2.88	4.04	-	9.00 3.20 - 11.60	1.932 0.550 - 3.852		8.87	8.48	8.13	99
18+25+42	1.93	2.68	4.50	-	9.10 3.20 - 11.60	2.106 0.580 - 3.846		9.67	9.25	8.86	99
18+25+50	1.78	2.47	4.95	-	9.20 3.20 - 11.60	2.296 0.620 - 3.846		10.54	10.08	9.66	99
18+25+60	1.63	2.26	5.42	-	9.30 3.20 - 11.60	2.529 0.670 - 3.829		11.62	11.11	10.65	99
18+25+71	1.47	2.04	5.79	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833		11.86	11.34	10.87	99
18+35+35	1.86	3.62	3.62	-	9.10 3.20 - 11.60	2.182 0.600 - 3.852		10.02	9.58	9.18	99
18+35+42	1.74	3.39	4.07	-	9.20 3.20 - 11.60	2.346 0.630 - 3.846		10.77	10.30	9.87	99
18+35+50	1.63	3.16	4.51	-	9.30 3.20 - 11.60	2.546 0.670 - 3.846		11.69	11.18	10.71	99
18+35+60	1.48	2.88	4.94	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829		11.85	11.33	10.86	99
18+35+71	1.35	2.63	5.33	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833		11.86	11.34	10.87	99
18+42+42	1.64	3.83	3.83	-	9.30 3.20 - 11.60	2.520 0.670 - 3.840		11.57	11.07	10.61	99
18+42+50	1.52	3.55	4.23	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840		11.89	11.37	10.90	99
18+42+60	1.40	3.26	4.65	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823		11.81	11.30	10.83	99
18+42+71	1.28	2.98	5.04	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827		11.83	11.32	10.85	99
18+50+50	1.42	3.94	3.94	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840		11.89	11.37	10.90	99
18+50+60	1.31	3.63	4.36	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823		11.81	11.30	10.83	99
18+50+71	1.20	3.35	4.75	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827		11.83	11.32	10.85	99
18+60+60	1.21	4.04	4.04	-	9.30 3.20 - 11.60	2.556 0.680 - 3.806		11.74	11.23	10.76	99
20+20+20	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.713 0.530 - 3.873		7.86	7.52	7.21	99
20+20+22	2.81	2.81	3.09	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866		7.83	7.49	7.18	99
20+20+25	2.68	2.68	3.35	-	8.70 3.20 - 10.60	1.706 0.530 - 3.866		7.83	7.49	7.18	99
20+20+35	2.40	2.40	4.20	-	9.00 3.20 - 11.60	1.876 0.530 - 3.866		8.61	8.24	7.90	99
20+20+42	2.22	2.22	4.66	-	9.10 3.20 - 11.60	2.040 0.570 - 3.860		9.37	8.96	8.59	99
20+20+50	2.04	2.04	5.11	-	9.20 3.20 - 11.60	2.240 0.610 - 3.860		10.29	9.84	9.43	99
20+20+60	1.86	1.86	5.58	-	9.30 3.20 - 11.60	2.473 0.660 - 3.843		11.35	10.86	10.41	99
20+20+71	1.68	1.68	5.95	-	9.30 3.20 - 11.60	2.597 0.680 - 3.847		11.93	11.41	10.93	99
20+22+22	2.72	2.99	2.99	-	8.70 3.20 - 10.60	1.699 0.530 - 3.859		7.80	7.46	7.15	99
20+22+25	2.60	2.86	3.25	-	8.70 3.20 - 10.70	1.719 0.530 - 3.859		7.89	7.55	7.24	99
20+22+35	2.34	2.57	4.09	-	9.00 3.20 - 11.60	1.919 0.540 - 3.859		8.81	8.43	8.08	99
20+22+42	2.17	2.38	4.55	-	9.10 3.20 - 11.60	2.083 0.580 - 3.853		9.57	9.15	8.77	99
20+22+50	2.00	2.20	5.00	-	9.20 3.20 - 11.60	2.283 0.620 - 3.853		10.49	10.03	9.61	99
20+22+60	1.82	2.01	5.47	-	9.30 3.20 - 11.60	2.516 0.670 - 3.836		11.55	11.05	10.59	99
20+22+71	1.65	1.81	5.84	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840		11.89	11.37	10.90	99
20+25+25	2.51	3.14	3.14	-	8.80 3.20 - 11.00	1.779 0.530 - 3.859		8.17	7.81	7.48	99
20+25+35	2.28	2.84	3.98	-	9.10 3.20 - 11.60	1.989 0.560 - 3.859		9.14	8.74	8.38	99
20+25+42	2.09	2.61	4.39	-	9.10 3.20 - 11.60	2.163 0.590 - 3.853		9.93	9.50	9.10	99
20+25+50	1.94	2.42	4.84	-	9.20 3.20 - 11.60	2.353 0.630 - 3.853		10.80	10.33	9.90	99
20+25+60	1.77	2.21	5.31	-	9.30 3.20 - 11.60	2.586 0.680 - 3.836		11.88	11.36	10.89	99
20+25+71	1.60	2.00	5.69	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840		11.89	11.37	10.90	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35	2.04	3.58	3.58	-	9.20 3.20 - 11.60	2.239 0.610 - 3.859	10.28	9.83	9.42	99
20+35+42	1.90	3.32	3.98	-	9.20 3.20 - 11.60	2.403 0.640 - 3.853	11.03	10.55	10.11	99
20+35+50	1.77	3.10	4.43	-	9.30 3.20 - 11.60	2.603 0.680 - 3.853	11.95	11.43	10.95	99
20+35+60	1.62	2.83	4.85	-	9.30 3.20 - 11.60	2.586 0.680 - 3.836	11.88	11.36	10.89	99
20+35+71	1.48	2.58	5.24	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
20+42+42	1.79	3.76	3.76	-	9.30 3.20 - 11.60	2.577 0.680 - 3.847	11.83	11.32	10.85	99
20+42+50	1.66	3.49	4.15	-	9.30 3.20 - 11.60	2.597 0.680 - 3.847	11.93	11.41	10.93	99
20+42+60	1.52	3.20	4.57	-	9.30 3.20 - 11.60	2.580 0.680 - 3.830	11.85	11.33	10.86	99
20+42+71	1.40	2.94	4.96	-	9.30 3.20 - 11.60	2.584 0.680 - 3.834	11.87	11.35	10.88	99
20+50+50	1.55	3.88	3.88	-	9.30 3.20 - 11.60	2.597 0.680 - 3.847	11.93	11.41	10.93	99
20+50+60	1.43	3.58	4.29	-	9.30 3.20 - 11.60	2.580 0.680 - 3.830	11.85	11.33	10.86	99
20+50+71	1.32	3.30	4.68	-	9.30 3.20 - 11.60	2.584 0.680 - 3.834	11.87	11.35	10.88	99
20+60+60	1.33	3.99	3.99	-	9.30 3.20 - 11.60	2.563 0.680 - 3.813	11.77	11.26	10.79	99
22+22+22	2.90	2.90	2.90	-	8.70 3.20 - 10.60	1.692 0.530 - 3.852	7.77	7.43	7.12	99
22+22+25	2.81	2.81	3.19	-	8.80 3.20 - 10.90	1.752 0.530 - 3.852	8.04	7.69	7.37	99
22+22+35	2.51	2.51	3.99	-	9.00 3.20 - 11.60	1.962 0.550 - 3.852	9.01	8.62	8.26	99
22+22+42	2.33	2.33	4.44	-	9.10 3.20 - 11.60	2.126 0.590 - 3.846	9.76	9.34	8.95	99
22+22+50	2.15	2.15	4.89	-	9.20 3.20 - 11.60	2.326 0.630 - 3.846	10.68	10.22	9.79	99
22+22+60	1.97	1.97	5.37	-	9.30 3.20 - 11.60	2.559 0.680 - 3.829	11.75	11.24	10.77	99
22+22+71	1.78	1.78	5.74	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	11.86	11.34	10.87	99
22+25+25	2.72	3.09	3.09	-	8.90 3.20 - 11.30	1.802 0.530 - 3.852	8.27	7.91	7.58	99
22+25+35	2.44	2.77	3.88	-	9.10 3.20 - 11.60	2.032 0.570 - 3.852	9.33	8.92	8.55	99
22+25+42	2.25	2.56	4.29	-	9.10 3.20 - 11.60	2.206 0.600 - 3.846	10.13	9.69	9.29	99
22+25+50	2.09	2.37	4.74	-	9.20 3.20 - 11.60	2.396 0.640 - 3.846	11.00	10.52	10.08	99
22+25+60	1.91	2.17	5.21	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	11.85	11.33	10.86	99
22+25+71	1.73	1.97	5.60	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	11.86	11.34	10.87	99
22+35+35	2.20	3.50	3.50	-	9.20 3.20 - 11.60	2.282 0.620 - 3.852	10.48	10.02	9.60	99
22+35+42	2.04	3.25	3.90	-	9.20 3.20 - 11.60	2.446 0.650 - 3.846	11.23	10.74	10.29	99
22+35+50	1.91	3.04	4.35	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	11.92	11.40	10.93	99
22+35+60	1.75	2.78	4.77	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	11.85	11.33	10.86	99
22+35+71	1.60	2.54	5.16	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	11.86	11.34	10.87	99
22+42+42	1.93	3.68	3.68	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
22+42+50	1.79	3.43	4.08	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
22+42+60	1.65	3.15	4.50	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	11.81	11.30	10.83	99
22+42+71	1.52	2.89	4.89	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	11.83	11.32	10.85	99
22+50+50	1.68	3.81	3.81	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
22+50+60	1.55	3.52	4.23	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	11.81	11.30	10.83	99
22+50+71	1.43	3.25	4.62	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	11.83	11.32	10.85	99
22+60+60	1.44	3.93	3.93	-	9.30 3.20 - 11.60	2.556 0.680 - 3.806	11.74	11.23	10.76	99
25+25+25	3.00	3.00	3.00	-	9.00 3.20 - 11.60	1.862 0.530 - 3.852	8.55	8.18	7.84	99
25+25+35	2.68	2.68	3.75	-	9.10 3.20 - 11.60	2.112 0.580 - 3.852	9.70	9.28	8.89	99
25+25+42	2.50	2.50	4.20	-	9.20 3.20 - 11.60	2.276 0.620 - 3.846	10.45	10.00	9.58	99
25+25+50	2.33	2.33	4.65	-	9.30 3.20 - 11.60	2.476 0.660 - 3.846	11.36	10.87	10.42	99
25+25+60	2.11	2.11	5.07	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	11.85	11.33	10.86	99
25+25+71	1.92	1.92	5.46	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	11.86	11.34	10.87	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
25+35+35	2.42	3.39	3.39	-	9.20 3.20 - 11.60	2.352 0.630 - 3.852	10.80	10.33	9.90	99
25+35+42	2.28	3.19	3.83	-	9.30 3.20 - 11.60	2.526 0.670 - 3.846	11.59	11.09	10.63	99
25+35+50	2.11	2.96	4.23	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	11.92	11.40	10.93	99
25+35+60	1.94	2.71	4.65	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	11.85	11.33	10.86	99
25+35+71	1.77	2.48	5.04	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	11.86	11.34	10.87	99
25+42+42	2.13	3.58	3.58	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
25+42+50	1.99	3.34	3.97	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
25+42+60	1.83	3.08	4.39	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	11.81	11.30	10.83	99
25+42+71	1.68	2.83	4.78	-	9.30 3.20 - 11.60	2.577 0.680 - 3.827	11.83	11.32	10.85	99
25+50+50	1.86	3.72	3.72	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
25+50+60	1.72	3.44	4.13	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	11.81	11.30	10.83	99
25+60+60	1.60	3.85	3.85	-	9.30 3.20 - 11.60	2.556 0.680 - 3.806	11.74	11.23	10.76	99
35+35+35	3.10	3.10	3.10	-	9.30 3.20 - 11.60	2.602 0.680 - 3.852	11.95	11.43	10.95	99
35+35+42	2.91	2.91	3.49	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	11.92	11.40	10.93	99
35+35+50	2.71	2.71	3.88	-	9.30 3.20 - 11.60	2.596 0.680 - 3.846	11.92	11.40	10.93	99
35+35+60	2.50	2.50	4.29	-	9.30 3.20 - 11.60	2.579 0.680 - 3.829	11.85	11.33	10.86	99
35+35+71	2.31	2.31	4.68	-	9.30 3.20 - 11.60	2.583 0.680 - 3.833	11.86	11.34	10.87	99
35+42+42	2.74	3.28	3.28	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
35+42+50	2.56	3.08	3.66	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
35+42+60	2.38	2.85	4.07	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	11.81	11.30	10.83	99
35+50+50	2.41	3.44	3.44	-	9.30 3.20 - 11.60	2.590 0.680 - 3.840	11.89	11.37	10.90	99
35+50+60	2.24	3.21	3.85	-	9.30 3.20 - 11.60	2.573 0.680 - 3.823	11.81	11.30	10.83	99
42+42+42	3.10	3.10	3.10	-	9.30 3.20 - 11.60	2.584 0.680 - 3.834	11.87	11.35	10.88	99
42+42+50	2.91	2.91	3.47	-	9.30 3.20 - 11.60	2.584 0.680 - 3.834	11.87	11.35	10.88	99
42+42+60	2.71	2.71	3.88	-	9.30 3.20 - 11.60	2.567 0.680 - 3.817	11.78	11.27	10.80	99
42+50+50	2.75	3.27	3.27	-	9.30 3.20 - 11.60	2.584 0.680 - 3.834	11.87	11.35	10.88	99
15+15+15+15	2.15	2.15	2.15	2.15	8.60 3.40 - 11.60	1.872 0.590 - 3.862	8.59	8.22	7.88	99
15+15+15+18	2.07	2.07	2.07	2.49	8.70 3.40 - 11.60	1.863 0.590 - 3.853	8.55	8.18	7.84	99
15+15+15+20	1.98	1.98	1.98	2.65	8.60 3.40 - 11.60	1.870 0.590 - 3.860	8.58	8.21	7.87	99
15+15+15+22	1.95	1.95	1.95	2.86	8.70 3.40 - 11.60	1.863 0.590 - 3.853	8.55	8.18	7.84	99
15+15+15+25	1.86	1.86	1.86	3.11	8.70 3.40 - 11.60	1.863 0.590 - 3.853	8.55	8.18	7.84	99
15+15+15+35	1.67	1.67	1.67	3.89	8.90 3.40 - 11.60	1.893 0.590 - 3.853	8.69	8.31	7.96	99
15+15+15+42	1.55	1.55	1.55	4.34	9.00 3.40 - 11.60	1.917 0.590 - 3.847	8.80	8.42	8.07	99
15+15+15+50	1.42	1.42	1.42	4.74	9.00 3.40 - 11.60	1.917 0.590 - 3.847	8.80	8.42	8.07	99
15+15+15+60	1.29	1.29	1.29	5.14	9.00 3.40 - 11.60	1.900 0.590 - 3.830	8.72	8.34	7.99	99
15+15+15+71	1.16	1.16	1.16	5.51	9.00 3.40 - 11.60	1.904 0.590 - 3.834	8.74	8.36	8.01	99
15+15+18+18	2.00	2.00	2.40	2.40	8.80 3.40 - 11.60	1.854 0.590 - 3.844	8.51	8.14	7.80	99
15+15+18+20	1.92	1.92	2.30	2.56	8.70 3.40 - 11.60	1.861 0.590 - 3.851	8.54	8.17	7.83	99
15+15+18+22	1.89	1.89	2.26	2.77	8.80 3.40 - 11.60	1.854 0.590 - 3.844	8.51	8.14	7.80	99
15+15+18+25	1.81	1.81	2.17	3.01	8.80 3.40 - 11.60	1.854 0.590 - 3.844	8.51	8.14	7.80	99
15+15+18+42	1.52	1.52	1.82	4.25	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.76	8.38	8.03	99
15+15+18+50	1.39	1.39	1.67	4.64	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.76	8.38	8.03	99
15+15+18+60	1.26	1.26	1.52	5.06	9.10 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
15+15+18+71	1.15	1.15	1.38	5.43	9.10 3.40 - 11.60	1.895 0.590 - 3.825	8.70	8.32	7.97	99
15+15+20+20	1.84	1.84	2.46	2.46	8.60 3.40 - 11.60	1.868 0.590 - 3.858	8.57	8.20	7.86	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15+15+20+22	1.81	1.81	2.42	2.66	8.70 3.40 - 11.60	1.861 0.590 - 3.851	8.54	8.17	7.83	99
15+15+20+25	1.76	1.76	2.35	2.93	8.80 3.40 - 11.60	1.871 0.590 - 3.851	8.59	8.22	7.88	99
15+15+20+35	1.57	1.57	2.09	3.66	8.90 3.40 - 11.60	1.911 0.590 - 3.851	8.77	8.39	8.04	99
15+15+20+42	1.47	1.47	1.96	4.11	9.00 3.40 - 11.60	1.915 0.590 - 3.845	8.79	8.41	8.06	99
15+15+20+50	1.35	1.35	1.80	4.50	9.00 3.40 - 11.60	1.915 0.590 - 3.845	8.79	8.41	8.06	99
15+15+20+60	1.23	1.23	1.64	4.91	9.00 3.40 - 11.60	1.898 0.590 - 3.828	8.72	8.34	7.99	99
15+15+20+71	1.12	1.12	1.49	5.28	9.00 3.40 - 11.60	1.902 0.590 - 3.832	8.73	8.35	8.00	99
15+15+22+22	1.78	1.78	2.62	2.62	8.80 3.40 - 11.60	1.864 0.590 - 3.844	8.56	8.19	7.85	99
15+15+22+25	1.73	1.73	2.54	2.89	8.90 3.40 - 11.60	1.874 0.590 - 3.844	8.60	8.23	7.89	99
15+15+22+35	1.57	1.57	2.30	3.66	9.10 3.40 - 11.60	1.914 0.590 - 3.844	8.79	8.41	8.06	99
15+15+22+42	1.45	1.45	2.13	4.07	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.76	8.38	8.03	99
15+15+22+50	1.34	1.34	1.96	4.46	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.76	8.38	8.03	99
15+15+22+60	1.22	1.22	1.79	4.88	9.10 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
15+15+22+71	1.11	1.11	1.63	5.25	9.10 3.40 - 11.60	1.895 0.590 - 3.825	8.70	8.32	7.97	99
15+15+25+25	1.69	1.69	2.81	2.81	9.00 3.40 - 11.60	1.884 0.590 - 3.844	8.65	8.27	7.93	99
15+15+25+35	1.52	1.52	2.53	3.54	9.10 3.40 - 11.60	1.914 0.590 - 3.844	8.79	8.41	8.06	99
15+15+25+42	1.41	1.41	2.35	3.94	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.76	8.38	8.03	99
15+15+25+50	1.30	1.30	2.17	4.33	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.76	8.38	8.03	99
15+15+25+60	1.19	1.19	1.98	4.75	9.10 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
15+15+25+71	1.08	1.08	1.81	5.13	9.10 3.40 - 11.60	1.895 0.590 - 3.825	8.70	8.32	7.97	99
15+15+35+35	1.37	1.37	3.19	3.19	9.10 3.40 - 11.60	1.914 0.590 - 3.844	8.79	8.41	8.06	99
15+15+35+42	1.28	1.28	2.98	3.57	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.76	8.38	8.03	99
15+15+35+50	1.19	1.19	2.77	3.96	9.10 3.40 - 11.60	1.908 0.590 - 3.838	8.76	8.38	8.03	99
15+15+35+60	1.09	1.09	2.55	4.37	9.10 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
15+15+35+71	1.00	1.00	2.34	4.75	9.10 3.40 - 11.60	1.895 0.590 - 3.825	8.70	8.32	7.97	99
15+15+42+42	1.20	1.20	3.35	3.35	9.10 3.40 - 11.60	1.902 0.590 - 3.832	8.73	8.35	8.00	99
15+15+42+50	1.12	1.12	3.13	3.73	9.10 3.40 - 11.60	1.902 0.590 - 3.832	8.73	8.35	8.00	99
15+15+42+60	1.03	1.03	2.90	4.14	9.10 3.40 - 11.60	1.885 0.590 - 3.815	8.66	8.28	7.94	99
15+15+42+71	0.95	0.95	2.67	4.52	9.10 3.40 - 11.60	1.889 0.590 - 3.819	8.68	8.30	7.95	99
15+15+50+50	1.05	1.05	3.50	3.50	9.10 3.40 - 11.60	1.902 0.590 - 3.832	8.73	8.35	8.00	99
15+15+50+60	0.98	0.98	3.25	3.90	9.10 3.40 - 11.60	1.885 0.590 - 3.815	8.66	8.28	7.94	99
15+18+18+18	1.93	2.32	2.32	2.32	8.90 3.40 - 11.60	1.845 0.590 - 3.835	8.47	8.10	7.76	99
15+18+18+20	1.86	2.23	2.23	2.48	8.80 3.40 - 11.60	1.852 0.590 - 3.842	8.50	8.13	7.79	99
15+18+18+22	1.83	2.19	2.19	2.68	8.90 3.40 - 11.60	1.845 0.590 - 3.835	8.47	8.10	7.76	99
15+18+18+25	1.78	2.13	2.13	2.96	9.00 3.40 - 11.60	1.865 0.590 - 3.835	8.56	8.19	7.85	99
15+18+18+35	1.60	1.93	1.93	3.74	9.20 3.40 - 11.60	1.895 0.590 - 3.835	8.70	8.32	7.97	99
15+18+18+42	1.48	1.78	1.78	4.15	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+18+18+50	1.37	1.64	1.64	4.55	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+18+18+60	1.24	1.49	1.49	4.97	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+18+18+71	1.13	1.36	1.36	5.35	9.20 3.40 - 11.60	1.886 0.590 - 3.816	8.66	8.28	7.94	99
15+18+20+20	1.79	2.15	2.38	2.38	8.70 3.40 - 11.60	1.859 0.590 - 3.849	8.53	8.16	7.82	99
15+18+20+22	1.78	2.14	2.37	2.61	8.90 3.40 - 11.60	1.862 0.590 - 3.842	8.55	8.18	7.84	99
15+18+20+25	1.71	2.05	2.28	2.85	8.90 3.40 - 11.60	1.872 0.590 - 3.842	8.59	8.22	7.88	99
15+18+20+35	1.55	1.86	2.07	3.62	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.78	8.40	8.05	99
15+18+20+42	1.44	1.72	1.92	4.02	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.75	8.37	8.02	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+20+50	1.33	1.59	1.77	4.42	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.75	8.37	8.02	99
15+18+20+60	1.21	1.45	1.61	4.83	9.10 3.40 - 11.60	1.889 0.590 - 3.819	8.68	8.30	7.95	99
15+18+20+71	1.10	1.32	1.47	5.21	9.10 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+18+22+22	1.75	2.10	2.57	2.57	9.00 3.40 - 11.60	1.865 0.590 - 3.835	8.56	8.19	7.85	99
15+18+22+25	1.71	2.05	2.50	2.84	9.10 3.40 - 11.60	1.875 0.590 - 3.835	8.60	8.23	7.89	99
15+18+22+35	1.53	1.84	2.25	3.58	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+18+22+42	1.42	1.71	2.09	3.98	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+18+22+50	1.31	1.58	1.93	4.38	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+18+22+60	1.20	1.44	1.76	4.80	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+18+22+71	1.10	1.31	1.61	5.18	9.20 3.40 - 11.60	1.886 0.590 - 3.816	8.66	8.28	7.94	99
15+18+25+35	1.48	1.78	2.47	3.46	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+18+25+42	1.38	1.66	2.30	3.86	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+18+25+50	1.28	1.53	2.13	4.26	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+18+25+60	1.17	1.40	1.95	4.68	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+18+25+71	1.07	1.28	1.78	5.06	9.20 3.40 - 11.60	1.886 0.590 - 3.816	8.66	8.28	7.94	99
15+18+35+35	1.34	1.61	3.13	3.13	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+18+35+42	1.25	1.51	2.93	3.51	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+18+35+50	1.17	1.40	2.73	3.90	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+18+35+60	1.08	1.29	2.52	4.31	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+18+35+71	0.99	1.19	2.32	4.70	9.20 3.40 - 11.60	1.886 0.590 - 3.816	8.66	8.28	7.94	99
15+18+42+42	1.18	1.42	3.30	3.30	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+18+42+50	1.10	1.32	3.09	3.68	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+18+42+60	1.02	1.23	2.86	4.09	9.20 3.40 - 11.60	1.876 0.590 - 3.806	8.61	8.24	7.90	99
15+18+50+50	1.04	1.25	3.46	3.46	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+18+50+60	0.97	1.16	3.22	3.86	9.20 3.40 - 11.60	1.876 0.590 - 3.806	8.61	8.24	7.90	99
15+20+20+20	1.74	2.32	2.32	2.32	8.70 3.40 - 11.60	1.876 0.590 - 3.856	8.61	8.24	7.90	99
15+20+20+22	1.71	2.29	2.29	2.51	8.80 3.40 - 11.60	1.879 0.590 - 3.849	8.63	8.25	7.91	99
15+20+20+25	1.67	2.23	2.23	2.78	8.90 3.40 - 11.60	1.889 0.590 - 3.849	8.68	8.30	7.95	99
15+20+20+35	1.50	2.00	2.00	3.50	9.00 3.40 - 11.60	1.919 0.590 - 3.849	8.81	8.43	8.08	99
15+20+20+42	1.39	1.86	1.86	3.90	9.00 3.40 - 11.60	1.913 0.590 - 3.843	8.78	8.40	8.05	99
15+20+20+50	1.29	1.71	1.71	4.29	9.00 3.40 - 11.60	1.913 0.590 - 3.843	8.78	8.40	8.05	99
15+20+20+60	1.17	1.57	1.57	4.70	9.00 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
15+20+20+71	1.07	1.43	1.43	5.07	9.00 3.40 - 11.60	1.900 0.590 - 3.830	8.72	8.34	7.99	99
15+20+22+22	1.69	2.25	2.48	2.48	8.90 3.40 - 11.60	1.882 0.590 - 3.842	8.65	8.27	7.93	99
15+20+22+25	1.65	2.20	2.41	2.74	9.00 3.40 - 11.60	1.892 0.590 - 3.842	8.69	8.31	7.96	99
15+20+22+35	1.48	1.98	2.18	3.46	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.78	8.40	8.05	99
15+20+22+42	1.38	1.84	2.02	3.86	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.75	8.37	8.02	99
15+20+22+50	1.28	1.70	1.87	4.25	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.75	8.37	8.02	99
15+20+22+60	1.17	1.56	1.71	4.67	9.10 3.40 - 11.60	1.889 0.590 - 3.819	8.68	8.30	7.95	99
15+20+22+71	1.07	1.42	1.56	5.05	9.10 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+20+25+25	1.59	2.12	2.65	2.65	9.00 3.40 - 11.60	1.902 0.590 - 3.842	8.73	8.35	8.00	99
15+20+25+35	1.44	1.92	2.39	3.35	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.78	8.40	8.05	99
15+20+25+42	1.34	1.78	2.23	3.75	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.75	8.37	8.02	99
15+20+25+50	1.24	1.65	2.07	4.14	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.75	8.37	8.02	99
15+20+25+60	1.14	1.52	1.90	4.55	9.10 3.40 - 11.60	1.889 0.590 - 3.819	8.68	8.30	7.95	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+20+25+71	1.04	1.39	1.74	4.93	9.10 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+20+35+35	1.30	1.73	3.03	3.03	9.10 3.40 - 11.60	1.912 0.590 - 3.842	8.78	8.40	8.05	99
15+20+35+42	1.22	1.63	2.84	3.41	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.75	8.37	8.02	99
15+20+35+50	1.14	1.52	2.65	3.79	9.10 3.40 - 11.60	1.906 0.590 - 3.836	8.75	8.37	8.02	99
15+20+35+60	1.05	1.40	2.45	4.20	9.10 3.40 - 11.60	1.889 0.590 - 3.819	8.68	8.30	7.95	99
15+20+35+71	0.97	1.29	2.26	4.58	9.10 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+20+42+42	1.15	1.53	3.21	3.21	9.10 3.40 - 11.60	1.900 0.590 - 3.830	8.72	8.34	7.99	99
15+20+42+50	1.07	1.43	3.01	3.58	9.10 3.40 - 11.60	1.900 0.590 - 3.830	8.72	8.34	7.99	99
15+20+42+60	1.00	1.33	2.79	3.99	9.10 3.40 - 11.60	1.883 0.590 - 3.813	8.65	8.27	7.93	99
15+20+50+50	1.01	1.35	3.37	3.37	9.10 3.40 - 11.60	1.900 0.590 - 3.830	8.72	8.34	7.99	99
15+20+50+60	0.94	1.26	3.14	3.77	9.10 3.40 - 11.60	1.883 0.590 - 3.813	8.65	8.27	7.93	99
15+22+22+22	1.69	2.47	2.47	2.47	9.10 3.40 - 11.60	1.875 0.590 - 3.835	8.60	8.23	7.89	99
15+22+22+25	1.63	2.38	2.38	2.71	9.10 3.40 - 11.60	1.895 0.590 - 3.835	8.70	8.32	7.97	99
15+22+22+35	1.47	2.15	2.15	3.43	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+22+22+42	1.37	2.00	2.00	3.83	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+22+22+50	1.27	1.86	1.86	4.22	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+22+22+60	1.16	1.70	1.70	4.64	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+22+22+71	1.06	1.56	1.56	5.02	9.20 3.40 - 11.60	1.886 0.590 - 3.816	8.66	8.28	7.94	99
15+22+25+25	1.59	2.33	2.64	2.64	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+22+25+35	1.42	2.09	2.37	3.32	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+22+25+42	1.33	1.95	2.21	3.72	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+22+25+50	1.23	1.81	2.05	4.11	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+22+25+60	1.13	1.66	1.89	4.52	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+22+25+71	1.04	1.52	1.73	4.91	9.20 3.40 - 11.60	1.886 0.590 - 3.816	8.66	8.28	7.94	99
15+22+35+35	1.29	1.89	3.01	3.01	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+22+35+42	1.21	1.78	2.82	3.39	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+22+35+50	1.13	1.66	2.64	3.77	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+22+35+60	1.05	1.53	2.44	4.18	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+22+35+71	0.97	1.42	2.25	4.57	9.20 3.40 - 11.60	1.886 0.590 - 3.816	8.66	8.28	7.94	99
15+22+42+42	1.14	1.67	3.19	3.19	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+22+42+50	1.07	1.57	3.00	3.57	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+22+42+60	0.99	1.46	2.78	3.97	9.20 3.40 - 11.60	1.876 0.590 - 3.806	8.61	8.24	7.90	99
15+22+50+50	1.01	1.48	3.36	3.36	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+25+25+25	1.53	2.56	2.56	2.56	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+25+25+35	1.38	2.30	2.30	3.22	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+25+25+42	1.29	2.15	2.15	3.61	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+25+25+50	1.20	2.00	2.00	4.00	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+25+25+60	1.10	1.84	1.84	4.42	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+25+25+71	1.01	1.69	1.69	4.80	9.20 3.40 - 11.60	1.886 0.590 - 3.816	8.66	8.28	7.94	99
15+25+35+35	1.25	2.09	2.93	2.93	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+25+35+42	1.18	1.97	2.75	3.30	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+25+35+50	1.10	1.84	2.58	3.68	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+25+35+60	1.02	1.70	2.39	4.09	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+25+42+42	1.11	1.85	3.12	3.12	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+25+42+50	1.05	1.74	2.93	3.48	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+25+42+60	0.97	1.62	2.72	3.89	9.20 3.40 - 11.60	1.876 0.590 - 3.806	8.61	8.24	7.90	99
15+25+50+50	0.99	1.64	3.29	3.29	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+35+35+35	1.15	2.68	2.68	2.68	9.20 3.40 - 11.60	1.905 0.590 - 3.835	8.75	8.37	8.02	99
15+35+35+42	1.09	2.54	2.54	3.04	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+35+35+50	1.02	2.39	2.39	3.41	9.20 3.40 - 11.60	1.899 0.590 - 3.829	8.72	8.34	7.99	99
15+35+35+60	0.95	2.22	2.22	3.81	9.20 3.40 - 11.60	1.882 0.590 - 3.812	8.65	8.27	7.93	99
15+35+42+42	1.03	2.40	2.88	2.88	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+35+42+50	0.97	2.27	2.72	3.24	9.20 3.40 - 11.60	1.893 0.590 - 3.823	8.69	8.31	7.96	99
15+42+42+42	0.98	2.74	2.74	2.74	9.20 3.40 - 11.60	1.887 0.590 - 3.817	8.67	8.29	7.94	99
18+18+18+18	2.25	2.25	2.25	2.25	9.00 3.40 - 11.60	1.836 0.590 - 3.826	8.43	8.06	7.72	99
18+18+18+20	2.16	2.16	2.16	2.41	8.90 3.40 - 11.60	1.853 0.590 - 3.833	8.51	8.14	7.80	99
18+18+18+22	2.16	2.16	2.16	2.63	9.10 3.40 - 11.60	1.856 0.590 - 3.826	8.52	8.15	7.81	99
18+18+18+25	2.07	2.07	2.07	2.88	9.10 3.40 - 11.60	1.866 0.590 - 3.826	8.56	8.19	7.85	99
18+18+18+35	1.88	1.88	1.88	3.66	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+18+18+42	1.74	1.74	1.74	4.07	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+18+18+50	1.61	1.61	1.61	4.47	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+18+18+60	1.47	1.47	1.47	4.89	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
18+18+18+71	1.34	1.34	1.34	5.28	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
18+18+20+20	2.11	2.11	2.34	2.34	8.90 3.40 - 11.60	1.870 0.590 - 3.840	8.58	8.21	7.87	99
18+18+20+22	2.08	2.08	2.31	2.54	9.00 3.40 - 11.60	1.863 0.590 - 3.833	8.55	8.18	7.84	99
18+18+20+25	2.02	2.02	2.25	2.81	9.10 3.40 - 11.60	1.873 0.590 - 3.833	8.60	8.23	7.89	99
18+18+20+35	1.82	1.82	2.02	3.54	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
18+18+20+42	1.69	1.69	1.88	3.94	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
18+18+20+50	1.56	1.56	1.74	4.34	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
18+18+20+60	1.43	1.43	1.59	4.76	9.20 3.40 - 11.60	1.880 0.590 - 3.810	8.64	8.26	7.92	99
18+18+20+71	1.30	1.30	1.45	5.14	9.20 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+18+22+22	2.07	2.07	2.53	2.53	9.20 3.40 - 11.60	1.866 0.590 - 3.826	8.56	8.19	7.85	99
18+18+22+35	1.80	1.80	2.20	3.50	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+18+22+42	1.67	1.67	2.05	3.91	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+18+22+50	1.55	1.55	1.89	4.31	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+18+22+60	1.42	1.42	1.73	4.73	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
18+18+22+71	1.30	1.30	1.59	5.12	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
18+18+25+25	1.95	1.95	2.70	2.70	9.30 3.40 - 11.60	1.886 0.590 - 3.826	8.66	8.28	7.94	99
18+18+25+35	1.74	1.74	2.42	3.39	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+18+25+42	1.63	1.63	2.26	3.79	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+18+25+50	1.51	1.51	2.09	4.19	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+18+25+60	1.38	1.38	1.92	4.61	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
18+18+25+71	1.27	1.27	1.76	5.00	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
18+18+35+35	1.58	1.58	3.07	3.07	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+18+35+42	1.48	1.48	2.88	3.46	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+18+35+50	1.38	1.38	2.69	3.84	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+18+35+60	1.28	1.28	2.48	4.26	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
18+18+35+71	1.18	1.18	2.29	4.65	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
18+18+42+42	1.40	1.40	3.26	3.26	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+18+42+50	1.31	1.31	3.05	3.63	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+18+42+60	1.21	1.21	2.83	4.04	9.30 3.40 - 11.60	1.867 0.590 - 3.797	8.57	8.20	7.86	99
18+18+50+50	1.23	1.23	3.42	3.42	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+20+20+20	2.03	2.26	2.26	2.26	8.80 3.40 - 11.60	1.877 0.590 - 3.847	8.61	8.24	7.90	99
18+20+20+22	2.03	2.25	2.25	2.48	9.00 3.40 - 11.60	1.880 0.590 - 3.840	8.64	8.26	7.92	99
18+20+20+35	1.76	1.96	1.96	3.42	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	8.04	99
18+20+20+42	1.64	1.82	1.82	3.82	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.74	8.36	8.01	99
18+20+20+50	1.52	1.69	1.69	4.21	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.74	8.36	8.01	99
18+20+20+60	1.39	1.54	1.54	4.63	9.10 3.40 - 11.60	1.887 0.590 - 3.817	8.67	8.29	7.94	99
18+20+20+71	1.27	1.41	1.41	5.01	9.10 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
18+20+22+22	2.00	2.22	2.44	2.44	9.10 3.40 - 11.60	1.883 0.590 - 3.833	8.65	8.27	7.93	99
18+20+22+25	1.93	2.14	2.36	2.68	9.10 3.40 - 11.60	1.893 0.590 - 3.833	8.69	8.31	7.96	99
18+20+22+35	1.74	1.94	2.13	3.39	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
18+20+22+42	1.62	1.80	1.98	3.79	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
18+20+22+50	1.51	1.67	1.84	4.18	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
18+20+22+60	1.38	1.53	1.69	4.60	9.20 3.40 - 11.60	1.880 0.590 - 3.810	8.64	8.26	7.92	99
18+20+22+71	1.26	1.40	1.55	4.99	9.20 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+20+25+25	1.88	2.09	2.61	2.61	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
18+20+25+35	1.69	1.88	2.35	3.29	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
18+20+25+42	1.58	1.75	2.19	3.68	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
18+20+25+50	1.47	1.63	2.04	4.07	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
18+20+25+60	1.35	1.50	1.87	4.49	9.20 3.40 - 11.60	1.880 0.590 - 3.810	8.64	8.26	7.92	99
18+20+25+71	1.24	1.37	1.72	4.87	9.20 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+20+35+35	1.53	1.70	2.98	2.98	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
18+20+35+42	1.44	1.60	2.80	3.36	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
18+20+35+50	1.35	1.50	2.62	3.74	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
18+20+35+60	1.25	1.38	2.42	4.15	9.20 3.40 - 11.60	1.880 0.590 - 3.810	8.64	8.26	7.92	99
18+20+35+71	1.15	1.28	2.24	4.54	9.20 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+20+42+42	1.36	1.51	3.17	3.17	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
18+20+42+50	1.27	1.42	2.97	3.54	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
18+20+42+60	1.18	1.31	2.76	3.94	9.20 3.40 - 11.60	1.874 0.590 - 3.804	8.60	8.23	7.89	99
18+20+50+50	1.20	1.33	3.33	3.33	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
18+22+22+22	1.97	2.41	2.41	2.41	9.20 3.40 - 11.60	1.886 0.590 - 3.826	8.66	8.28	7.94	99
18+22+22+25	1.92	2.35	2.35	2.67	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+22+22+35	1.73	2.11	2.11	3.36	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+22+22+42	1.61	1.97	1.97	3.76	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+22+22+50	1.49	1.83	1.83	4.15	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+22+22+60	1.37	1.68	1.68	4.57	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
18+22+22+71	1.26	1.54	1.54	4.96	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
18+22+25+25	1.86	2.27	2.58	2.58	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+22+25+35	1.67	2.05	2.33	3.26	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+22+25+42	1.56	1.91	2.17	3.65	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+22+25+50	1.46	1.78	2.02	4.04	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+22+25+60	1.34	1.64	1.86	4.46	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
18+22+25+71	1.23	1.50	1.71	4.86	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
18+22+35+35	1.52	1.86	2.96	2.96	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+22+35+42	1.43	1.75	2.78	3.34	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+22+35+50	1.34	1.64	2.60	3.72	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+22+35+60	1.24	1.52	2.41	4.13	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
18+22+42+42	1.35	1.65	3.15	3.15	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+22+42+50	1.27	1.55	2.96	3.52	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+22+42+60	1.18	1.44	2.75	3.93	9.30 3.40 - 11.60	1.867 0.590 - 3.797	8.57	8.20	7.86	99
18+22+50+50	1.20	1.46	3.32	3.32	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+25+25+25	1.80	2.50	2.50	2.50	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+25+25+35	1.63	2.26	2.26	3.16	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+25+25+42	1.52	2.11	2.11	3.55	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+25+25+50	1.42	1.97	1.97	3.94	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+25+25+60	1.31	1.82	1.82	4.36	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
18+25+25+71	1.20	1.67	1.67	4.75	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
18+25+35+35	1.48	2.06	2.88	2.88	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+25+35+42	1.40	1.94	2.71	3.26	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+25+35+50	1.31	1.82	2.54	3.63	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+25+35+60	1.21	1.68	2.36	4.04	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
18+25+42+42	1.32	1.83	3.08	3.08	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+25+42+50	1.24	1.72	2.89	3.44	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+25+42+60	1.15	1.60	2.69	3.85	9.30 3.40 - 11.60	1.867 0.590 - 3.797	8.57	8.20	7.86	99
18+25+50+50	1.17	1.63	3.25	3.25	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+35+35+35	1.36	2.65	2.65	2.65	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
18+35+35+42	1.29	2.50	2.50	3.00	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+35+35+50	1.21	2.36	2.36	3.37	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
18+35+42+42	1.22	2.38	2.85	2.85	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+35+42+50	1.15	2.24	2.69	3.21	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
18+42+42+42	1.16	2.71	2.71	2.71	9.30 3.40 - 11.60	1.878 0.590 - 3.808	8.63	8.25	7.91	99
20+20+20+20	2.20	2.20	2.20	2.20	8.80 3.40 - 11.60	1.894 0.590 - 3.854	8.70	8.32	7.97	99
20+20+20+22	2.17	2.17	2.17	2.39	8.90 3.40 - 11.60	1.897 0.590 - 3.847	8.71	8.33	7.98	99
20+20+20+25	2.09	2.09	2.09	2.62	8.90 3.40 - 11.60	1.907 0.590 - 3.847	8.76	8.38	8.03	99
20+20+20+35	1.89	1.89	1.89	3.32	9.00 3.40 - 11.60	1.917 0.590 - 3.847	8.80	8.42	8.07	99
20+20+20+42	1.76	1.76	1.76	3.71	9.00 3.40 - 11.60	1.911 0.590 - 3.841	8.77	8.39	8.04	99
20+20+20+50	1.64	1.64	1.64	4.09	9.00 3.40 - 11.60	1.911 0.590 - 3.841	8.77	8.39	8.04	99
20+20+20+60	1.50	1.50	1.50	4.50	9.00 3.40 - 11.60	1.894 0.590 - 3.824	8.70	8.32	7.97	99
20+20+20+71	1.37	1.37	1.37	4.88	9.00 3.40 - 11.60	1.898 0.590 - 3.828	8.72	8.34	7.99	99
20+20+22+22	2.14	2.14	2.36	2.36	9.00 3.40 - 11.60	1.900 0.590 - 3.840	8.72	8.34	7.99	99
20+20+22+25	2.09	2.09	2.30	2.61	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	8.04	99
20+20+22+35	1.88	1.88	2.06	3.28	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	8.04	99
20+20+22+42	1.75	1.75	1.93	3.68	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.74	8.36	8.01	99
20+20+22+50	1.63	1.63	1.79	4.06	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.74	8.36	8.01	99
20+20+22+60	1.49	1.49	1.64	4.48	9.10 3.40 - 11.60	1.887 0.590 - 3.817	8.67	8.29	7.94	99
20+20+22+71	1.37	1.37	1.51	4.86	9.10 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
20+20+25+25	2.02	2.02	2.53	2.53	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	8.04	99
20+20+25+35	1.82	1.82	2.28	3.19	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	8.04	99
20+20+25+42	1.70	1.70	2.13	3.57	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.74	8.36	8.01	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+20+25+50	1.58	1.58	1.98	3.96	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.74	8.36	8.01	99
20+20+25+60	1.46	1.46	1.82	4.37	9.10 3.40 - 11.60	1.887 0.590 - 3.817	8.67	8.29	7.94	99
20+20+25+71	1.34	1.34	1.67	4.75	9.10 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
20+20+35+35	1.65	1.65	2.90	2.90	9.10 3.40 - 11.60	1.910 0.590 - 3.840	8.77	8.39	8.04	99
20+20+35+42	1.56	1.56	2.72	3.27	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.74	8.36	8.01	99
20+20+35+50	1.46	1.46	2.55	3.64	9.10 3.40 - 11.60	1.904 0.590 - 3.834	8.74	8.36	8.01	99
20+20+35+60	1.35	1.35	2.36	4.04	9.10 3.40 - 11.60	1.887 0.590 - 3.817	8.67	8.29	7.94	99
20+20+42+42	1.47	1.47	3.08	3.08	9.10 3.40 - 11.60	1.898 0.590 - 3.828	8.72	8.34	7.99	99
20+20+42+50	1.38	1.38	2.90	3.45	9.10 3.40 - 11.60	1.898 0.590 - 3.828	8.72	8.34	7.99	99
20+20+42+60	1.28	1.28	2.69	3.85	9.10 3.40 - 11.60	1.881 0.590 - 3.811	8.64	8.26	7.92	99
20+20+50+50	1.30	1.30	3.25	3.25	9.10 3.40 - 11.60	1.898 0.590 - 3.828	8.72	8.34	7.99	99
20+22+22+22	2.14	2.35	2.35	2.35	9.20 3.40 - 11.60	1.893 0.590 - 3.833	8.69	8.31	7.96	99
20+22+22+25	2.07	2.27	2.27	2.58	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
20+22+22+35	1.86	2.04	2.04	3.25	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
20+22+22+42	1.74	1.91	1.91	3.65	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+22+22+50	1.61	1.78	1.78	4.04	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+22+22+60	1.48	1.63	1.63	4.45	9.20 3.40 - 11.60	1.880 0.590 - 3.810	8.64	8.26	7.92	99
20+22+22+71	1.36	1.50	1.50	4.84	9.20 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
20+22+25+25	2.00	2.20	2.50	2.50	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
20+22+25+35	1.80	1.98	2.25	3.16	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
20+22+25+42	1.69	1.86	2.11	3.54	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+22+25+50	1.57	1.73	1.97	3.93	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+22+25+60	1.45	1.59	1.81	4.35	9.20 3.40 - 11.60	1.880 0.590 - 3.810	8.64	8.26	7.92	99
20+22+25+71	1.33	1.47	1.67	4.73	9.20 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
20+22+35+35	1.64	1.81	2.88	2.88	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
20+22+35+42	1.55	1.70	2.71	3.25	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+22+35+50	1.45	1.59	2.54	3.62	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+22+35+60	1.34	1.48	2.35	4.03	9.20 3.40 - 11.60	1.880 0.590 - 3.810	8.64	8.26	7.92	99
20+22+42+42	1.46	1.61	3.07	3.07	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
20+22+42+50	1.37	1.51	2.88	3.43	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
20+22+42+60	1.28	1.41	2.68	3.83	9.20 3.40 - 11.60	1.874 0.590 - 3.804	8.60	8.23	7.89	99
20+22+50+50	1.30	1.43	3.24	3.24	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
20+25+25+25	1.94	2.42	2.42	2.42	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
20+25+25+35	1.75	2.19	2.19	3.07	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
20+25+25+42	1.64	2.05	2.05	3.45	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+25+25+50	1.53	1.92	1.92	3.83	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+25+25+60	1.42	1.77	1.77	4.25	9.20 3.40 - 11.60	1.880 0.590 - 3.810	8.64	8.26	7.92	99
20+25+25+71	1.30	1.63	1.63	4.63	9.20 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
20+25+35+35	1.60	2.00	2.80	2.80	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
20+25+35+42	1.51	1.89	2.64	3.17	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+25+35+50	1.42	1.77	2.48	3.54	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+25+35+60	1.31	1.64	2.30	3.94	9.20 3.40 - 11.60	1.880 0.590 - 3.810	8.64	8.26	7.92	99
20+25+42+42	1.43	1.78	3.00	3.00	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
20+25+42+50	1.34	1.68	2.82	3.36	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
20+25+50+50	1.27	1.59	3.17	3.17	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
20+35+35+35	1.47	2.58	2.58	2.58	9.20 3.40 - 11.60	1.903 0.590 - 3.833	8.74	8.36	8.01	99
20+35+35+42	1.39	2.44	2.44	2.93	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+35+35+50	1.31	2.30	2.30	3.29	9.20 3.40 - 11.60	1.897 0.590 - 3.827	8.71	8.33	7.98	99
20+35+42+42	1.32	2.32	2.78	2.78	9.20 3.40 - 11.60	1.891 0.590 - 3.821	8.68	8.30	7.95	99
22+22+22+22	2.33	2.33	2.33	2.33	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+22+22+25	2.25	2.25	2.25	2.55	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+22+22+35	2.03	2.03	2.03	3.22	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+22+22+42	1.89	1.89	1.89	3.62	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+22+22+50	1.76	1.76	1.76	4.01	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+22+22+60	1.62	1.62	1.62	4.43	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
22+22+22+71	1.49	1.49	1.49	4.82	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
22+22+25+25	2.18	2.18	2.47	2.47	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+22+25+35	1.97	1.97	2.24	3.13	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+22+25+42	1.84	1.84	2.09	3.52	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+22+25+50	1.72	1.72	1.95	3.91	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+22+25+60	1.59	1.59	1.80	4.33	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
22+22+25+71	1.46	1.46	1.66	4.72	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
22+22+35+35	1.79	1.79	2.86	2.86	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+22+35+42	1.69	1.69	2.69	3.23	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+22+35+50	1.59	1.59	2.52	3.60	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+22+35+60	1.47	1.47	2.34	4.01	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
22+22+42+42	1.60	1.60	3.05	3.05	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
22+22+42+50	1.50	1.50	2.87	3.42	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
22+22+50+50	1.42	1.42	3.23	3.23	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
22+25+25+25	2.11	2.40	2.40	2.40	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+25+25+35	1.91	2.17	2.17	3.04	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+25+25+42	1.79	2.04	2.04	3.43	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+25+25+50	1.68	1.91	1.91	3.81	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+25+25+60	1.55	1.76	1.76	4.23	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
22+25+25+71	1.43	1.63	1.63	4.62	9.30 3.40 - 11.60	1.877 0.590 - 3.807	8.61	8.24	7.90	99
22+25+35+35	1.75	1.99	2.78	2.78	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+25+35+42	1.65	1.88	2.63	3.15	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+25+35+50	1.55	1.76	2.47	3.52	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+25+35+60	1.44	1.64	2.29	3.93	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99
22+25+42+42	1.56	1.77	2.98	2.98	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
22+25+42+50	1.47	1.67	2.81	3.35	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
22+35+35+35	1.61	2.56	2.56	2.56	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
22+35+35+42	1.53	2.43	2.43	2.91	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+35+35+50	1.44	2.29	2.29	3.27	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
22+35+42+42	1.45	2.31	2.77	2.77	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99
25+25+25+25	2.33	2.33	2.33	2.33	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
25+25+25+35	2.11	2.11	2.11	2.96	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99
25+25+25+42	1.99	1.99	1.99	3.34	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
25+25+25+50	1.86	1.86	1.86	3.72	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99
25+25+25+60	1.72	1.72	1.72	4.13	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99

MXZ-4F83VF MXZ-4F83VF2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		220	230	240			
25+25+35+35	1.94	1.94	2.71	2.71	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99	
25+25+35+42	1.83	1.83	2.56	3.08	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99	
25+25+35+50	1.72	1.72	2.41	3.44	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99	
25+25+35+60	1.60	1.60	2.24	3.85	9.30 3.40 - 11.60	1.873 0.590 - 3.803	8.60	8.23	7.89	99	
25+25+42+42	1.74	1.74	2.91	2.91	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99	
25+25+42+50	1.64	1.64	2.75	3.27	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99	
25+35+35+35	1.79	2.50	2.50	2.50	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99	
25+35+35+42	1.70	2.38	2.38	2.85	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99	
25+35+35+50	1.60	2.24	2.24	3.21	9.30 3.40 - 11.60	1.890 0.590 - 3.820	8.68	8.30	7.95	99	
25+35+42+42	1.61	2.26	2.71	2.71	9.30 3.40 - 11.60	1.884 0.590 - 3.814	8.65	8.27	7.93	99	
35+35+35+35	2.33	2.33	2.33	2.33	9.30 3.40 - 11.60	1.896 0.590 - 3.826	8.71	8.33	7.98	99	

Mitsubishi Electric at your service

Mitsubishi Electric Europe B.V. Belgium Living Environment Systems

Main office

Autobaan 2 - 8210 Loppem
T 050 40 48 48 - info@mitsubishi-electric.be

Service centre

Preflexbaan 151 - 1740 Ternat
T 02 582 77 50 - service.as@mee.com

www.mitsubishi-electric.be

